

COUNTER ASSAULT -- COUNTER ASSAULT OC-10 -- 6850-01-444-1128

===== Product Identification =====

Product ID:COUNTER ASSAULT OC-10

MSDS Date:02/01/1999

FSC:6850

NIIN:01-444-1128

MSDS Number: CJLSR

=== Responsible Party ===

Company Name:COUNTER ASSAULT

Address:120 INDUSTRY CT

City:KALISPELL

State:MT

ZIP:59901

Country:US

Info Phone Num:406-257-4740

Emergency Phone Num:800-695-3394

Preparer's Name:NOT

LISTED

CAGE:082C9

=== Contractor Identification ===

Company Name:BUSHWACKER BACKPACK AND SUPPLY CO

Address:836 HOLT DR SUITE 306

Box:City:BIGFORK

State:MT

ZIP:59911

Country:US

Phone:406-886-2410

Contract Num:SP0450-00-M-D061

CAGE:1EFK1

Company Name:COUNTER ASSAULT

Address:120 INDUSTRY CT

Box:City:KALISPELL

State:MT

ZIP:59901

Country:US

Phone:406-257-4740

Contract Num:SP0450-00-M-D332

CAGE:082C9

Company Name:COUNTER ASSAULT

Address:120 INDUSTRY CT

Box:City:KALISPELL

State:MT

ZIP:59901

Country:US

Phone:406-257-4740  
Contract Num:SP0450-00-M-D504  
CAGE:082C9  
Company Name:COUNTER ASSAULT  
Address:120 INDUSTRY CT  
Box:City:KALISPELL  
State:MT  
ZIP:59901  
Country:US  
Phone:406-257-4740

Contract Num:SP0450-99-M-NF85  
CAGE:082C9  
Company Name:COUNTER ASSAULT  
Address:120 INDUSTRY CT  
Box:City:KALISPELL  
State:MT  
ZIP:59901  
Country:US  
Phone:406-257-4740  
Contract Num:SP0450-99-M-NH92  
CAGE:082C9

=====  
===== Composition/Information on Ingredients =====

Ingred Name:OLEORESIN CAPSICUM  
= Wt:10.

Ing  
red Name:HCFC 134A (DUPONT)  
CAS:811-97-2

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE PROVIDED BY RESPONSIBLE PARTY.  
Health Hazards Acute and Chronic:THIS PRODUCT IS AN EYE IRRITANT.  
EXCESSIVE SKIN CONTACT WITH THE LIQUID MAY CAUSE FROSTBITE.  
INHALATION: RESPIRATORY IRRITATION.  
Explanation of Carcinogenicity:NONE PROVIDED BY RESPONSIBLE PARTY.  
Effects of Overexposure:TEARING, REDNESS OF THE EYES. SEVERE HEARTBURN  
AND NAUSEA.  
Medical C

and Aggravated by Exposure:NONE PROVIDED BY RESPONSIBLE PARTY.

===== First Aid Measures =====

First Aid:EYES: REMOVE CONTACT LENSES. FLUSH WITH LARGE QUANTITIES OF WATER. TIP: IMMERSE FACE & OPEN EYES IN BASIN OF WATER. SKIN: WASH AFFECTED AREA WITH SOAP & COOL WATER TO AVOID FURTHER EXPOSURE. RUBEFACI ENT EFFECT, ESPECIALLY TO MUCOUS MEMBRANES. WASH CONTAMINATED CLOTHING BEFORE REUSE. DO NOT APPLY SALVES OR OTHER SKIN FRESSING WHICH M  
AY TRAP THE PEPPER. INHALATION: INFLAMMATORY.  
RESPIRATORY IRRITAT ION MAY CAUSE FEELING OF RESTRICTED AIRWAY.  
MOVE SUBJECT TO FRESH AIR. INGESTION: SEVERE HEARTBURN SENSATION MAY CAUSE NAUSEA. IF PERSISTS CONSULT PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TOC  
Flash Point:NONFLAMMABLE  
Lower Limits:NOT ESTAB  
Upper Limits:NOT ESTAB  
Extinguishing Media:THIS MATERIAL IS NOT COMBUSTIBLE. USE EXTINGUISHING MEDIA APPROPRIATE FOR SURROUNDING AREA.  
Fire Fighting Procedures:FIRE FIGHTER SHOULD WEAR SELF-CONTAINED BREATHING APPARATUS AND FULL PROTECTIVE CLOTHING. USE WATER SPRAY TO COOL NEARBY CONTAINERS AND STRUCTURES EXPOSED TO FIRE.  
Unusual Fire/Explosion Hazard:DO NOT EXPOSE TO HEAT OR FLAME, OR STORE ABOVE 120 DEGREES F (49C) HIGH INTERNAL PRESSURES MAY CAUSE CYLINDERS TO RUPTURE.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA.REMOVE SOURCES OF IGNITION.  
AVOID PROLONGED BREATHING OF VAPORS. CONFINE SPILL WITH INERT ABSORBERS. WEAR PROTECTIVE EQUIPMENT. KEEP OUT OF SEWERS, STORM DRAINS, SURFACE WATER AND SOIL .  
Neutralizing Agent:NONE PROVIDED BY RESPONSIBLE PARTY.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN COOL, DRY AREA, AWAY FROM HIGH TEMPERATURES. WHEN STORING LARGE QUANTITIES, PROTECT AGAINST FIRE.  
Other Precautions:DO NOT STORE IN DIRECT

SUNLIGHT OR ABOVE 120 F.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA APPROVED CHEMICAL/MECHANICAL TYPE FILTER SYSTEM TO REMOVE A COMBINATION OF PARTICLES, GAS AND VAPORS. USE AIR LINE, IF NECESSARY.

Ventilation:USE ADEQUATE VENTILATION IN VOLUME & PATTERN TO KEEP BEL/TLV BELOW RECOMMENDED LEVEL. GENERAL MECHANICAL VENTILATION SHOULD COMPLY WITH OSHA 1910.94.

Protective Gloves:USE RUBBER GLOVES.

Eye Protection:SAFETY GLASSES OR GOGGLES WITH SPLASH GUARDS OR SIDE SHIELDS.

Other Protective Equipment:PREVENT PROLONGED SKIN CONTACT TO CONTAMINATED CLOTHING.

Work Hygienic Practices:WASH HANDS THOROUGHLY WITH SOAP AND WATER BEFORE EATING, DRINKING, SMOKING OR USING TOILET FACILITIES.

Supplemental Safety and Health  
DO NOT TAKE INTERNALLY. IF INGESTED, DO NOT INDUCE VOMITING. CONSULT A PHYSICIAN.

===== Physical/Chemical Properties =====

HCC:V2

Boiling Pt:=6.9C, 44.4F

Va

por Pres:71 PSIA @70F (PROPELLANT)

Vapor Density:3.04AIR=1.

Spec Gravity:1.12(WATER=1)

Solubility in Water:1.2%

Appearance and Odor:AMBER TO LIGHT RED, SLIGHT ETHEREAL ODOR

Percent Volatiles by Volume:90

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS, ALKALIS, ORGANIC ACID ANHYDRIDES, OXIDIZING MATERIALS, SODIUM, POTASSIUM AND MAGNESIUM.

Stability Condition to Avoid:HIGH TEMPERATURE SOURCES WHICH MAY INDUCE DE

COMPOSITION.

Hazardous Decomposition Products:NONE PROVIDED BY RESPONSIBLE PARTY.

===== Toxicological Information =====

Toxicological Information:EXPOSURE LIMITS FOR PRODUCT: TLV =50 PPM; PEL 500 PPM; 75 NIOSH 10 HOUR TWA; WEEL 1000 PPM 8 HOUR TWA.

===== Ecological Information =====

Ecological:ZERO OZONE DEPLETING POTENTIAL. NEGLIGIBLE GLOBAL WARMING POTENTIAL.

===== Disposal Considerations =====

=====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information:DOT SHIPPING CLASSIFICATION PER MSDS= ORM-D CONSUMER COMMODITY.

===== Regulatory Information =====

SARA Title III Information:NONE SPECIFIED BY MANUFACTURER.  
Federal Regulatory Information:NONE SPECIFIED BY MANUFACTURER.  
State Regulatory Information:NONE PROVIDED BY RESPONSIBLE PARTY.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.