

MALLINCKRODT/BAKER -- SODIUM SULFATE ANHYDROUS -- 6550-00-299-8176

=====  
Product Identification  
=====

Product ID:SODIUM SULFATE ANHYDROUS

MSDS Date:03/05/1997

FSC:6550

NIIN:00-299-8176

Status Code:A

MSDS Number: CJMMR

=== Responsible Party ===

Company Name:MALLINCKRODT/BAKER

Address:222 RED SCHOOL LANE

City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Country:US

Info Phone Num:908-859-2151

Emergency Phone

Num:24 HR:908-859-2151/CAN 613-996-6666

Resp. Party Other MSDS Num.:S5018

Chemtrec Ind/Phone:(800)424-9300

CAGE:LO895

=== Contractor Identification ===

Company Name:MALLINCKRODT/BAKER

Address:222 RED SCHOOL LANE

Box:City:PHILLIPSBURG

State:NJ

ZIP:08865-2219

Country:US

Phone:908-859-2151

CAGE:LO895

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SODIUM SULFATE

CAS:7757-82-6

RTECS #:WE1650000

Minumum % Wt:90.

Maxumum % Wt:100.

=====  
Hazards Ide  
=====

ntification =====

Health Hazards Acute and Chronic:INHALATION-NOT EXPECTED TO BE A HEALTH HAZARD. INGESTION-MILDLY TOXIC BY INGESTION. SLOWLY ABSORBED FROM THE ALIMENTARY TRACT.BECAUSE OF OSMOTIC ACTIVITY, IT WILL DRAW WATER INTO THE LUMEN OF THE BOWE L & MAY CAUSE PURGING, FLUID LOSS, BLOOD IN STOOL, FALL OF BLOOD PRESSURE & HIGH SODIUM LEVELS IN THE BLOOD. SKIN-NO ADVERSE EFFECTS EXPECTED. EYE-NO ADVERSE EFFECTS EXPECTED BUT DUST MAY CAUSE MECHAN ICAL IRRITATION. CHRONIC: NO INFORMATION FOUND.

Medical Cond Aggravated by Exposure:NO INFORMATION FOUND.

===== First Aid Measures =====

First Aid:INHALATION-NOT EXPECTED TO REQUIRE FIRST AID MEASURES. INGESTION-GIVE SEVERAL GLASSES O WATER TO DRINK TO DILUTE. IF LARGE VOLUMES WERE SWALLOWED, GET MEDICAL ADVICE. SKIN-WASH EXPOSED AREA WITH SOAP AND WATER. GET MEDICAL ADVICE IF IRRITATION DEVELOPS. EYE-WASH THOROUGHLY WITH RUNNING WATER.GET MEDICAL ADVICE IF IRRITATION DEVELOPS.

===== Fire Fighting Measures =====

Extinguishing Media:USE ANY MEANS SUITABLE FOR EXTINGUISHING SURROUNDING FIRE. NOT CONSIDERED TO BE A FIRE HAZARD.  
Fire Fighting Procedures:USE ANY MEANS SUITABLE FOR EXTINGUISHING SURROUNDING FIRE. USE PROTECTIVE CLOTHING AND BREATHING EQUIPMENT APPROPRIATE FOR THE SURROUNDING FIRE.  
Unusual Fire/Explosion Hazard:NOT CONSIDERED TO BE AN EXPLOSION HAZARD, BUT VIOLENT E XPLOSIONS OCCUR WHEN POTASSIUM SULFATE AND SODIUM SULFATE ARE MELTED WITH ALUMINUM.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE ARE OF LEAK OR SPILL. WEAR APPROIATE PERSONAL PROTECTIVE EQUIPMENT. SWEEP UP AND CONTAINERIZE FOR RECLAMATION OR DISPOSAL. VACUUMING OR WET SWEEPING MAY BE USED TO AVOID DUST DISPERSAL.

===== Handling and Storage =====

Handling and Storage Precautions:KEEP

IN A TIGHTLY CLOSED CONTAINER,  
STORED IN A COOL, DRY, VENTILATED AREA. PROTECT AGAINST PHYSICAL  
DAMAGE. ISOLATE FROM INCOMPATIBLE SUBSTANCES. CONTAINERS OF THIS  
MATERIAL MAY BE HAZARDOUS WHEN EMP TY SINCE THEY RETAIN PRODUCT  
RESIDUES; OBSERVE ALL WARNINGS AND PRECAUTIONS LISTED FOR THE  
PRODUCT.

Other Precautions:AS PART OF GOOD INDUSTRIAL AND PERSONAL HYGIENE AND  
SAFETY PROCEDURES, AVOID ALL UNNECESSARY EXPOSURE TO THE CHEMICAL  
SUBSTANCE AND ENSURE PROMPT REMOVAL FROM  
SKIN, EYES AND CLOTHING.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:PERSONAL RESPIRATORS (NIOSH APPROVED): FOR  
CONDITIONS OF USE WHERE EXPOSURE TO DUST OR MIST IS APPARENT, A  
HALF-FACE DUST/MIST RESPIRATOR MAY BE WORN. FOR EMERGENCIES OR  
WHERE EXPOSURE LEVELS ARE NOT KNOWN, USE FULL-FACE  
POSITIVE-PRESSURE, AIR-SUPPLIED RESPIRATOR. WARNING: AIR PURIFYING  
RESPIRATORS DO NOT PROTECT WORKERS IN OXYGEN-DEFICIENT ATMOSPHERES.

Vent  
ilation:DILUTION VENTILATION IS OKAYFOR HEALTH HAZARD CONTROL OF  
THIS SUBSTANCE. IF CONDITIONS OF USE CREATE DISCOMFORT TO WORKER,  
LOCAL EXHAUST SYSTEM BE CONSIDERED.

Protective Gloves:WEAR PROTECTIVE GLOVES

Eye Protection:USE CHEMICAL SAFETY GOGGLES.

Other Protective Equipment:MAINTAIN EYE WASH FOUNTAIN & QUICK-DRENCH  
FACILITIES IN WORK AREA.

Work Hygienic Practices:CLEAN BODY-COVERING CLOTHING.

Supplemental Safety and Health

=====  
===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:=843.9C, #####F

Vapor Density:2.68

Solubility in Water:3.6 PARTS H2O,1 IN 2 MAX.

Appearance and Odor:FINE WHITE CRYSTALLINE GRANULES. ODORLESS.

Percent Volatiles by Volume:@21C(70F):0

=====  
===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

IN COMBINATION WITH SODIUM SULFATE, ALUMINUM AND MAGNESIUM WILL EXPLODE  
@ 800C (1472C); STRONG MINERAL ACIDS AND BASES.

Stability Condition to Avoid:AIR, MOISTU

RE, AND INCOMPATIBLES. STABLE  
IN TIGHTLY CLOSED CONTAINERS UNDER NORMAL CONDITIONS OF STORAGE.  
Hazardous Decomposition Products:OXIDES OF SULFUR AND SODIUM MAY FORM  
WHEN HEATED TO DECOMPOSITION.  
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Toxicological Information =====

Toxicological Information:NO LD50/LC50 INFORMATION FOUND RELATING TO  
NORMAL ROUTES OF OCCUPATIONAL EXPOSURE. INVESTIGATED AS A  
TUMORIGEN, MUTAGEN, REPRODUCTIVE EFFECTOR.  
SODIUM SULFATE: NONE.

===== Ecological Information =====

Ecological:ECOLOGICAL: ENVIRONMENTAL FATE-WHEN RELEASED INTO THE SOIL,  
THIS MATERIAL IS EXPECTED TO LEACH INTO GROUNDWATER. THIS MATERIAL  
IS NOT EXPECTED TO SIGNIFICANTLY BIOACCUMULATE. ENVIRONMENTAL  
TOXICITY-THIS MATERIAL IS NOT EXPECTED TO BE TOXIC TO AQUATIC  
LIFE. THE LC50/96-HOUR VALUES FOR FISH ARE OVER 100 MG/L. THE  
EC50/48-HOUR VALUES FOR DAPHNIA ARE OVER 100 MG/L.

===== Disposal Considerations =====

Waste Disposal Methods:WHAT CANNOT BE SAVED FOR RECOVERY OR RECYCLING  
SHOULD BE MANAGED IN AN APPROPRIATE & APPROVED WASTE DISPOSAL  
FACILITY. PROCESSING, USE OR CONTAMINATION OF THIS PRODUCT MAY  
CHANGE THE WASTE MANAGEMENT OPTIONS. DISPOSE OF CONTAINER &  
UNUSED CONTENTS IN ACCORDANCE WITH FEDERAL, STATE & LOCAL REQUIREMENTS.

===== MSDS Transport Information =====

Transport Information:NOT REGULATED.

===== Regulatory Information =====

SARA Title III Information:NONE.  
Federal Regulatory Information:NONE.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate.

te and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.