

COUNTER ASSAULT -- COUNTER ASSAULT OC-10 -- 6850-01-444-1128

=====
Product Identification
=====

Product ID:COUNTER ASSAULT OC-10

MSDS Date:01/01/1999

FSC:6850

NIIN:01-444-1128

Status Code:A

MSDS Number: CJMTY

=== Responsible Party ===

Company Name:COUNTER ASSAULT

Address:120 INDUSTRY CT

City:KALISPELL

State:MT

ZIP:59901

Country:US

Info Phone Num:406-257-4740

Emergency Phone Num:800-695-3394

CAGE:

082C9

=== Contractor Identification ===

Company Name:COUNTER ASSAULT

Address:120 INDUSTRY CT

Box:City:KALISPELL

State:MT

ZIP:59901

Country:US

Phone:406-257-4740

Contract Num:SP0450-99- M-NA38

CAGE:082C9

=====
Composition/Information on Ingredients
=====

Ingred Name:OLEORESIN CAPSICUM

= Wt:10.

Other REC Limits:NONE RECOMMENDED

Ingred Name:DUPONT 134A HFC PROPELLANT

CAS:811-97-2

Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:EYE-THIS PRODUCT IS AN EYE IRRITANT.
SKIN: EXCESSIVE SKIN CONTACT WITH THE LIQUID MAY CAUSE FROSTBITE.
RUBEFACIENT EFFECT,ESPECIALLY TO MUCOUS MEMBRANES.INGEST:SEVERE
HEARTBURN SENSATION MAY CAUSE NA USEA.INHAL:INFLAMMATORY.RESP IRRIT
MAY CAUSE FEELING OF RESTRICTED AIRWAY.PRIMARY ROUTE OF ENTRY:INHAL
AND ABSORPTION THROUGH SKIN
AND MUCOUS MEMBRANES.
Explanation of Carcinogenicity:NONE PROVIDED BY MFG.
Effects of Overexposure:REARING AND REDNESS MAY OCCUR.FROSTBITE.
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYE-REMOVE CONTACT LENSES. FLUSH W/LG QUANT OF
H2O.TIP:IMMERSE FACE & OPN EYES IN BASIN OF H2O.SKIN:WASH AFFECTED
AREA W/SOAP/H2O TO AVOID FUTHER EXPO.RUBEFACIENT EFFECT ESPECIALLY
TO MUC MEMB.DONT A
P PLY SALVES/OTHER SKIN DRESSING WHICH MAY TRAP
PEPPER AGAINST SKIN. INHAL:INFLAMM.RESP IRRIT MAY CAUSE FEELING OF
RESTRICTED AIRWAYS. MOVE SUBJ TO FRESH AIR ASAP. INGEST:SEVERE
HEARTBURN SENSATION MAY CAUSE NAU.IRRIT PERSISTS SEE DR. DONT
INDUCE VOMIT.

===== Fire Fighting Measures =====

Flash Point Method:TOC
Flash Point:NON-FLAMMABLE
Extinguishing Media:THIS MATERIAL IS NOT COMBUSTIBLE. USE EXTINGUISHING
MEDIA APPROPRIATE FOR SURROUNDING
AREA.
Fire Fighting Procedures:FIRE FIGHTERS SHOULD WEAR SELF-CONTAINED
BREATHING APPARATUS & FULL PROTECTIVE CLOTHING. USE WATER SPRAY TO
COOL NEARBY CONTAINERS & STRUCTURES EXPOSED TO FIRE.
Unusual Fire/Explosion Hazard:DO NOT EXPOSE TO HEAT OR FLAME, OR STOVE
ABOVE 120F. HIGH INTERNAL PRESSURES MAY CAUSE CYLINDERS TO RUPTURE.

===== Accidental Release Measures =====

Spill Release Procedures:VENTILATE AREA. REMOVE SOURCES OF IGNITION.
AVOID PROLONG

ED BREATHING OF VAPORS. CONFINE SPILL WITH INERT
ABSORBENT. WEAR PROTECTIVE EQUIPMENT. KEEP OUT OF SEWERS, STORM
DRAINS, SURFACE WATERS AND SOI L.
Neutralizing Agent:NONE SPECIFIED BY MANUFACTURER.

=====
Handling and Storage
=====

Handling and Storage Precautions:STORE IN COOL, DRY AREA, AWAY FROM
SOURCES OF IGNITION. WHEN STORING LARGE QUANTITIES, PROTECT AGAINST
FIRE. DO NOT STORE IN DIRECT SUNLIGHT OR >120F.

Other Precautions:DO NOT TAKE IN
TERNALLY. IF INGESTED, DO NOT INDUCE
VOMITING. CONSULT A PHYSICIAN.

=====
Exposure Controls/Personal Protection
=====

Respiratory Protection:USE NIOSH/MSHA APPROVED CHEMICAL/MECHANICAL TYPE
FILTER SYSTEM TO REMOVE A COMBINATION OF PARTICLES, GAS AND VAPORS.
USE AIR LINE, IF NECESSARY.

Ventilation:USE ADEQUATE VENTILATION IN VOLUME & PATTERN TO KEEP
PEL/TLV BELOW RECOMMENDED LEVEL. GENERAL MECHANICAL VENTILATION
SHOULD COMPLY WITH OSHA 1910.94.

Protective G

loves:USE RUBBER GLOVES.

Eye Protection:SAFETY GLASSES OR GOGGLES WITH SPLASH GUARDS OR SIDE
SHIELDS.

Other Protective Equipment:PREVENT PROLONGED SKIN CONTACT TO
CONTAMINATED CLOTHING.

Work Hygienic Practices:WASH CONTAMINATED CLOTHING BEFORE REUSE.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

HCC:V2

Boiling Pt:=6.9C, 44.4F

Melt/Freeze Pt:M.P/F.P Text:NOT GIVEN

Decomp Temp:Decomp Text:NOT GIVEN

Vapor Pres:71 PSIA

Vapor Density:3.0

4(AIR=1

Spec Gravity:1.12(WATER=1)

Solubility in Water:1.2 %

Appearance and Odor:AMBER TO LIGHT RED APPERANCE, SLIGHT ETHEREAL ODOR.

Percent Volatiles by Volume:90%

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

STRONG ACIDS, ALKALIS, ORGANIC ACID ANHYDRIDES, OXIDIZING MATERIALS,
SODIUM, POTASSIUM AND MAGNESIUM.

Stability Condition to Avoid:HIGH TEMPERATURE SOURCES WHICH MAY INDUCE
DECOMPOSITION.

Hazardous Decomposition Pr

Products:NONE SPECIFIED BY MANUFACTURER.

=====
Ecological Information
=====

Ecological:ZERO OZONE DEPLETING POTENTIAL. NEGLIGIBLE GLOBAL WARMING POTENTIAL.

=====
Disposal Considerations
=====

Waste Disposal Methods:DISPOSE IN ACCORDANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS.

=====
MSDS Transport Information
=====

Transport Information:AEROSOL; SELF-DEFENSE SPRAY. ORM-D CONSUMER C
COMMODITY=DOT SHIPPING CLASS.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.