Product ID: AMMONIUM NITRATE - 1 - LOW DENSITY MSDS Date:06/01/1997 FSC:6810 NIIN:01-091-8676 Status Code:A MSDS Number: CJMWB === Responsible Party === **Company Name: PCS NITROGEN INC** Address:3175 LENOX PARK BLVD, SUITE 400 City:MEMPHIS State:TN ZIP:38115-4256 Country:US Info Phone Num:800-5 42-0132 Emergency Phone Num:800-424-9300 Resp. Party Other MSDS Num.: MSDS #22 Preparer's Name: RAY FERRARA / TOM BROWER Chemtrec Ind/Phone:(800)424-9300 CAGE:MO421 === Contractor Identification === Company Name: PCS NITROGEN INC Address:3175 LENOX PARK BLVD, SUITE 400 Box:City:MEMPHIS State:TN ZIP:38115-4256 Country:US Phone:800-542-0132 CAGE:MO421 Company Name:WALTRON LTD Address:50 TANNERY RD Box:70 **City:WHITEHOUSE** State:NJ ZIP:08888-0070 Country:US Phone:908-534-5654/FAX: 908-534-5694 Contract

Num:SP0450-99-M-ND07 CAGE:71229

Ingred Name:AMMONIUM NITRATE CAS:6484-52-2 RTECS #:BR9050000

LD50 LC50 Mixture:LD50 = 4820 MG/KG (RAT) Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYE: WILL PRODUCE PAIN AND IRRITATION. SKIN: SLIGHTLY IRRITATING. INHALE: C AN CAUSE IRRITATION. INGEST:

SMALL REPEATED DOSES MAY LEAD TO WEAKNESS, GENERAL DEPRESSION, HEADACHE AND MENTAL IMPAIRMENT. 1 0 TO 15 GRAMS MAY HAVE SERIOUS OR FATAL EFFECT.

Explanation of Carcinogenicity:NONE LISTED.

Effects of Overexposure:CYANOSIS, NAUSEA, VERTIGO, COLLAPSE, VOMITING, ABDOMINAL PAIN, AND TEAHYCARDIA, TACHYPNEA, COMA, CONVULSION, AND DEATH CAN OCCUR.

Medical Cond Aggravated by Exposure:NONE PROVIDED.

============

First Aid:EYE: IMMEDIATELY FLUSH WITH LARGE AMOUNTS OF WATER FOR AT LEAST 20 MINUTES. SEEK MEDICAL ATTENTION. SKIN: WASH THOROUGHLY WITH WATER AND SOAP. INHALE: REMOVE TO FRESH AIR. IF DISCOMFORT CONTINUES, SEE K MEDICAL AID. INGEST: IF PERSON IS CONSCIOUS, DILUTE STOMACH WITH WATER AND MAKE PERSON VOMIT. SEEK MEDICAL AID.

Extinguishing Media:USE LARGE QUANTITIES OF WATER. DO NOT USE SMOTHERI

NG AGENTS SUCH AS CARBON DIOXIDE, DRY CHEMICAL, FOAM OR STEAM. THEY WILL NOT EXTINGUISH BURNING AMMONIUM NITRATE.

Fire Fighting Procedures:DO NOT USE SALT WATER. FIGHT FIRE FROM A PROTECTED LOCATION AS STEAM ERUPTIONS ARE COMMON AND SPLASHES FROM MOLTEN AMMONIUM NITRATE ARE POSSIBLE.

Unusual Fire/Explosion Hazard:FLOOD MELTED & BURNING AMMONIUM NITRATE WITH LARGE VOLUMES OF STRAIGHT STREAM WATER APPLICATION. DO NOT SMOTHER FIRE. DO NOT ADD STEAM, DRY CHEMICAL OR CARBON DIOXID SMOTHERING APPLICATIONS.

Spill Release Procedures: PREVENT CONTAMINATION WITH COMBUSTIBLES AND KEEP AWAY FROM HEAT. IF UNCONTIMINATED, RECOVER AND RE-USE AS PRODUCT.

Handling and Storage Precautions: MINIMIZE CONTACT WITH SKIN AND EYES. STORE IN WELL-VENTILATED AREA AWAY FROM FIRE HAZARD.

======= Exposure Controls/Personal Protection

============

Е

Respiratory Protection: A NIOSH APPROVED RESPIRATOR IS RECOMMENDED TO PREVENT EXPOSURE TO NUISANCE DUST.

Ventilation: PROVIDE VENTILATION FOR NUISANCE DUST PROTECTION IN ORDER TO MAINTAIN EXPOSURE BELOW TLV/PEL.

Eye Protection:SAFETY GLASSES AS A MINIMUM REQUIREMENT. PROTECTIVE GOGGLES RECOMMENDED.

Other Protective Equipment:UNLESS SKIN IRRITATION DEVELOPS, NO RECOMMENDATIONS.

Supplemental Safety and Health

HCC:D1 Boiling Pt:B.P. Text:DECOMPOSES Melt/Freeze Pt:=155.C, 311.F Vapor Pres:NA Solubility in Water:APROXIMATELY 66% Appearance and Odor:SOLID WHITE GRANULE PRILL; ODORLESS.

Stability Indicator/Materials to Avoid:YES AVOID MIXING AMMONIUM NITRATE WITH WOOD CHIPS, ORGANIC MATERIALS, SULFUR, CHLORIDES, PHOSPHOROUS, ACIDS, FLAMMAABLE AND COMBUSTIBLE LIQUIDS, AND CHARCOALS. Stability Condition to Avoid:AVOID

CONTAMINATION WITH OXIDIZABLE OR
ORGANIC MATERIALS. ALSO AVOID HEATING IN A CONFINED SPACE.
Hazardous Decomposition Products:NITROGEN OXIDE GASES EMITTED ON
DECOMPOSITION ARE TOXIC. WHEN HEATING AMMONIUM NITRATE, MATL
DECOMPOSES TO AMMONIA, NITRIC ACID, & OXIDES OF NITROGEN. AMMONIUM
NITRATE MAY DETERIORATE HEATED.
Conditions to Avoid Polymerization: WILL NOT OCCUR.

Ecological: AMMONIUM NITRATE IS A PLANT NUTRI ENT.

Waste Disposal Methods:CONSULT STATE OR FEDERAL REGULATORY AGENCIES FOR ACCEPTABLE DISPOSAL PROCEDURES AND DISPOSAL LOCATIONS.

Transport Information: DOT CLASSIFICATION : OXIDIZER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United St

ates of America in no manner whatsoever,

expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.