

LORD CORP -- LORD 306-2 (FUSOR 306-2), 99016930602

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 00-903-5081
MSDS Date: 12/14/1994
MSDS Num: CJNMC
Product ID: LORD 306-2 (FUSOR 306-2), 99016930602
MFN: 04
Responsible Party
Cage: 30676
Name: LORD CORP
Address: 2000 WEST GRANDVIEW BLVD
City: ERIE PA
16514
Info Phone Number: 814-868-3611
Emergency Phone Number: 814-763-2345
Proprietary Ind: Y
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: DO432
Name: LORD CHEMICAL PRODUCT
Address: 2000 WEST GRANDVIEW BLVD
Box: 10038
City: ERIE PA 16514-0038
Phone: 814-763-2345"EMERG SAFETY ENGINEER"
Cage: 30676
Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION
Address: 2000 WEST GRANDVIEW BL
VD
City: ERIE PA 16514-0038
Phone: 814-868-3611

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Unit of Issue: KT
UI Container Qty: 1

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====

===

Health Hazards Data

=====

Route Of Entry Inds - Inhalation: YES

Skin: YES

Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO

OSHA: NO

Effects of Exposure: ACUTE: EYES: MAY CAUSE IRRITATION. SKIN: MAY CAUSE IRRITATION. MAY CAUSE SENSITIZATION. MAY CAUSE DERMATITIS. INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. INGESTION: HARMFUL IF SWALLOWED. INGESTION IS NOT AN EXPECTED ROUTE OF ENTRY IN INDUSTRIAL OR COMMERCIAL USES. CHRO

NIC: CHRONIC SKIN CONTACT MAY CAUSE DERMATITIS.

Signs And Symptoms Of Overexposure: SEE HEALTH HAZARDS.

First Aid: EYES: FLUSH IMMEDIATELY W/LARGE AMOUNT OF WATER FOR AT LEAST 15 MINUTES, HOLDING EYELIDS OPEN WHILE FLUSHING. GET PROMPT MEDICAL ATTN. SKIN: FLUSH CONTAMINATED SKIN W/LARGE AMOUNTS OF WATER WHILE REMOVING CONTAMINATED

CLOTHING. WASH AFFECTED SKIN AREAS W/SOAP & WATER. GET MEDICAL ATTN IF SYMPTOMS OCCUR. INHAL: MOVE PERSON TO FRESH AIR. RESTORE & SUPPORT CONTINUED

BREATHING. IF BREATHING IS DIFFICULT, GIVE OXYGEN. GET IMMEDIATE MEDICAL ATTN. INGEST: DO NOT INDUCE VOMITING. GIVE VICTIM 1-2 GLASSES OF WATER/MILK. CALL MD/POISON CONTROL CENTER IMMEDIATELY FOR FURTHER INSTRUCTIONS. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====

Handling and Disposal

=====

Spill Release Procedures: KEEP NON-ESSENTIAL PERSONNEL A SAFE DISTANCE AWAY FROM SPILL AREA.

AVOID BREATHING VAPORS. USE NIOSH APPROVED SCBA. NOTIFY APPROPRIATE AUTHORITIES IF NECESSARY. AVOID CONTACT. BEFORE ATTEMPTING CLEANUP, REFER TO HAZARD CAUTION INFO IN OTHER SECTIONS OF MSDS FORM. SCOOP SPILLED MATERIAL INTO APPROPRIATE CONTAINER FOR PROPER DISPOSAL. (IF NECESSARY, USE INERT ABSORBENT MATERIAL TO AID IN CONTAINING SPILL.)

Waste Disposal Methods: DISPOSAL SHOULD BE DONE IN ACCORDANCE WITH FEDERAL (40 CFR PART 261), STATE AND LOCAL ENVIRONMENTAL CONTROL REGULATIONS. IF WASTE IS

DETERMINED TO BE HAZARDOUS, USE LICENSED HAZARDOUS WASTE TRANSPORTER AND DISPOSAL FACILITY.

Handling And Storage Precautions: KEEP CLOSURE TIGHT AND CONTAINER UPRIGHT TO PREVENT LEAKAGE. AVOID SKIN AND EYE CONTACT. AVOID BREATHING OF VAPOR OR SPRAY MISTS. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. EMPTY CONTAINERS SHOULD NOT BE REUSED. USE WITH ADEQUATE VENTILATION.

Other Precautions: STORE ONLY IN WELL-VENTILATED AREAS. KEEP CONTAINER CLOSED

ED
WHEN NOT IN USE.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: SCC

Flash Point: >93.3C, 200.F

Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG.

Fire Fighting Procedures: WEAR NIOSH APPROVED SCBA AND FULL PROTECTIVE EQUIPMENT (FP N). IF WATER IS USED, FOG NOZZLES ARE PREFERABLE. DURING A FIRE, IRRITATING AND/OR TOXIC GASES AND PARTICULATE MAY BE GENERATED BY THERMAL DECOMPOSITION OR COMBUSTION.

Unusual Fire/Explosion Hazard: OSHA FLAMMABILITY CLASSIFICATION: COMBUSTIBLE LIQUID - CLASS IIIB. KEEP CONTAINERS TIGHTLY CLOSED. CLOSED CONTAINERS MAY RUPTURE WHEN EXPOSED TO EXTREME HEAT. USE WATER SPRAY TO KEEP FIRE-EXPOSED CONTAINERS COOL.

=====
Control Measures
=====

Respiratory Protection: USE A NIOSH APPROVED AIR-PURIFYING ORGANIC VAPOR

RESPIRATOR IF OCCUPATIONAL LIMITS ARE EXCEEDED. FOR EMERGENCY SITUATIONS, CONFINED SPACE USE, OR OTHER CONDITIONS WHERE EXPOSURE LIMITS MAY BE GREATLY EXCEEDED, USE A NIOSH APPROVED AIR-SUPPLIED RESPIRATOR. OBSERVE OSHA REGULATIONS (29 CFR 1910.134) FOR RESPIRATOR USE.

Ventilation: SUFFICIENT VENTILATION IN PATTERN AND VOLUME SHOULD BE PROVIDED IN ORDER TO MAINTAIN AIR CONTAMINANT LEVELS BELOW RECOMMENDED EXPOSURE LIMITS.

Protective Gloves: USE NEOPRENE, NITRILE, OR RUBBER GLOVES TO PREVENT SKIN CONTACT.

Eye Protection: ANSI APPROVED CHEMICAL WORKERS GOGGLES (FP N).

Other Protective Equipment: EYEWASH AND DELUGE SHOWER MEETING ANSI DESIGN CRITERIA (FP N).

Work Hygienic Practices: REMOVE & WASH CONTAM CLOTHG BEFORE REUSE. WASH HANDS BEFORE EATING, SMOKING/USING TOILET FACILITY. FOOD/BEVERAGES SHOULD NOT BE CONSUMED ANYWHERE THIS PROD IS HANDLED/STORED. WASH THOROUGHLY AFTER HANDLING.

Supplemental Safety and Health: PHYSICAL/CHEMICAL PROPERTIES: VOLATILE BY WEIGHT: 0

.0%; COEFFICIENT OF WATER/OIL DISTRIBUTION: N/K; ODOR THRESHOLD:

N/K; DENSITY: 8.61 LBS/GAL; VOLATILE ORGANIC COMPOUND (VOCS): 0.00 LBS/GAL, 0 GRAMS/L TR.

=====
Physical/Chemical Properties
=====

Boiling Point: =275.C, 527.F

Vapor Density: HVR/AIR

Spec Gravity: 1.03

Evaporation Rate & Reference: SLOWER THAN ETHER

Solubility in Water: INSOLUBLE

Appearance and Odor: AMBER/CREAM PASTE WITH M

ILD ODOR.

Percent Volatiles by Volume: 0.0%

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: HIGH TEMPERATURES.

Materials To Avoid: STRONG ACIDS, BASES, AND STRONG OXIDIZERS.

Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, ORGANIC OR
INORGANIC NITROGEN COMPOUNDS INCLUDING TRACES OF HYDROGEN CYANIDE.

Hazardous Polymerization Indicator: NO

=====
Toxicological Information
=====

Toxicological Information: NO PRODUCT TOXICOLOGICAL INFORMATION IS AVAILABLE.

=====
Ecological Information
=====

Ecological: NO INFORMATION.

=====
MSDS Transport Information
=====

=====
Transport Information: DOT PROPER SHIPPING NAME: NOT REGULATED. DOT HAZARD
CLASS: NONE. DOT UN/NA NUMBER: NONE. EMERGENCY RESPONSE GUIDE NUMBER: NONE.
PACKING GROUP: NONE.
=====

=====
Regulatory Information
=====

Sara Title III Information: THIS PRODUCT CONTAINS NO SUBSTANCES SUBJECT TO THE
REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE SUPERFUND
AMENDMENTS AND REAUT

HORIZATION ACT OF 1986 AND 40 CFR PART 372.

Federal Regulatory Information: U.S. FEDERAL REGULATIONS:

OSHA: HAZARDOUS BY DEFINITION OF HAZARD COMMUNICATION STANDARD (29 CFR
1910.1200). THE CHEMICAL SUBSTANCES IN THIS PRODUCT ARE ON THE TSCA SECTION 8
INVENTORY. INTERNATIONAL REGULATIONS: CANADIAN W: THIS MSDS HAS BEEN
PREPARED IN COMPLIANCE WITH CONTROLLED PRODUCT REGULATIONS EXCEPT FOR USE OF
THE 16 HEADINGS. CANADIAN W CLASS: NO INFORMATION AVAILABLE.
=====

=====
Other Information
=====

Other Information: PRODUCT USE/CLASS: ADHESIVE. RATINGS: HEALTH: 2 (CHRONIC HAZARD); FLAMMABILITY: 1; REACTIVITY: 0. REASON FOR REVISION: UPDATE SECTION 2 INGREDIENTS.

=====
Transportation Information
=====

Responsible Party Cage: 30676
Trans ID NO: 149856
Product ID: LORD 306-2 (FUSOR 306-2),
99016930602
MSDS Prepared Date: 12/14/1994
Review Date: 11/08/1999
MFN: 4
Multiple KIT Number: 0
Unit Of Issue: KT
Container QTY: 1

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail IMO Information
=====

IMO PSN
Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Proper Shipping Name: NOT REGUL

ATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: LORD 306-2 (FUSOR 306-2), 99016930602

Cage: 30676

Company Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION

Street: 2000 WEST GRANDVIEW BLVD

City: ERIE PA

Zipcode: 16514-0038

Health Emergency Phone: 814-763-2345

Label Required IND: Y

Date Of Label Review: 07/22/1999

Status Code: C

Origination Code: F

Chronic Hazard IND: Y

E

Eye Protection IND: YES

Skin Protection IND: YES

Signal Word: CAUTION

Respiratory Protection IND: YES

Health Hazard: Slight

Contact Hazard: Slight

Fire Hazard: Slight

Reactivity Hazard: None

Hazard And Precautions: ACUTE: EYES: MAY CAUSE IRRITATION. SKIN: MAY CAUSE IRRITATION. MAY CAUSE SENSITIZATION. MAY CAUSE DERMATITIS. INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. INGESTION: HARMFUL IF SWALLOWED. INGESTION IS NOT AN EXPECTED ROUTE OF ENTRY IN INDUSTRIAL OR COMMERCIAL USES. CHRO

NIC: CHRONIC SKIN CONTACT MAY CAUSE DERMATITIS. SKIN: MAY CAUSE SENSITIZATION.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside

the Department of Defense

nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense

nse or other government situation.