

MILITEC, INC -- MILITEC-1 -- 9150-01-415-9114

=====
Product Identification
=====

Product ID:MILITEC-1
MSDS Date:05/01/1999
FSC:9150
NIIN:01-415-9114
Status Code:A
MSDS Number: CJNSY
=== Responsible Party ===
Company Name:MILITEC, INC
Address:12092 ELL LANE
City:WALDORF
State:MD
ZIP:20602
Country:US
Info Phone Num:301-893-3910
Emergency Phone Num:703-528-8371
CAGE:TO323
=== Contractor Identificati
on ===
Company Name:MILITEC INC
Address:11828 PIKA DR
Box:City:WALDORF
State:MD
ZIP:20602
Country:US
Phone:301-893-3910
Contract Num:SP0450-99-M-B235
CAGE:0KXE0
Company Name:MILITEC, INC
Address:12092 ELL LANE
Box:City:WALDORF
State:MD
ZIP:20602
Country:US
Phone:301-893-3910
CAGE:TO323

=====
Composition/Information on Ingredients
=====

Ingred Name:NON-HAZARDOUS INGREDIENTS
= Wt:100.
Other REC Limits:NONE RECOMMENDED

=====
Hazards Identification
=====

=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION MAY CAUSE SOME TRANSIENT IRRITATION TO UPPER RESPIRATORY TRACT. EYE EXPOSURE CAN CAUSE SOME TRANSIENT EYE IRRITATION. PROLONGED OR REPEATED SKIN CONTACT MAY CAUSE TRANSIENT IRRITATION.

Explanation of Carcinogenicity:MATERIALS IN THIS PRODUCT ARE NOT KNOWN TO BE CARCINOGE

NIC OR CONTAIN GREATER THAN 0.1% CARCINOGENIC

COMPOUNDS WHICH REQUIRE REPORTING UNDER 29 CFR 1910.1200. PCB'S NOT DETECTED AT OR ABOVE 2 PPM THRE SHOLD DETECTION LIMIT.

Effects of Overexposure:EYES-IRRITATION, BURNING SENSATION.

INHALATION-UPPER RESIRATORY TRACT IRRITATION. SKIN-TRANSIENT IRRITATION, BURNING SENSATION, DEFATTING, DERMATITIS.

Medical Cond Aggravated by Exposure:PERSONS WITH PRE-EXISTING SKIN DISORDERS MAY BE MORE SUSCEPTIBLE TO THE EFFECTS OF THIS PRODUCT.

=

===== First Aid Measures =====

First Aid:INHALED-REMOVE TO FRESH AIR. GET MEDICAL HELP IF SYMPTOMS PERSIST.EYES-FLUSH WITH WATER FOR 15 MINUTES. HOLD EYELIDS OPEN. GET MEDICAL HELP IF SYMPTOMS PERSIST.SKIN-WIPE OFF EXCESS. WASH SKIN WITH SOA P & WATER. GET MEDICAL HELP IF SYMPTOMS PERSIST.

===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:=210.C, 410.F

Autoignition Temp:=379.4C, 715.F

Upper

Limits:UNKNOWN.

Extinguishing Media:USE WATER FOG, CARBON DIOXIDE, FOAM/DRY CHEMICAL.

Fire Fighting Procedures:WEAR FIRE FIGHTING PROTECTIVE EQUIPMENT AND NIOSH-APPROVED SELF CONTAINED BREATHING APPARATUS. COOL FIRE EXPOSED CONTAINERS WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN LIQUIDS & CONTROL DISCHARGES TO STREAMS OR SEWER SYSTEMS UNDER CONDITIONS ACCEPTABLE TO LOCAL,

