View NSN Online: https://aerobasegroup.kr/nsn/6850-01-362-9257

MULTISORB TECHNOLOGIES, INC. -- MINIPAX (SILICA GEL) -- 6850-01-362-9257

Product ID:MINIPAX (SILICA GEL) MSDS Date:10/21/1997 FSC:6850 NIIN:01-362-9257 Status Code:A **MSDS Number: CJQCS** === Responsible Party === Company Name: MULTISORB TECHNOLOGIES, INC. Address:325 HARLEM ROAD City:BUFFALO State:NY ZIP:14224 Country:US Info Phone Num:716-824-8900 **Emergency Phone N** um:716-824-8900 Resp. Party Other MSDS Num.:M49 Preparer's Name: G.E. MCKEDY CAGE:22627 === Contractor Identification === Company Name: MULTISORB TECHNOLOGIES INC Address:325 HARLEM ROAD Box:City:BUFFALO State:NY ZIP:14224-1893 Country:US Phone:716-824-8900 CAGE:22627 Company Name: SIGMA TECH ENTERPRISES INC Address:90 GLEN WAY SUITE 16 Box:City:SAN CARLOS State:CA ZIP:94070 Country:US Phone:415-591-2510 Contract Num:SP0450-99-M-NG14 CAGE:04KF9

======= Composition/Information on Ingredients

Ingred Name:SIO2 (AMORPHOUS SILICA GEL) CAS:7631-86-9 Minumum % Wt:85. Maxumum % Wt:95. OSHA PEL:20 MPPCF ACGIH TLV:10 MG/M3 T DUST ACGIH STEL:3 MG/M3 R DUST

Ingred Name:NON-HAZARDOUS INGREDIENTS HIGH DENSITY POLYETHYLENE FIBER (TYVEK) Minumum % Wt:5. Maxumum % Wt:15.

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:TARGET ORGANS: N/P. ACUTE: MAY CAUSE EYE, SKIN
AND MUCOUS MEMBRANE IRRITATION. CHRONIC: MAY CAUSE EYE, SKIN AND MUCOUS MEMBRANE IRRITATION.
Explanation of Carcinogenicity:NOT LISTED
Effects of Overexposure:DRYING AND DISCOMFORT
Medical Cond Aggravated by Exposure:ASTHMA

First Aid:EYE CONTACT: WASH WITH LARGE AMOUNT OF WATER. GET MEDICAL ATTENTION. SKIN CONTACT: WASH WITH LARGE AMOUNT OF WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: MATERIALS WILL PASS

THROUGH BODY NORMALL Y, BUT PACKETS COULD CAUSE BLOCKAGE. CONTACT PHYSICIAN.

Autoignition Temp:=330.C, 626.F Autoignition Temp Text:TYVEK Extinguishing Media:WATER IS THE BEST EXTINGUISHING MEDIUM BUT DRY CHEMICAL, CARBON DIOXIDE AND FOAM CAN BE USED. Fire Fighting Procedures:THE HIGH DENSITY POLYETHYLENE FIBER WILL BURN, BUT THE SILICA GEL WILL NOT. Unusual Fire/Explosion Hazard:NONE

====== Acciden

Spill Release Procedures: SWEEP OR VACUUM UP AND DISPOSE.

Handling and Storage Precautions:COVER PROMPTLY TO AVOID BLOWING DUST, IF BAGS ARE BROKEN OPEN. Other Precautions:NONE

======= Exposure Controls/Personal Protection ==========

Ventilation:LOCAL EXHAUST Protective Gloves:LIGHT COTTON Other Protective Equipment:NONE Work Hygienic Practices:AVOID RAISING DUST. AVOID CONTACT WITH SKIN, EYES, AND CLOTHING IF BAGS ARE BROKEN OPEN. Supplemental Safety and Health NONE

HCC:N1 Melt/Freeze Pt:=135.C, 275.F M.P/F.P Text:TYVEK Spec Gravity:2.1 (SILICA GEL) Solubility in Water: INSOLUBLE Appearance and Odor: PRINTED WHITE PACKETS CONTAINING DRY GRANULES. Stability Indicator/Materials to Avoid:YES Stability Condition to Avoid:M OISTURE, THE SILICA GEL WILL READILY ABSORB MOISTURE. Toxicological Information:NONE SPECIFIED BY MANUFACTURER. Ecological:NONE SPECIFIED BY MANUFACTURER.

Waste Disposal Methods: DISPOSE IN AN APPROVED LANDFILL ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

Transport Information:NONE SPECIFIED BY MANUFACTURER.

SARA Title III Information:NONE SPECIFIED BY MANUFACTURER. Federal Regulatory Information:NONE SPECIFIED BY MANUFACTURER. State Regulatory Information:NONE SPECIFIED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.