

SUPERIOR FLUX AND MFG CO -- SUPERIOR NO.625 -- 3439-00-913-4750

===== Product Identification =====

Product ID: SUPERIOR NO.625

MSDS Date: 05/07/1999

FSC: 3439

NIIN: 00-913-4750

Status Code: A

MSDS Number: CJVBG

=== Responsible Party ===

Company Name: SUPERIOR FLUX AND MFG CO

Address: 6615 PARKLAND BLVD

City: CLEVELAND

State: OH

ZIP: 44193

Country: US

Info Phone Num: 440-349-3000

Emergency Phone Num: (800)424-9

300

Chemtrec Ind/Phone: (800)424-9300

CAGE: 87618

=== Contractor Identification ===

Company Name: AUFHAUSER CORP

Address: 39 WEST MALL

Box: City: PLAINVIEW

State: NY

ZIP: 11803-4209

Country: US

Phone: 212-757-6824/FAX: 516-694-8690

CAGE: 59401

Company Name: SUPERIOR FLUX AND MFG CO

Address: 6615 PARKLAND BLVD

City: SOLON (FORMALLY CLEVELAND)

State: OH

ZIP: 44139

Country: US

Phone: 440-349-3000

CAGE: 87618

===== Composition/Information on Ingredients =====

Ingred Name: POTASSIUM FLUOROHYDROBORATE

CAS:12228-71-6  
Code:F  
Minumum % Wt:5.  
Maxumum % Wt:20.

Ingred Name:POTASSIUM TETRABORATE  
CAS:1332-77-0  
Minumum % Wt:15.  
Maxumum % Wt:25.

Ingred Name:BORIC ACID  
CAS:10043-35-3  
RTECS #:ED4550000  
Minumum % Wt:15.  
Maxumum % Wt:30.

Ingred Name:POTASSIUM FLUOROBORATE  
CAS:14075-53-7  
RTECS #:ED2800000  
Minumum % Wt:7.  
Maxumum % Wt:15.

Ingred Name:SODIUM ALUMINUM FLUORIDE  
CAS:15096-52-3  
RTECS #:WA9625000  
Minumum % Wt:1.  
Maxumum % Wt:5.

Ingred Name:LITHIUM CHLORIDE  
CAS:7447-41-8  
RTECS #:OJ5950000  
Min  
umum % Wt:2.  
Maxumum % Wt:5.

Ingred Name:ZINC CHLORIDE  
CAS:7646-85-7  
RTECS #:ZH1400000  
Minumum % Wt:.2  
Maxumum % Wt:1.  
OSHA PEL:1 MG/M3  
ACGIH TLV:1 MG/M3  
ACGIH STEL:2 MG/M3  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

=====  
===== Hazards Identification =====  
=====

Routes of Entry: Inhalation:YES Skin:NO Ingestion:NO  
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO  
Health Hazards Acute and Chronic:EVOLVES FLUORIDES WHEN HEATED, MAY  
CAUSE BURNING OF EYES AND THROAT.

Explanation of Carcinogenicity:NONE LISTED.

Effects of Overexposure:SALVATION, COUGHING, COUGHING, CHOKING, CHILLS,  
MAY CAUSE WEIGHT LOSS, BIRTLE BONES, ANEMIA AND STIFF JOINTS.

Medical Cond Aggravated by Exposure:ANY WEAKNESS OF THE LUNGS, KIDNEYS  
OR LIVER WILL BE AGGRAVATED.

=====  
===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. EYES: FLUSH WITH WATER  
FOR 10 MINUTES. CALL PHYSICIAN. SKIN: WASH THOROUGHLY WITH WATER.  
INGESTION: IF PATIENT IS FULLY CONSCIOUS, GIVE TWO GLASSES OF WATER  
AND I NDUCE VOMITING. OBTAIN MEDICAL ATTENTION IMMEDIATELY.

=====  
===== Fire Fighting Measures =====

Flash Point:NONE

Autoignition Temp:Autoignition Temp Text:NONE

Lower Limits:NA

Upper Limits:NA

Extinguishing Media:NOT NEEDED

Fire Fighting Procedures:NORMAL CAUTION WHEN USING CHEMICALS.

Unusual Fire/Explosion Hazard:FLUORIDES.

=====  
===== Accidental Release Measures =====  
=====

Spill Release Procedures:CLEAN UP PASTE AND FLUSH REMAINING MATERIAL  
WITH LOTS OF WATER.

=====  
===== Handling and Storage =====

Handling and Storage Precautions:STORE IN PLASTIC CONTAINERS IN COOL  
AREA. DO NOT STORE IN GLASS OR PORCELAIN CONTAINER. WASH THOROUGHLY  
AFTER USE.

Other Precautions:KEEP CONTAINER AWAY FROM EXCESSIVE HEAT.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NIOSH APPROVED RESPIRAT

OR.  
Ventilation:LOCAL EXHAUST.  
Protective Gloves:RECOMMEND, NIOSH APPROVED  
Eye Protection:SAFETY GOGGLES  
Other Protective Equipment:RUBBER APRON.  
Work Hygienic Practices:AVOID CONTACT WITH SKIN, EYES AND CLOTHING.  
WASH THOROUGHLY AFTER USE.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:N1  
Boiling Pt:B.P. Text:NA  
Melt/Freeze Pt:=500.C, 932.F  
Vapor Pres:NA  
Vapor Density:NA  
Spec Gravity:1.6  
Evaporation Rate & Reference:0.3 (BUTYL AC  
ETATE=1)  
Solubility in Water:MODERATE  
Appearance and Odor:WHITE ORDORLESS PASTE  
Percent Volatiles by Volume:30

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
GLASS OR PORCELAIN.  
Stability Condition to Avoid:EXCESS HEAT.  
Hazardous Decomposition Products:FLUORIDES WITH HIGH HEAT.  
Conditions to Avoid Polymerization:WILL NOT OCCUR. NA

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE  
IN ACCORDANCE WITH EPA REGULATIONS.

===== MSDS Transport Information =====

Transport Information:NOT REGULATED.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document sh

ould seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.