

HATCO CORP -- HATCOL 3212 -- 9150-00-681-5999

=====
Product Identification
=====

Product ID:HATCOL 3212
MSDS Date:09/22/1999
FSC:9150
NIIN:00-681-5999
MSDS Number: CJVMW
=== Responsible Party ===
Company Name:HATCO CORP
Address:1020 KING GEORGE POST ROAD
City:FORDS
State:NJ
ZIP:08863
Country:US
Info Phone Num:732-738-1000
Emergency Phone Num:732-738-1000
Resp. Party Other MSDS Num.:1993066
CAGE:0
H3M4

=== Contractor Identification ===
Company Name:HATCO CORP
Address:1020 KING GEORGE POST ROAD
Box:City:FORDS
State:NJ
ZIP:08863
Country:US
Phone:908-738-3517
Contract Num:SP0450-99-D-4024
CAGE:0H3M4
Company Name:RADIAN INTL LLC
Address:8501 N MOPAC BLVD
Box:201088
City:AUSTIN
State:TX
ZIP:78720-1088
Country:US
Phone:512-419-5224
Contract Num:SP0450-00-D-4021
CAGE:29913

=====
Composition/Information on Ingredients
=====

Ingred Name:PENTAERYTHRITOL TETRAESTERS WITH MIXED FA

TTY ACIDS

Other REC Limits:5 MG/M3 HATCO

=====
===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED BY MANUFACTURER

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY BE AN EYE OR SKIN IRRITANT. LOW TO MEDIUM IN TOXICITY.

Explanation of Carcinogenicity:CARCINOGENICITY: NO.

Effects of Overexposure:NONE KNOWN.

Medical Cond Aggravated by Exposure:NONE KNOWN

=====
===== First Aid Measures =====

First Aid:EYE CONTACT: FLUSH WITH WATER FOR 15 MINUTES. SEE PHYSICIAN.

SKIN CONTACT: WASH WITH SOAP AND WATER THOROUGHLY. SEE PHYSICIAN IF NECESSARY. REMOVE CONTAMINATED CLOTHING. INGESTION: DO NOT INDUCE VOMITING. DRINK PLENTY OF WATER. DO NOT GIVE ANYTHING TO AN UNCONSCIOUS VICTIM. SEE PHYSICIAN IMMEDIATELY. INHALATION: REMOVE TO FRESH AIR. SEE PHYSICIAN IF NECESSARY.

=====
===== Fire Fighting Measures =====

Flash Point Method:COC

Flash Point:>246.1C, 475.F

MINIMUM 475F

Extinguishing Media:FOAM, CO2, DRY CHEMICAL. USE WATER SPRAY TO COOL SURFACE OF CONTAINER.

Fire Fighting Procedures:USE SELF-CONTAINED BREATHING APPARATUS, AVOID BREATHING FUMES, VAPORS, OR MISTS. WATER MAY CAUSE FROTHING.

Unusual Fire/Explosion Hazard:NONE, BUT AVOID CONTACT WITH FIRE AND SPARKS.

=====
===== Accidental Release Measures =====

Spill Release Pr

cedures:DIKE OR CONTAIN SPILL. APPLY ABSORBENT. PUT IN CONTAINER, CLOSE CONTAINER. PREVENT FROM GOING INTO SEWER AND WATERWAYS. NOTIFY PROPER AUTHORITIES.

Neutralizing Agent:NOT PROVIDED BY MANUFACTURER

=====
===== Handling and Storage =====

Handling and Storage Precautions:FOR INDUSTRIAL USE ONLY. STORE IN COOL DRY PLACE.

Other Precautions:NOT PROVIDED BY MANUFACTURER

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED ORGANIC VAPOR CARTRIDGE RESPIRATOR.

Ventilation:LOCAL EXHAUST: YES MECHANICAL(GENERAL EXHAUST: YES

Protective Gloves:NEOPRENE

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:NEOPRENE APRON. LONG SLEEVED SHIRT AND PANTS. SAFETY SHOES, HARD HAT. SAFETY SHOWER AND EYEWASH STATION.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER CONTACT. AVOID INGESTION. PRACTICE GOOD PERSONAL HYGIENE.

Supplemental Safety and Health

NOT PROVIDED BY MA

NUFACTURER

=====
===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.99-1.10@60F

Solubility in Water: