

HATCO CORP -- HATCOL 1625 -- 9150-00-681-5999

=====  
Product Identification  
=====

Product ID:HATCOL 1625  
MSDS Date:01/16/1998  
FSC:9150  
NIIN:00-681-5999  
Status Code:A  
MSDS Number: CJVMZ  
=== Responsible Party ===  
Company Name:HATCO CORP  
Address:1020 KING GEORGE POST ROAD  
City:FORDS  
State:NJ  
ZIP:08863  
Country:US  
Info Phone Num:732-738-1000  
Emergency Phone Num:732-738-1000  
CAGE:0H3M4  
=== Contractor Id  
entification ===  
Company Name:HATCO CORP  
Address:1020 KING GEORGE POST ROAD  
Box:City:FORDS  
State:NJ  
ZIP:08863  
Country:US  
Phone:908-738-3517  
Contract Num:SP0450-99-D-4024  
CAGE:0H3M4

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PENTAERYTHRITOL ESTER OF ISOPENTANOIC HEPTANOIC,  
ISONONANOIC, CAPRYLIC AND CAPRIC ACIDS  
CAS:141686-49-9  
Other REC Limits:HATCO 5 MG/M3

Ingred Name:TRIMETHYLOLPROPANE ESTER OF ISOPENTANOIC HEPTANOIC,  
ISONONANOIC, CAPRYLIC AND CA

PRIC ACIDS

CAS:141686-50-2

Other REC Limits:HATCO 5 MG/M3

Ingred Name:TRICRESYL PHOSPHATE

CAS:1330-78-5

RTECS #:TD0175000

Other REC Limits:HATCO 5 MG/M3

=====  
Hazards Identification  
=====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:MAY BE AN EYE, SKIN OR RESPIRATORY

IRRITANT. BASED ON PRESENCE OF TRICRESYL PHOSPHATE, EXPOSURE

OVERTIME MAY CAUSE NEUROLOGICAL DISTURBANCES WHICH MAY PROGRESS TO  
DELAYED NE

UROTOXICITY CHARACTERIZED B Y ATAXIA AND TREMORS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:EYE AND SKIN IRRITATION, TREMORS AND ATAXIA.

Medical Cond Aggravated by Exposure:NONE KNOWN

=====  
First Aid Measures  
=====

First Aid:EYE CONTACT: FLUSH WITH WATER FOR 15 MINUTES. SEE PHYSICIAN.

SKIN CONTACT: WASH WITH SOAP AND WATER THOROUGHLY. SEE PHYSICIAN  
IF NECESSARY. REMOVE CONTAMINATED CLOTHING. INGESTION: DO NOT  
INDUCE V OMITIN

G. DRINK PLENTY OF WATER. DO NOT GIVE ANYTHING TO AN

UNCONSCIOUS VICTIM. SEE PHYSICIAN IMMEDIATELY. INHALATION: REMOVE  
TO FRESH AIR. SEE PHYSICIAN IF NECESSARY.

=====  
Fire Fighting Measures  
=====

Flash Point Method:COC

Flash Point:>246.1C, 475.F

MINMUM 475F

Extinguishing Media:FOAM, CO2, DRY CHEMICAL. USE WATER SPRAY TO COOL  
SURFACE OF CONTAINER.

Fire Fighting Procedures:USE SILF-CONTAINED BREATHING APPARATUS, AVOID  
BREATHING FUMES, VAPORS, OR M

ISTS. WATER MAY CAUSE FROTHING.

Unusual Fire/Explosion Hazard:NONE, BUT AVOID CONTACT WITH FIRE AND SPARKS.

===== Accidental Release Measures =====

Spill Release Procedures:DIKE OR CONTAIN SPILL. APPLY ABSORBENT. PUT IN CONTAINER, CLOSE CONTAINER. PREVENT FROM GOING INTO SEWER AND WATERWAYS. NOTIFY PROPER AUTHORITIES.

===== Handling and Storage =====

Handling and Storage Precautions:FOR INDUSTRIAL USE ONLY. STORE IN COOL DRY PLACE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH APPROVED ORGANIC VAPOR CARTRIDGE RESPIRATOR.

Ventilation:LOCAL EXHAUST: YES MECHANICAL(GENERAL EXHAUST: YES

Protective Gloves:NEOPRENE

Eye Protection:CHEMICAL SPLASH GOGGLES

Other Protective Equipment:NEOPRENE APRON. LONG SLEEVED SHIRT AND PANTS. SAFETY SHOES, HARD HAT. SAFETY SHOWER AND EYEWASH STATION.

Work Hygienic Practices:WASH WITH SOAP AND WATER AFTER CONTACT.

AVOID

INGESTION. PRACTICE GOOD PERSONAL HYGIENE.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:V6

Spec Gravity:0.98@60F

Solubility in Water: