

INTEGRATED CHEMISTRIES INC -- CLEAN-CRETE -- 6850-01-423-2705

===== Product Identification =====

Product ID:CLEAN-CRETE

MSDS Date:02/15/1994

FSC:6850

NIIN:01-423-2705

Status Code:A

MSDS Number: CJWNB

=== Responsible Party ===

Company Name:INTEGRATED CHEMISTRIES INC

Address:1970 OAKCREST AVE SUITE 215

City:ST PAUL

State:MN

ZIP:55113

Country:US

Info Phone Num:612-636-2380

Emergency Phone Num:1-800-2

28-5635

CAGE:0NFA2

=== Contractor Identification ===

Company Name:AMERICO INDUSTRIAL SUPPLY INC

Address:1070 E DOMINGUEZ ST UNIT B

Box:City:CARSON

State:CA

ZIP:90746-3619

Country:US

Phone:310-763-5500 FAX:310-763-5858

Contract Num:SP0450-00-M-D285

CAGE:0XDR8

Company Name:INTEGRATED CHEMISTRIES INC

Address:1970 OAKCREST AVE SUITE 215

Box:City:ST PAUL

State:MN

ZIP:55113

Country:US

Phone:612-636-2380

Contract Num:SP0450-00-M-D211

CAGE:0NFA2

Company Name:INTEGRATED CHEMISTRIES INC

Address:1970 OAKCR

EST AVE SUITE 215  
Box:City:ST PAUL  
State:MN  
ZIP:55113  
Country:US  
Phone:612-636-2380  
Contract Num:SP0450-00-M-D670  
CAGE:0NFA2

=====  
Composition/Information on Ingredients  
=====

Ingred Name:SODIUM SILICATE  
CAS:1344-09-8  
Minumum % Wt:5.  
Maxumum % Wt:10.

Ingred Name:POTASSIUM HYDROXIDE  
CAS:1310-58-3  
RTECS #:TT2100000  
Minumum % Wt:2.  
Maxumum % Wt:5.  
ACGIH STEL:C2 MG/M3  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:PROPYLENE GLYCOL ETHER  
CAS:107-98-2  
Code:F  
RTECS #:UB7700  
000  
Minumum % Wt:5.  
Maxumum % Wt:10.  
ACGIH TLV:369 MG/M3;100 PPM  
ACGIH STEL:553 MG/M3;150 PPM

Ingred Name:MONOETHANOLAMINE  
CAS:141-43-5  
RTECS #:KJ5775000  
Minumum % Wt:5.  
Maxumum % Wt:10.  
OSHA PEL:6 MG/M3;3 PPM  
ACGIH TLV:7.5 MG/M3;3 PPM  
ACGIH STEL:15 MG/M3;6 PPM

Ingred Name:SODIUM XYLENE SULFONATE  
CAS:1300-72-7  
RTECS #:ZE5100000  
Minumum % Wt:1.  
Maxumum % Wt:3.

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NONE SPECIFIED BY MANUFACTURER.  
Health Hazards

Acute and Chronic:INHALATION: SPRAY MIST OR FOG MAY CAUSE IRRITATION TO NOSE, THROAT AND LUNGS. EYES: MAY CAUSE SEVERE PERSISTENT IRRITATION. SKIN: MAY CAUSE MODERATE IRRITATION. INGESTION: MAY CAUSE CORROSIVE DAMAGE T O MOUTH, THROAT OR STOMACH. LARGE ORAL DOSES MAY CAUSE DIARRHEA AND INTESTINAL BLEEDING.  
Explanation of Carcinogenicity:NONE SPECIFIED BY MANUFACTURER.  
Effects of Overexposure:INHALED-IRRITATION OF NOSE, THROAT & LUNGS. EYES-IRRITATION. SKIN-IRRITATION. INGESTED-CORROSION OF MOUTH, THROAT, STOMACH; DIARRHEA, INTESTINAL BLEEDING.  
Medical Cond Aggravated by Exposure:NONE SPECIFIED BY MANUFACTURER.

===== First Aid Measures =====

First Aid:EYES: IMMEDIATELY FLUSH WITH LOTS OF WATER FOR AT LEAST 15 MINUTES, HOLDING LIDS APART. GET IMMEDIATE EMERGENCY MEDICAL CARE!  
SKIN: WASH WITH SOAP & WATER. SEEK IMMEDIATE MEDICAL ATTENTION IF IRRITATION PERSISTS. REMOVE CONTAMINATED CLOTHES. LAUNDRY BEFORE WEARING.  
INGESTED: CALL LOCAL POISON CONTROL CENTER IMMEDIATELY. NOTHING BY MOUTH. IF CONSCIOUS & ALERT; RINSE MOUTH WITH WATER. DO NOT INDUCE VOMITING! DO NOT LEAVE PERSON UNATTENDED. GET IMMEDIATE MEDICAL ATTENTION. INHALED: REMOVE TO FRESH AIR. IF DISTRESS PERSISTS, GET MEDICAL ATTENTION IMMEDIATELY.

===== Fire Fighting Measures =====

Flash Point:NONE  
Lower Limits:N/D  
Upper Limits:N/D  
Extinguishing Media:CARBON DIOXIDE (CO2); FOAM.  
Fire Fighting Procedures:COOL AND USE CAUTION WHEN APPROACHING FIRE-EXPOSED CONTAINERS.  
Unusual Fire/Explosion Hazard:CONTAINER MAY BURST IN THE HEAT OF THE FIRE.

===== Accidental Release Measures =====

Spill Release Procedures:FOR MINOR SPILLS WHICH CAN BE HANDLED ROUTINELY; MOP UP AS MUCH AS POSSIBLE, THEN FLUSH RESIDUE INTO SANITARY SEWER SYSTEM. FOR LARGE SPILLS, COLLECT WITH SUITABLE ABSORBENTS, SWEEP UP AND PLACE IN BULK CONTAINER FOR DISPOSAL AND

