

LEKTRO-TECH INC -- 12-350,SUPER CORR B

=====
MSDS Safety Information
=====

FSC: 6850
NIIN: 01-328-3617
MSDS Date: 10/16/1996
MSDS Num: CJZYZ
Product ID: 12-350,SUPER CORR B
MFN: 03
Responsible Party
Cage: 0FT11
Name: LEKTRO-TECH INC
Address: 4302 HENDERSON BOULEVARD SUITE 114
Box: 18566
City:
TAMPA FL 33679
Info Phone Number: 813-254-1380 FAX: 813-254-7319
Emergency Phone Number: 888-254-1380

=====
Item Description Information
=====

Item Manager: S9G
Item Name: CORROSION PREVENTIV
Specification Number: MIL-L-87177A
Type/Grade/Class: TY I GRADE B
Unit of Issue: CN
Quantitative Expression: 00000000016OZ
UI Container Qty: 1
Type of Container: AEROSOL CAN

=====
Ingredients
=====

Name: *** PROPRIETARY ***

=====
Health Hazards Data
=====

LD50 LC50 Mixture: NOT PROVIDED.
Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Carcinogenicity Inds - NTP: NO
IARC: NO
OSHA: NO
Effects of Exposure: PRIMARY ROUTES OF ENTRY & EFFECTS OF OVEREXPOSU

RE:

EYES: MAY CAUSE SLIGHT IRRITATION, BUT DOES NOT INJURE EYE TISSUE. SKIN: FREQUENT OR PROLONGED CONTACT MAY CAUSE IRRITATION. INHALATION: INHALATION OF MIST CAN CAUSE IRRITATION OF NASAL OR RESPIRATORY PASSAGES. ABUSIVE OR EXCESSIVE INHALATION MAY CAUSE IRRITATION TO THE UPPER RESPIRATORY TRACT, DIZZINESS, NAUSEA, AND OTHER CENTRAL NERVOUS SYSTEM EFFECTS. INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA. ASPIRATION OF MATERIAL INTO THE LUNGS CAN CAUSE CHEMICAL PNEUMONITIS. MINIMAL TOXICITY.

Explanation Of Carcinogenicity: NONE

Signs And Symptoms Of Overexposure: EYES: MAY CAUSE SLIGHT IRRITATION, BUT DOES NOT INJURE EYE TISSUE. SKIN: FREQUENT OR PROLONGED CONTACT MAY CAUSE IRRITATION. INHALATION: INHALATION OF MIST CAN CAUSE IRRITATION OF NASAL OR RESPIRATORY PASSAGES. ABUSIVE OR EXCESSIVE INHALATION MAY CAUSE IRRITATION TO THE UPPER RESPIRATORY TRACT, DIZZINESS, NAUSEA, AND OTHER CENTRAL NERVOUS SYSTEM EFFECTS. INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA. ASPIRATION OF MATERIAL INTO THE LUNGS CAN CAUSE CHEMICAL PNEUMONITIS.

Medical Cond Aggravated By Exposure: NOT PROVIDED.

First Aid: EYES: FLUSH WITH LARGE AMOUNT OF COOL, RUNNING WATER FOR AT LEAST 15 MINUTES, WHILE HOLDING UPPER AND LOWER LIDS OPEN. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. SKIN: WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION. INHALATION: REMOVE TO FRESH AIR. SEEK MEDICAL ATTENTION IMMEDIATELY. IF BREATHING STOPS, GIVE ARTIFICIAL RESPIRATION. INGESTION: DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION IMMEDIATELY.

ICAL

ATTENTION IMMEDIATELY. IF BREATHING STOPS, GIVE ARTIFICIAL RESPIRATION. INGESTION: DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION IMMEDIATELY.

=====

Handling and Disposal

=====

Spill Release Procedures: MAINTAIN LOCAL EXHAUST AND ADEQUATE VENTILATION. NO SMOKING. KEEP SPARKS, HEAT SOURCES AND OPEN FLAME FAR AWAY FROM SPILL OR LEAK. COVER WITH ABSORBENT MATERIAL AND SWEEP UP. WASH ARE

A TO PREVENT SLIP

PING. DISPOSE OF SOAKED ABSORBENT MATERIAL IN ACCORDANCE WITH FEDERAL, STATE, AND LOCAL LAWS.

Neutralizing Agent: NOT RELEVANT.

Waste Disposal Methods: CONTAINERS, WHEN EMPTIED THROUGH NORMAL USE, POSE NO DISPOSAL HAZARD AND SHOULD BE RECYCLED. CONSULT FEDERAL, STATE AND LOCAL AUTHORITIES FOR APPROVED PROCEDURES.

Handling And Storage Precautions: KEEP OUT OF REACH OF CHILDREN. FOR INDUSTRIAL AND INSTITUTIONAL USE ONLY. STORE IN A COOL, DRY AREA, AWAY FROM HEAT, OR

O

PEN FLAME.

Other Precautions: NOT PROVIDED.

=====
Fire and Explosion Hazard Information
=====

Flash Point Text: NON-FLAM.AEROSOL

Extinguishing Media: FOAM, CO2, DRY MEDIA

Fire Fighting Procedures: WEAR SELF-CONTAINED BREATHING APPARATUS OR PROTECTIVE CLOTHING. COOL FIRE-EXPOSED CONTAINERS TO PREVENT RUPTURING.

Unusual Fire/Explosion Hazard: EXPOSURE TO TEMPERATURES ABOVE 120F.

=====
Control Measures
=====

Respiratory Protection: NONE NEEDED FOR PROPER USE IN ACCORDANCE WITH LABEL DIRECTIONS.

Ventilation: PROVIDE LOCAL EXHAUST TO KEEP TLV OF INGREDIENTS BELOW ACCEPTABLE LIMITS.

Protective Gloves: CHEMICAL RESISTANT GLOVES IF HAND CONTACT WILL BE MADE.

Eye Protection: WEAR SAFETY GLASSES IF IT IS ANTICIPATED THAT A SPLASH WILL OCCUR.

Other Protective Equipment: NOT PROVIDED.

Work H

gienic Practices: NOT PROVIDED.

Supplemental Safety and Health: NON-FLAMMABLE PER US FLAME PROJECTION TEST.

=====
Physical/Chemical Properties
=====

HCC: V2

NRC/State LIC No: NOT RELEVANT.

Boiling Point: =-67.6C, -90.F

M.P/F.P Text: NOT PROVIDED.

Decomp Text: NOT PROVIDED.

Vapor Pres: NOT PROVIDED.

Vapor Density: N/D

Spec Gravity: 1.230

Viscosity: NOT PROVIDED.

Evaporation Rate & Reference: NOT PROVIDED.

Solubility in Water: SLIGHT

Appearance and Odor: BROWN LIQUID, FAINT ETHER-LIKE ODOR.

Percent Volatiles by Volume: NOT PROVIDED

Corrosion Rate: NOT PROVIDED.

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Condition To Avoid: NOT PROVIDED.

Materials To Avoid: STRONG OXIDIZING AGENTS, ELEMENTAL LEVELS OF ZINC, ALUMINUM, MAGNESIUM AND OTHER REACTIVE METALS.

Hazardous

Decomposition Products: CARBON DIOXIDE, CARBON MONOXIDE, HYDROGEN
CHLORIDE, HYDROGEN FLUORIDE, AND CHLORINE.

Hazardous Polymerization Indicator: NO

=====
Toxicological Information
=====

Toxicological Information: NOT PROVIDED.

=====
Ecological Information
=====

Ecological: NOT PROVIDED.
=====

=====
MSDS Transport Information
=====

Transport Information: D.O.T. HAZARD CLASS: CONSUMER COMMODITY - ORM-D
=====

=====
Regulatory Information
=====

Sara Title III Information: NOT PROVIDED.

Federal Regulatory Information: NOT PROVIDED.

State Regulatory Information: NOT PROVIDED.
=====

=====
Other Information
=====

=====
Transportation Information
=====

Responsible Party Cage: 0FT11

Trans ID NO: 151277

Product ID: 12-350,SUPER CORR B

MSDS Prepared Date: 10/16/1996

Review Date: 02/01/2000

MFN: 3

Tech Entry NOS Shipping Nm: 1,1-DICHLORO-1-FLUOROETHANE 80-99%, OXYGENATED
HYDROCARBON 1-5%, CARBON DIOXIDE 1-5%

Net Unit Weight: 1 LB CAN

Multiple KIT Number: 0

Unit Of Issue: CN

Container QTY: 1

Type Of Container: AEROSOL CAN

Additional Data: DOT PROPER SHIPPING NAME PER MSDS.
=====

=====
Detail DOT Information
=====

DOT PSN Code: DTJ

Symbols: D

DOT Proper Shipping Name: CONSUMER COMMODITY

Hazard Class: ORM-D

Label: NONE

Non Bulk Pack: 156,306

Bulk Pack: NONE

Max Qty Pass: 30KGGROSS

Max Qty Cargo: 30KGGROSS

Ve

ssel Stow Req: A

=====
Detail IMO Information
=====

IMO PSN Code: AKD
IMO Proper Shipping Name: AEROSOLS o
IMDG Page Number: 2102
UN Number: 1950
UN Hazard Class: 2(T)
IMO Packaging Group: -
Subsidiary Risk Label: T
EMS Number: 2-13
MED First Aid Guide NUM: 620

=====
Detail IATA Information
=====

IATA PSN Code: ANB
IATA UN ID Num: 1950
IATA Proper Shipping Name: AEROSOLS, NON-FLAMMABLE
IATA PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)
IATA UN Class: 2.2
IATA Label: NON-FLAMMABLE GAS
Packing Note Passenger: 203
Max Quant Pass: 75 KG
Max Quant Cargo: 150KG
Packaging Note Cargo: 203

=====
Detail AFI Information
=====

AFI PSN Code: ANB
AFI Proper Shipping Name: AEROSOLS, NON-FLAMMABLE, N.O
.S.
AFI PSN Modifier: ,(EACH NOT EXCEEDING 1L CAPACITY)
AFI Hazard Class: 2.2
AFI UN ID NUM: UN1950
Special Provisions: P4
Back Pack Reference: A6.3

=====
HAZCOM Label
=====

Product ID: 12-350,SUPER CORR B
Cage: 0FT11
Company Name: LEKTRO-TECH INC
Street: 4302 HENDERSON BOULEVARD SUITE 114
PO Box: 18566
City: TAMPA FL
Zipcode: 33679
Health Emergency Phone: 888-254-1380
Label Required IND: Y
Date

Of Label Review: 02/01/2000

Status Code: A

MFG Label NO: UNKNOWN.

Label Date: 10/16/1996

Year Procured: 2000

Origination

Eye Protection IND: NO

Skin Protection IND: NO

Signal Word: WARNING

Respiratory Protection IND: NO

Health Hazard: Moderate

Contact Hazard: Slight

Fire Hazard: None

Reactivity Hazard: None

Hazard And Precautions: TARGET ORGANS: N/P. FIRST AID: EYES: FLUSH WITH LARGE AMOUNT OF COOL, RUNNING WATER FOR AT LEAST 15 MINUTES, WHILE HOLDING UPPER AND LOWER LIDS OPEN. IF IRRITATIO

N PERSISTS, GET MEDICAL ATTENTION. SKI N:

WASH WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.

INHALATION: REMOVE TO FRESH AIR. SEEK MEDICAL ATTENTION IMMEDIATELY. IF

BREATHING STOPS, GIVE ARTIFICIAL RESPIRATION. INGE STION: DO NOT INDUCE

VOMITING. SEEK MEDICAL ATTENTION IMMEDIATELY. KEEP OUT OF REACH OF CHILDREN.

USE ONLY IN WELL VENTILATED AREAS. DO NOT TAKE INTERNALLY. AVOID CONTACT WITH

EYES OR PROLONGED CONTAC T WITH SKIN.

=====

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of

America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.