View NSN Online: https://aerobasegroup.kr/nsn/5910-00-198-9757

Product ID:DIALA(R) OIL AX MSDS Date:01/16/1996 FSC:5910 NIIN:00-198-9757 Status Code:A MSDS Number: CKCQP === Responsible Party === Company Name: SHELL OIL COMPANY Box:2463 **City:HOUSTON** State:TX ZIP:77210 Country:US Info Phone Num:800-231-6950 Emergency Phone Num:713-473-9461 Resp. Party Other MSDS Num.:600 30-10 T 01/16/96 Chemtrec Ind/Phone:(800)424-9300 CAGE:54527 === Contractor Identification === Company Name: PLASTIC CAPACITORS INC (312-489-2229) CAGE:99120 Company Name: SHELL OIL COMPANY Address:Box:2463 City:HOUSTON State:TX ZIP:77210 Country:US Phone:800-231-6950 CAGE:54527

Ingred Name:SEVERELY HYDROTREATED MIDDLE DISTILLATE CAS:64742-46-7 RTECS #:JN9379645 Minumum % Wt:50. Maxumum % Wt:100. Other REC Limits:NONE RECOMMEND ED OSHA PEL:5 MG/M3 AS OIL MIST ACGIH TLV:5 MG/M3 AS OIL MIST

Ingred Name:HYDROTREATED LIGHT NAPHTHENIC DISTILLATE CAS:64742-53-6 RTECS #:PY8036000 Minumum % Wt:0. Maxumum % Wt:50. Other REC Limits:NONE RECOMMENDED OSHA PEL:5 MG/M3 (OIL MIST) ACGIH TLV:5 MG/M3 (OIL MIST)

Ingred Name:BUTYLATED HYDROXY TOLUENE CAS:128-37-0 RTECS #:GO7875000 &It; Wt:.2 Other REC Limits:NONE RECOMMENDED OSHA PEL:10 MG/M3 ACGIH TLV:10 MG/M3; 9596

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EYES: PRESUMED NON-IRRITATING. SKIN: PRESUMED TO BE SLIGHTLY IRRITATING. PROLONGED & REPEATED CONTACT MAY RESULT IN VARIOUS SKIN DISORDERS SUCH AS DERMATITIS, FOLLICULITIS OR OIL ACNE. RELEASE DURING HIGH PRESSURE USAGE MAY RESULT IN INJECTION OF OIL INTO THE SKIN CAUSING LOCAL NECROSIS. INHALATION: VAPORS (GENERATED AT HIGH TEMPERATURES) OR OIL MIST MAY CAUSE MILD IRRITATION OF THE

MUCOUS MEMBR ANES OF THE UPPER RESPIRATORY TRACT. INGESTION: ASPIRATION (BREATHING OF VOMITUS INTO THE LUNGS) OF EVEN SMALL QUANTITIES MAY RESULT IN ASPIRATION PNEUMONITIS.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:ASPIRATION PNEUMONITIS MAY BE EVIDENCED BY COUGHING, LABORED BREATHING & CYANOSIS (BLUISH SKIN). IN SEVERE CASES DEATH MAY OCCUR. LOCAL NECROSIS IS EVIDENCED BY DELAYED ONSET OF PAIN & TISSUE DAMAGE A FEW HOURS FOLLOWING INJECTION. Medical C

## ond Aggravated by Exposure: PREEXISTING SKIN & RESPIRATORY DISORDERS MAY BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

First Aid:EYES: FLUSH EYES WITH WATER. IF IRRITATION OCCURS, GET MEDICAL ATT'N. SKIN: REMOVE CONTAMINATED CLOTHING/SHOES & WIPE EXCESS FROM SKIN. FLUSH SKIN WITH WATER. FOLLOW BY WASHING WITH SOAP & WATER. IF IRRITATION OCCURS, GET MEDICAL ATT'N. IF MATERIAL IS INJECTED UNDER THE SKIN, GET M

EDICAL ATT'N PROMPTLY. INHALATION: REMOVE VICTIM TO FRESH AIR & PROVIDE OXYGEN IF BREATHING IS DIFFICULT. GET MEDICA L ATT'N. INGESTION: DO NOT INDUCE VOMITING. IF VOMITING OCCURS SPONTANEOUSLY, KEEP HEAD BELOW HIPS TO PREVENT ASPIRATION OF LIQUID INTO THE LUNGS. SEE SUPPLEMENTAL DATA.

Flash Point Method:COC Flash Point:=146.1C, 295.F Extinguishing Media:WATER FOG, FOAM, DRY CHEMICAL OR CO2. DO NOT USE

DIRECT STREAM OF WATER. PRODUCT WILL FLOAT & CAN BE REIGNITED ON WATER SURFACE.

Fire Fighting Procedures:DO NOT ENTER CONFINED FIRE-SPACE WITHOUT FULL BUNDER GEAR (HELMET WITH FACE SHIELD, BUNKER COATS, GLOVES & RUBBER BOOTS), INCLUDING A POSITIVE-PRESSURE HIOSH-APPROVED SELF-CONTAINED BREATHING APPARATU S. COOL FIRE EXPOSED CONTAINERS WITH WATER. Unusual Fire/Explosion Hazard:NONE SPECIFIED BY MANUFACTURER.

Spill Release Procedures:LARGE SPILLS: WEAR RESPIRATOR & PROTECTIVE CLOTHING AS APPROPRIATE. SHUT OFF SOURCE OF LEAK IF SAFE TO DO SO. DIKE & CONTAIN. REMOVE WITH VACUUM TRUCKS OR PUMP TO STORAGE SALVAGEVESSELS. SOAK UP RESID UE WITH AN ABSORBENT SUCH AS CLAY, SAND, OR OTHER SUITABLE MATERIALS. DIPOSE OF PROPERLY. FLUSH AREA WITH WATER TO REMOVE TRACE RESIDUE. TAKE UP SMALL SPILLS WITH ABSORBENT MATERIAL & DISPOSE.

OVEREXPOSURE. IN ACCORD WITH 29 CFR 1910.134 USE EITHER AN ATMOSPHERE-SUPPLYING RESPIRATOR OR AN AIR-PURIFYING RESPIRATOR FOR ORGANIC VAPORS & PARTICULATES.

Protective Gloves:WEAR CHEMICAL-RESISTANT GLOVES (NITRILE GLOVES RECOMMENDED)..

Eye Protection: NO SPECIAL EYE PROTECTION IS ROUTINELY NECESSARY.

Other Protective Equipment:OTHER PROTECTIVE CLOTHING AS REQUIRED TO MINIMIZE SKIN CONTACT.

Supplemental Safety and Health

=========== Physical/Chemical Pr

operties ===============

HCC:V6 Boiling Pt:>148.9C, 300.F Melt/Freeze Pt:=-40.C, -40.F Spec Gravity:0.8833 (H2O=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:WHITE LIQUID; SLIGHT HYDROCARBON ODOR.

Stability Indicator/Materials to Avoid:YES AVOID OXIDIZING MATERIALS. Stability Condition to Avoid:AVOID HEAT AND OPEN FLAMES.

Waste Disposal Methods:

## PLACE IN AN APPROPRIATE DISPOSAL FACILITY IN COMPLIANCE WITH LOCAL REGULATIONS.

Transport Information:NOT HAZARDOUS BY DOT REGULATIONS.

SARA Title III Information: IN ACCORDANCE WITH SARA TITLE III, SECTION 313, THE ATTACHED ENVIRONMENTAL DATA SHEET SHOULD ALWAYS BE COPIED & SENT IWTH THE MSDS.
Federal Regulatory Information: IF THIS PRODUCT BECO
MES A WASTE, IT
WUOLD NOT BE A HAZARDOUS WASTE BY RCRA CRITERIA (40 CFR 261).

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their

particular situation.