

W L GORE & ASSOCIATES INC -- SKYFLEX AIRCRAFT SEALANT

MSDS Safety Information

FSC: 8030
NIIN: 01-367-7357
MSDS Date: 03/03/1992
MSDS Num: CKDYK
Product ID: SKYFLEX AIRCRAFT SEALANT
MFN: 01
Responsible Party
Cage: 0AMD8
Name: W L GORE & ASSOCIATES INC
Address: 100 AIRPORT RD
Box: 1010
City: E
LKTON MD 21922-1010
Info Phone Number: 410-392-3200
Emergency Phone Number: 1-410-392-3200
Preparer's Name: THOMAS E. DYKES
Review Ind: Y
Published: Y

Contractor Summary

Cage: 0AMD8
Name: W. L. GORE & ASSOCIATES INC, INDUSTRIAL SEALANT GROUP
Address: 100 AIRPORT RD
City: ELKTON MD 21921
Phone: 410-392-3200

Item Description Information

Item Manager: GSA
Item Name: SEALING COMPOUND
Unit of Issue: RO
Quantitative Expression: 00000000100FT
UI Container Qty: 0
Type of Container: ROLL

Health Hazards Data

Effects of Exposure: PTFE, WHEN THERMALLY DECOMPOSED MAY CAUSE POLYMER FUME FEVER AND FLU-LIKE SYMPOMS.
First Aid: ON EXPOSURE TO THERMAL DECOMPOSITION

PRODUCTS: INHALATION - MOVE TO
FRESH AIR. SKIN CONTACT - WASH WITH SOAP AND WATER
EYE CONTACT - FLUSH WITH WATER FOR A T LEAST 15 MINUTES.
CALL A PHYSICIAN.

=====
Handling and Disposal
=====

Spill Release Procedures: SWEEP OR PICK UP AND DISPOSE OF AS REGULAR TRASH.
Waste Disposal Methods: LANDFILL PREFERRED. CONFROM TO LOCAL, STATE, AND
FEDERAL REGULATIONS.

Other Precauti

ons: STEPS SHOULD BE TAKEN NOT TO CONTAMINATE TOBACCO AND SMOKING
UTENSILS, AS THERMALLY DECOMPOSED MATERIAL MAY CAUSE POLYMER FUME FEVER.

=====
Fire and Explosion Hazard Information
=====

Fire Fighting Procedures: PTFE DOES NOT BURN WITHOUT AN EXTERNAL SOURCE OF
FUEL. IN EXTREME FIRE SITUATIONS, USE SELF-CONTAINED BREATHING APPARATUS AS
TOXIC FLOURINE COMPOUNDS ARE EVOLVED IN A FIRE.

Unus

ual Fire/Explosion Hazard: PTFE WILL BURN IN 95% OXYGEN ATMOSPHERE WHEN AN
IGNITION SOURCE IS PRESENT. DO NOT USE PRODUCT WITH ADHESSIVE IN COMPRESSED
OXYGEN SERVICE.

=====
Control Measures
=====

Respiratory Protection: WHEN PROCESSED AT ELEVATED TEMPERATURES, USE ADEQUATE
VENTILATION.

Ventilation: LOCAL EXHUAST AT TEMPERATURES ABOVE 752 F.

Work Hygienic Practices: WASH HANDS AFTER HANDLIN

G.

Supplemental Safety and Health: USE PROTECTIVE EQUIPMENT AS REQUIRED BY YOUR
COMPANY.

=====
Physical/Chemical Properties
=====

B.P. Text: `

Spec Gravity: 0.4 - 1.7

Appearance and Odor: GRAY, RIBBED, MARSHMALLOWY TAPE, ODORLESS

=====
Reactivity Data
=====

Stability Indicator: YES

Stability Con

dition To Avoid: TEMPERATURES ABOVE 400'C/ 752'F AND INCINERATION.
Materials To Avoid: MOLTEN ALKALI METALS AND SOME REACTIVE INTERHALOGEN
COMPOUNDS.
Hazardous Decomposition Products: HYDROGEN FLUOURIDE AND PERFLUOROCARBON
OLEFINS MAY BE EVOLVED ABOVE 400'C/752'F

=====
Regulatory Information
=====

Sara Title III Information: THIS PRODUCT IS NOT SUBJECT TO THE REPORTING
REQUIRMENTS OF THE SE
CTION 313 OF TITLE III OF SUPERFUND AMENDMENTS AND
REAUTHORIZATION ACT OF 1986 AND 40 CFR PART 372

=====
Other Information
=====

Other Information: 1.625 INCHES WIDE UNIT PRICE 2485.43
=====

=====
Transportation Information
=====

Responsible Party Cage: 0AMD8
Trans ID NO: 151971
Product ID: SKYFLEX A
IRCRAFT SEALANT
MSDS Prepared Date: 03/03/1992
Review Date: 01/26/2000
MFN: 1
Multiple KIT Number: 0
Unit Of Issue: RO
Container QTY: 0
Type Of Container: ROLL

=====
Detail DOT Information
=====

DOT PSN Code: ZZZ
DOT Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail IMO Information
=====

=====
IMO PSN Code: ZZZ
IMO Proper Shipping Name: NOT REGULATED FOR THIS MODE OF TRANSPORTATION
=====

=====
Detail IATA Information
=====

IATA PSN Code: ZZZ
IATA Proper Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION
=====

=====
Detail AFI Information
=====

AFI PSN Code: ZZZ
AFI Pro

per Shipping Name: NOT REGULATED BY THIS MODE OF TRANSPORTATION

=====

HAZCOM Label

=====

Product ID: SKYFLEX AIRCRAFT SEALANT

Cage: 0AMD8

Company Name: W. L. GORE & ASSOCIATES INC, INDUSTRIAL SEALANT GROUP

Street: 100 AIRPORT RD

City: ELKTON MD

Zipcode: 21921

Health Emergency Phone: 1-410-392-3200

Label Required IND: Y

Date Of Label Review: 03/16/2000

Status Code: A

Origination Code: G

Hazard

And Precautions: PTFE, WHEN THERMALLY DECOMPOSED MAY CAUSE POLYMER FUME
FEVER AND FLU-LIKE SYMPOMS.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.