View NSN Online: https://aerobasegroup.kr/nsn/7930-01-213-9285

## RAWN CO INC -- CDC-82365800 HEAD CLEANER SOLVENT -- 7930-01-213-9285

Product ID:CDC-82365800 HEAD CLEANER SOLVENT

MSDS Date:06/22/1998

FSC:7930

NIIN:01-213-9285

MSDS Number: CKFDB === Responsible Party === Company Name:RAWN CO INC

Address:1300 SOUTH RIVER STREET (HWY 53 S)

Box:9

City:SPOONER

State:WI ZIP:54801 Country:US

Info Phone Num:715-635-8711

**Emergency Phon** 

e Num:715-635-8711/715-635-1102-AFTER HRS

Preparer's Name: ROBERT M. EICHHONE

CAGE:58225

=== Contractor Identification ===

Company Name: CONTROL DATA CORPORATION

Address:4201 LEXINGTON AVE N

Box:City:SHOREVIEW

State:MN

ZIP:55126-6198 Country:US

Phone:651-415-4515

CAGE:59661

Company Name: RAWN CO INC

Address:1300 SOUTH RIVER STREET (HWY 53 S)

Box:9

City:SPOONER

State:WI ZIP:54801 Country:US

Phone:715-635-8711

CAGE:58225

Company Name: TRIANGLE TOOL GROUP, INC.

**CAGE:TRIAN** 

====== Composition/In


formation on Ingredients ========
Ingred Name:1,1,2-TRICHLORO-1,2,2-TRIFLUOROETHANE (FREON 113) (SARA III) CAS:76-13-1 RTECS #:KJ4000000 Other REC Limits:1250 PPM; 9500 MG/M3 OSHA PEL:1000PPM/1250STEL ACGIH TLV:1000PPM/1250STEL9192 Ozone Depleting Chemical:1
Ingred Name:ISOPROPYL ALCOHOL (SARA III) CAS:67-63-0 RTECS #:NT8050000 Other REC Limits:500 PPM; 1250 MG/M3 OSHA PEL:400 PPM/500 STEL ACGIH TLV:400 PPM/500STEL;9192
======== Hazards Identification ====================================
LD50 LC50 Mixture:LD50(RAT) FOR CFC= 43,000 MG/KG Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:EYES- MAY CAUSE IRRITATION. SKIN- MAY CAUSE MILD IRRITATION. PROLONGED OR REPEATED EXPOSURE MAY DRY THE SKIN. INHALATION-MAY CAUSE IRRITATION OF RESPIRATORY SYSTEM. VAPORS ARE HEAVIER THAN AIR AND C AN CAUSE SUFFOCATION BY REDUCING AVAILABLE OXYGEN. BREATHING HIGH CONCENTRATIONS O F VAPORS MAY CAUSE
LIGHTHEADEDNESS, GIDDINESS, SHORTNESS OF BREATH, & MAY LEAD TO NARCOSIS, CARDIAC IRREGULARITIES, UN CONSIOUSNESS OR DEATH. INGESTION-ORAL TOXICITY IS LOW, MAY CAUSE GI TRACT IRRITATION. Effects of Overexposure:EYES- SYMPTOMS MAY INCLUDE BURNING, TEARING, REDNESS & SWELLING. SKIN- SYMPTOMS MAY INCLUDE REDNESS, BURNING.

Effects of Overexposure:EYES- SYMPTOMS MAY INCLUDE BURNING, TEARING, REDNESS & SWELLING. SKIN- SYMPTOMS MAY INCLUDE REDNESS, BURNING, DRYING OR CRACKING, AND SKIN BURNS. INHALATION- DIZZINESS, WEAKNESS FATIGUE NAUSEA, HEAD ACHE, AND POSSIBLE UNCONSCIOUSNESS. INGEST

ION-CAN SAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING AND DIARRHEA.

Medical Cond Aggravated by Exposure: CARDIOVASCULAR DISEASES.

First Aid:EYES- FLUSH EYES FOR AT LEAST 15 MINUTES. GET MEDICAL HELP. SKIN: WASH EXPOSED AREA WITH SOAP AND WATER.IF SYMPTOMS PERSIST, SEEK MEDICAL ATTENTION. INHALATION: REMOVE INDIVIDUAL TO FRESH AIR. IF BRE ATHING IS DIFFICULT, ADMINISTER OXYGEN. IF BREATHING HAS STOPPED



ISOPROPANOL AND MAY FORM A FLAMMABLE LAYER. TEMPERATURES IN FIRE CONDITIONS MAY DECOMPOSE MATERIAL, PRODUCING TOXICS.

------ Accidental Release Measures ------

Spill Release Procedures: ELIMINATE OPEN FLAMES, IGNITION SOURCES. VENTILATE AREA, TAKE UP SPILLED QUANTITIES ON AN INERT, ABSORBANT MATERIAL AND PLACE

INTO AN APPROVED CLOSED TOP DRUM FOR DISPOSAL OR RECOVERY. KEEP SPILLS OUT OF SEWERS, SURFACE WATERS.

============= Handling and Storage ==========================

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL-VENTILATED PLACE AWAY FROM HIGH TEMPERATURES, OPEN FLAMES, INCOMPATIBLES AND OUT OF DIRECT SUNLIGHT. STORE BELOW 125F.

Other Precautions: AVOID PROLONGED OR REPEATED BREATHING OF VAPORS, SKIN AND EYE CONTACT. DO NOT INGEST THE LIQUID. USE WITH ADE QUATE

VENTILATION, KEEPING EXPOSURES BELOW ESTABLISHED TLVS.

===== Exposure Controls/Personal Protection ========

Respiratory Protection: IF TLV'S ARE EXCEEDED, WEAR A NIOSH APPROVED RESPIRATOR FOR ORGANIC VAPORS OR AN AIR-SUPPLIED RESPIRATOR IF USED IN CONFINED SPACES OR WITH POOR VENTILATION. FOR MANY APPLICATIONS, NORMAL ROOM VENTILA TION MAY BE ADEQUATE.

Ventilation: LOCAL EXHAUST: WHEN LARGE AMOUNTS ARE RELEASED. MECHANICAL (GENERAL): USE IN LOW PLACES.

Eye Protection: CHEMICAL SAFETY GOGGLES. Other Protective Equipment: WEAR AN IMPERVIOUS APRON OR OTHER PROTECTIVE CLOTHING AS NEEDED TO PREVENT UNNECESSARY OR PROLONGED AND REPEATED SKIN CONTACT WITH THIS PRODUCT DURING USE. Work Hygienic Practices: GENERAL HYGENIC PRACTICES INCLUDE WASHING HANDS AFTER USE, BEFORE EATING, DRINKING OR SMOKING WITH SOAP AND WATER. NO EATING, DRINKING OR SMOKING AT POINT OF USE. Supplemental Safety and Health ===== Physical/Chemical Properties ========= HCC:N1 Boiling Pt:=47.2C, 117.F Vapor Pres:200 Vapor Density:2.7 Spec Gravity:1.20(H20=1) Evaporation Rate & Deference:>1 Solubility in Water:48% MISCIBLE IN WATER Appearance and Odor: CLEAR COLORLESS LIQUID, ALCOHOL ODOR. ======== Stability and Reactivity Data ========== Stability Indicator/Materials to Avoid:YES AVOID CONTACT WITH ALKALI AND ALKALINE EARTH METALS, POWDERED AL, ZN, BE AND SO FORTH Stability Co ndition to Avoid:THOUGH STABLE, AVOID CONTACT WITH HIGH TEMPERATURE, OPEN FLAME, SPARKS, Hazardous Decomposition Products: HYDROCHLORIC AND HYDROFLUORIC ACIDS, POSSIBLY CARBONYLHALIDES. ========= Ecological Information =============== Ecological: WARNING! CFC-113, A SUBSTANCE WHICH HARMS PUBLIC HEALTH AND

ENVIRONMENT BY DESTROYING OZONE IN THE UPPER ATMOSPHERE.

======= Disposal Considerations ===========

Waste Disposal Methods: COMPLY WITH

rotective Gloves:BUTYL GLOVES.

ALL FEDERAL, STATE AND LOCAL REGULATIONS. CONSULT AUTHORITIES TO OBTAIN PROPER DISPOSAL PROCEDURES. WASTE MAY BE RECLAIMED OR INCINERATED BY FEDERALLY PERMITTED FACILITY.

======== Regulatory Information ===============

SARA Title III Information:THIS PRODUCT CONTANS THE FOLLOWING LISTED CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SEC 313 ( 40 CFR 372 ): TRICHLOROTRIFLUOROETHANE CAS# 76-13-1 (5-52%). Federal Regulatory Information:THE INGREDIEN TS OF THIS PRODUCT ARE ON

THE TSCA INVENTORY.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.