

STEVEN INDUSTRIES -- MIL-S-46163, TYPE 1, GRADE K -- 8010-00-597-7856

=====  
Product Identification  
=====

Product ID:MIL-S-46163, TYPE 1, GRADE K

MSDS Date:12/10/1990

FSC:8010

NIIN:00-597-7856

Status Code:A

MSDS Number: CKFZJ

=== Responsible Party ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Info Phone Num:201-437-6501

Emergency Phone

Num:1-800-253-3436

CAGE:33150

=== Contractor Identification ===

Company Name:STEVEN INDUSTRIES

Address:39 AVENUE C

Box:8

City:BAYONNE

State:NJ

ZIP:07002-3417

Country:US

Phone:201-437-6501

CAGE:33150

=====  
Composition/Information on Ingredients  
=====

Ingred Name:AROMATIC DIMETHYACRYLATE ESTER

Minumum % Wt:40.

Maxumum % Wt:50.

Ingred Name:HYDROXYALKYL METHYLCRYLATE

RTECS #:HY1000488

Minumum % Wt:30.

Maxumum % Wt:40.

Ingred Name:BISPHENOL A FUMERATE RESIN

RTECS #:FR1001927

Mi

numum % Wt:15.  
Maxumum % Wt:20.

Ingred Name:CUMEN HYDROPEROXIDE\*  
RTECS #:CH1003641  
Minumum % Wt:1.  
Maxumum % Wt:3.

Ingred Name:1-ACETYL-2-PHENYLHYDRAZINE  
CAS:114-83-0  
RTECS #:AJ2900000  
Minumum % Wt:.1  
Maxumum % Wt:1.

Ingred Name:N, N-DIALKYL TOLUIDINES  
RTECS #:DT1001910  
Minumum % Wt:.1  
Maxumum % Wt:1.

Ingred Name:MALEIC ACID  
CAS:110-16-7  
RTECS #:OM9625000  
Minumum % Wt:.1  
Maxumum % Wt:1.  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:SACCHARIN\*  
RTECS #:SA1002328  
Minumum % Wt:1.  
Maxumum  
% Wt:2.

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:YES IARC:YES  
Health Hazards Acute and Chronic:MAY CAUSE DERMATITIS ON PROLONGED  
CONTACT IN SENSITIVE INDIVIDUAL. FIRST AID: INGESTION: DO NOT  
INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTIAN MEDICAL ATTENTION.  
INHALATION: DOES NOT APPLY SKIN CONTACT: WASH THOUROUGHLY WITH  
SOAP AND WATER EYE CONTACT: FLUSH AT LEAST 15 MINUTES WITH WATER.  
OBTAIN MEDICAL AT

TENTION.

Explanation of Carcinogenicity:MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN SENSITIVE INDIVIDUAL. FIRST AID: INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM. OBTAIN MEDICAL ATTENTION. INHALATION: DOES NOT APPLY SKIN CONTACT: WASH THOROUGHLY WITH SOAP AND WATER EYE CONTACT: FLUSH AT LEAST 15 MINUTES WITH WATER. OBTAIN MEDICAL ATTENTION.

Medical Cond Aggravated by Exposure:

===== Fire Fighting Measures =====

Fla  
sh Point Method:TCC  
Flash Point:>93.3C, 200.F  
>200F  
Extinguishing Media:CO2, FOAM, DRY CHEMICAL.  
Fire Fighting Procedures:DOES NOT APPLY  
Unusual Fire/Explosion Hazard:HAZARDOUS PRODUCTS FORMED: CO2, FOAM, DRY CHEMICAL.

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP IN AN INERT ABSORBENT. STORE IN A PARTLY FILLED, CLOSED CONTAINER UNTIL DISPOSAL.

===== Handling and Storage =====

Handling and Storage  
Precautions:STORAGE: STORE BELOW 110F TO PRESERVE SHELF LIFE. HANDLING: AVOID PROLONGED SKIN CONTACT. KEEP AWAY FROM EYES.

===== Exposure Controls/Personal Protection =====

Ventilation:DOES NOT APPLY  
Protective Gloves:RUBBER OR PLASTIC GLOVES.  
Eye Protection:SAFETY GLASSES OR GOGGLES.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:>148.9C, 300.F  
B.P. Text:>300F  
Vapor Pres:< 5MMHG@80'F  
Volatile Or

g Content %:38  
Spec Gravity:1.11 @ 80' F  
Solubility in Water:SLIGHT  
Appearance and Odor:RED LIQUID/ MILD ODOR

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

===== Toxicological Information =====

Toxicological Information:EYE IRRITANT. ORAL LD50 MORE THAN 10,000  
MG/KG. ESTIMATED DERMAL LD50 GREATER THAN 2000 MG/KG.

===== Ecological Information =====

Ecological

:THESE EFFECTS WERE NOT SEEN IN RATS EXPOSED FOR 1 YEAR TO  
350 PPM OF ANOTHER SIMILAR SOLVENT,RATS EXPOSED TO VAPORS OF A  
SIMILAR SOLVENT DURING PREGNANCY SHOWED EMBRY/FETOTOXICITY AT  
CONCENTRATIONS PRODUCING MATERIAL TOXICITY.NOTE TO PHYSICIAN: IF  
MORE THAN 2.0 ML/KG HAS BEEN INGESTED AND VOMITING HAS NOT  
OCCURRED, APHESIS SHOULD BE INDUCED WITH SUPERVISION. KEEP VICTIMS  
HEAD BELOW HIPS TO PREVENT ASPIRATION. IF SYMPTOMS SUCH AS LOSS  
OF GAG REFLEX, CONVULSIONS OR  
UNCONSCIOUSNESS OCCUR BEFORE EMESIS,  
GASTRIC LAVAGE USING A CUFFED ENDOTRACHEAL TUBE SHOULD BE  
CONSIDERED.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information:UN# 1263 SHIPPING NAME: PAINT. HAZARD CLASS:  
FLAMMABLE LIQUID.

===== Regulatory Information =====

SARA T

title III Information: FEDERAL REGULATION REPORTABLE QUANTITY:

UNDER EPA-RCRA (40 CFR 261,21), THIS PRODUCT IS CLASSIFIED AS AN OIL UNDER SECTION 311. SPILLS INTO OR LEADING INTO SURFACE WATES THAT CAUSE A SHEEN MUST BE R EPORTED TO THE NATIONAL RESPONSE CENTER 1-800-424-8802. EPA-COMPREHENSIVE ENVIRONMENTAL RESPONSE COMPENSATION AND LIAQBILITY ACT. UNDER EPA-CERCLA (SUPERFUND) RELEASE TO LAND, OR WATER MAY BE REPORT ABLE TO THE NATIONAL RESPONSE CENTER 1-800-424-88

02. (CIRCUMSTANCES SURROUNDING THE RELEASE AND CLEAN-UP DETERMINE REPORTABLE QUANTITY.

State Regulatory Information:

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.