View NSN Online: https://aerobasegroup.kr/nsn/6850-01-431-9425

Product ID:F42-0431-000, CLC-700/800/900/950 TONER YELLOW MSDS Date:10/01/1997 FSC:6850 NIIN:01-431-9425 Status Code:A MSDS Number: CKJBJ === Responsible Party === **Company Name: CANON INC** Address:30-2 SHIRMOMARUKO 3 CHOME City:TOKYO, JAPAN Country: JA Info Phone Num:03-758-2111 Emergenc y Phone Num: (800) 424-9300 Chemtrec Ind/Phone:(800)424-9300 CAGE:EO274 === Contractor Identification === **Company Name: CANON INC** Address:30-2 SHIMOMARUKO 3-CHOME, OHTA-KU Box:City:TOKYO Country: JA Phone:03-3758-2111/516-328-5600(USA) CAGE:EO274 **Company Name: CANON USA INC** Address:2110 WASHINGTON BLVD SUITE 150 Box:City:ARLINGTON State:VA ZIP:22204-5799 Country:US Phone:703-807-3191 CAGE:4J871

Ingred Name: POLYESTER RESIN CAS: 393

82-25-7 Minumum % Wt:85. Maxumum % Wt:95. Other REC Limits:NONE RECOMMENDED

Ingred Name:PIGMENT, YELLOW Minumum % Wt:3. Maxumum % Wt:10. Other REC Limits:NONE RECOMMENDED

LD50 LC50 Mixture:ORAL LD50 (RAT) IS >5000 MG/KG Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:TONER LOW HAZARD FOR RECOMMENDED HANDLING. INHALATION: EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING. EYE: NO SPECIFIC HAZARDS KNOWN. MAY CAUSE TRANSIENT IRRITATION. NOT CLASSIFIED AS AN IRRITA NT ACCORDING TO OSHA HAZARD COMMUNICATION STANDARD (HCS). SKIN: EXPECTED TO BE A LOW HAZARD FOR

RECOMMENDED HANDLING. NOT CLASSIFIED AS AN IRRITANT ACCORDING TO OSHA HAZARD COMMUNICATION STANDARD (HCS). INGESTION: EXPECTED TO BE LOW INGESTION HAZARD. DATA FROM SIMILAR TONER MATERIAL. CHRONIC TOXICITY: NOT DATA AVAILABLE.

Explanation of Carcinogenicity:NO DATA PROVIDED BY RESPONSIBLE PA RTY.

Effects of Overexposure: TRANSIENT EYE IRRITATION.

Medical Cond Aggravated by Exposure:NO DATA PROVIDED BY RESPONSIBLE PARTY.

First Aid:INHALATION-IF SYMPTOMATIC, MOVE TO FRESH AIR, GET MEDICAL ATTENTION IF SYMPTOMS PERSISTS. EYES-ANY MATERIAL THAT CONTACTS THE EYE SHOULD BE WASHED OUT IMMEDIATELY WITH WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN-WASH WITH SOAP ANDWATER. GET MEDICAL ATTENTION

IF SYMPTOMS OCCUR. INGESTION-DRINK 1-2 GLASSES O	F
WATER. SEEK MEDICAL ATTENTION.	

Extinguishing Media:USE WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL. Fire Fighting Procedures:NONE.

Unusual Fire/Explosion Hazard:POWDERED MATERIAL MAY FORM EXPLOSIVE DUST-AIR MIXTURES.

Spill Release Procedures:SWEEEP OR SCOOP UP AND REMOVE. FLUSH RESIDUAL SPILL AREA

WITH WATER. Neutralizing Agent:NO DATA PROVIDED BY RESPONSIBLE PARTY.

Handling and Storage Precautions:LOW HAZARD FOR RECOMMENDED HANDLING. MINIMIZE DUST GENERATION AND ACCUMULATION. USE WITH ADEQUATE VENTILATION.

Other Precautions:NO DATA PROVIDED BY RESPONSIBLE PARTY.

Respiratory Protection:NONE REQUIRED WHEN USED IN INTENDED FASHION. Ventilation:G OOD VENTILATION (TYPICALLY 4-6 ROOM VOLUMES/HR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS. Protective Gloves:IMPERVIOUS GLOVES SHOULD BE WORN.

Eye Protection: MINIMIZE EYE CONTACT.

Other Protective Equipment: WASHING FACILITIES.

Work Hygienic Practices: IT IS GOOD INDUSTRIAL HYGIENE PRACTICE TO MINIMIZE EYE CONTACT.

Supplemental Safety and Health

NO DATA PROVIDED BY RESPONSIBLE PARTY.

HCC:N1 Melt/ Freeze Pt:M.P/F.P Text:100-150C (SOFTENING) Spec Gravity:1.0-1.5 Evaporation Rate & amp; Reference:N/A (BUTYL ACETATE=1) Solubility in Water:NEGLIGIBLE Appearance and Odor:SOLID POWDER, YELLOW, SLIGHT PLASTIC ODOR.

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS. Stability Condition to Avoid:NO DATA PROVIDED BY RESPONSIBLE PARTY. Hazardous Decomposition Products:COMBUSTION WILL PRODUCE CARBON DIOXIDE AND POSSIBLY TOXIC CHEMICALS SUCH AS CARBON MONOXIDE OR OXIDES OF NITROGEN.

Toxicological Information: BASED ON AVAILABLE DATA, HUMAN EXPOSURE TO TONER HAS BEEN SHOWN TO CAUSE MINIMAL RESPIRATORY TRACT IRRITATION AS MAY OCCUR WITH LARGE AMOUNTS OF ANY NON-TOXIC DUSTS. THE REUSLTS OF ONE ANIMAL STUDY W HERE RATS INHALAED TONER THAT WAS 10 TIMES MORE RESPIRABLE THAN COMMERCIALLY AVAILABLE TONER WWERE OBSERVED TO

HAVE NO LUNG CHANGES AT LOW EXPOSURES . AT HIGHER LEVELS A SLIGHT INCREASE OF LUNG FIBROS IS WAS OBSERVED DUE TO EXCESSIVE AMOUNTS OF DUST RETAINED IN THE LUNGS FOR A PROLONGED INTERVAL.

Ecological:THE MATERIAL HAS NOT BEEN TESTED FOR ENVIRONMENTAL EFFECTS. IN A SMALL SPILL SITUATION THIS MATERIAL IS VISUALLY UNPLEASANT; HOWEVER, IT IS NOT EXPECTED TO CAUSE ANY ADVERSE ENVIRONMENTAL EFFECTS.

========

Waste Disposal Methods:INCINERATE OR LANDFILL, CAN BE INCINERATED WHEN IN COMPLIANCE WITH LOCAL, STATE AND FEDERAL REGULATIONS. DISCHARGE, TREATMENT OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE OR LOCAL LAWS. EMPTY RECEPTA CLES MAY BE RECYCLED.

Transport Information:DOT SHIPPPING NAME: NOT REGULATED. DOT HAZARD CLASS: N/A. UN NO.: N/A.

SARA Title III Information:SECTION 313 REPORTING: CHROMIUM III AND COMPOUNDS: 5% MAXIMUM. AS CHROMIUM III METAL: 0.5%.
Federal Regulatory Information:TSCA: ALL INGREDIENTS FOUND ON THE TSCA INVENTORY. RCRA STATUS: IF DISCARDED IN ITS ITS PURCHASED FORM, THIS PRODUCT WOULD NOT BE A HAZARDOUS WASTE EITHER BY LISTING OR CHARACTERISTIC. HOWEVER, UNDER RCRA, IT IS THE RESPONSIBILITY OF THE END-USER TO DETERMINE AT THE TIME O

F DISPOSAL, WHETHER A MATERIAL CONTAINING THE PRODUCT OR DERIVED FROM THE PRODUCT SHOULD BE CLASSIFIED AS HAZARDOUS WASTE (40 C FR 2611.20-24). State Regulatory Information:MATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER: NONE. MATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE ADVERSE REPRODUCTIVE EFFECTS: NONE.

Disclaimer (provided with this information by the compiling agencies): This info

rmation is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.