

SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC. -- SILICONE LUBE, 59506Z -- 9150-00-823-7860

=====  
Product Identification  
=====

Product ID:SILICONE LUBE, 59506Z

MSDS Date:07/20/1999

FSC:9150

NIIN:00-823-7860

MSDS Number: CKKNB

=== Responsible Party ===

Company Name:SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address:26300 FARGO AVENUE

City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Country:US

Info Phone Num:216-

292-7400 OR 216-595-8634

Emergency Phone Num:216-566-2917

Resp. Party Other MSDS Num.:59506Z

CAGE:09800

=== Contractor Identification ===

Company Name:RALRUBE INC.

Address:36977 FOX GLEN

Box:City:FARMINGTON HILLS

State:MI

ZIP:48331

Country:US

Phone:248-661-0260, FAX 248-661-3941

Contract Num:SP0450-00-D-5256

CAGE:6X798

Company Name:SHERWIN-WILLIAMS DIVERSIFIED BRANDS, INC.

Address:26300 FARGO AVENUE

Box:City:BEDFORD HEIGHTS

State:OH

ZIP:44146

Country:US

Phone:216-292-7400 OR 216-595-8634

CAGE:09

=====  
Composition/Information on Ingredients  
=====

Ingred Name:PROPANE

CAS:74-98-6

RTECS #:TX2275000

= Wt:11.

OSHA PEL:1800 MG/M3;1000 PPM

Ingred Name:BUTANE

CAS:106-97-8

RTECS #:EJ4200000

= Wt:11.

ACGIH TLV:1900 MG/M3;800 PPM

Ingred Name:METHYLENE CHLORIDE

CAS:75-09-2

RTECS #:PA8050000

= Wt:71.

OSHA PEL:SEE TABLE Z-2

ACGIH TLV:174 MG/M3;50 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

=====  
Hazards Identification  
=====

LD50 LC50 Mixt

Route:ORAL (RAT) IS UNKNOWN.

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:EFFECTS OF OVEREXPOSURE: IRRITATION OF EYES, SKIN AND RESPIRATORY SYSTEM. MAY CAUSE NERVOUS SYSTEM DEPRESSION. EXTREME OVEREXPOSURE MAY RESULT IN UNCONSCIOUSNESS AND POSSIBLE DEATH. OVEREXPOSURE TO METHYLENE CHLORIDE CAN RAISE THE LEVEL OF CARBON MONOXIDE IN THE BLOOD. PROLONGED OVEREXPOSURE TO SOLVENT INGREDIENTS MAY CAUSE ADVERSE EFFECTS TO THE LIVERY,

URINARY, CARDIOVASCULAR AND NERVOUS SYSTEM. REPORTS HAVE ASSOCIATED REPEATED AND PROLONGED OVEREXPOSURE TO SOLVENT WITH PERMANENT BRAIN AND NERVOUS SYSTEM DAMAGE.

Explanation of Carcinogenicity:METHYLENE CHLORIDE IS LISTED BY IARC, NTP, AND OSHA. LABORATORY ANIMALS EXPOSED TO HIGH LEVELS OF METHYLENE CHLORIDE IN LIFETIME STUDIES HAVE DEVELOPED CANCER. THERE IS NOT EVIDENCE TO DATE THAT METHYLENE CHLORIDE CAUSE CANCER IN HUMANS.

Effects of Overexposure:HEADACHE, DIZ

ZINESS, NAUSEA, AND LOSS OF

COORDINATION ARE INDICATIONS OF EXCESSIVE EXPOSURE TO VAPORS OR SPRAY MISTS. REDNESS AND ITCHING OR BURNING SENSATION MAY INDICATE EYE OR EXCESSIVE SKIN EXPOSURE.

Medical Cond Aggravated by Exposure: CARDIOVASCULAR PROBLEMS MAY BE AGGRAVATED BY OVEREXPOSURE TO METHYLENE CHLORIDE.

===== First Aid Measures =====

First Aid: INHALED: REMOVE FROM FROM EXPOSURE. RESTORE BREATHING. KEEP WARM AND QUIET. SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND LAUNDER BEFORE RE-USE. EYES: FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR 15 MINUTES. GET MEDICAL ATTENTION. SWALLOWED: NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON. GIVE CONSCIOUS PATIENT SEVERAL GLASSES OF WATER. IF VOMITING IS NOT SPONTANEOUS, INDUCE VOMITING BY HAVING THE PATIENT GENTLY TOUCH THE BACK OF HIS THROAT WITH A FINGER. KEEP AIRWAY CLEAR. SEEK MEDICAL ATTENTION.

===== Fire Fighting Measures =====

Flash Point: