

CALGON VESTAL LABORATORIES, DIV OF CALGON CORP -- P/N 6389-72, STAPHEN DISINFECTANT SPRAY (AEROSOL) -- 6840-01-187-6612

===== Product Identification =====

Product ID:P/N 6389-72, STAPHEN DISINFECTANT SPRAY (AEROSOL)

MSDS Date:08/03/1994

FSC:6840

NIIN:01-187-6612

Status Code:A

MSDS Number: CKKNP

=== Responsible Party ===

Company Name:CALGON VESTAL LABORATORIES, DIV OF CALGON CORP

Address:7501 PAGE

Box:147

City:ST. LOUIS

State:MO

ZIP:63166-1096

Country:US

Info Phone Num:314-535-1810

Emergency Phone Num:(800)424-9300

Preparer's Name:A. SCHMITT

Chemtec Ind/Phone:(800)424-9300

CAGE:21667

=== Contractor Identification ===

Company Name:CONVATEC, BRISTOL-MEYERS SQUIBB CO

Address:7501 PAGE

Box:147

City:ST. LOUIS

State:MO

ZIP:63166-1096

Country:US

Phone:314-535-1810 (DAY)

Contract Num:[SP0450-00-M-D977

CAGE:21667

Company Name:SDB CONSULTANTS LTD

Address:401 WHITNEY AVE SUITE 120

Box:City:GRETNA

S

tate:LA
ZIP:70056
Country:US
Phone:504-366-9105
CAGE:0PGK2

=====
Composition/Information on Ingredients
=====

Ingred Name:O-BENZYL-P-CHLOROPHENOL
CAS:120-32-1
RTECS #:GO7175000
= Wt:1.7

Ingred Name:P-TERTIARY-AMYLPHENOL
CAS:80-46-6
RTECS #:SM6825000
= Wt:.07

Ingred Name:2-PHENYLPHENOL
CAS:90-43-7
RTECS #:DV5775000
= Wt:.04

Ingred Name:QUATERNARY AMMONIUM COMPOUNDS, C12-18 ALKYL BENZYL DIMETHYL,
CHLORIDES OR N-ALKYL (50% C14, 30% C18, 5% C12, 5% C18)
DIMETHYLETHYLBENZ
YL AMMONIUM CHLORIDES
CAS:68391-01-5
= Wt:.04

Ingred Name:ETHANOL
CAS:64-17-5
RTECS #:KQ6300000
OSHA PEL:1900 MG/M3;1000 PPM
ACGIH TLV:1880 MG/M3;1000 PPM

=====
Hazards Identification
=====

LD50 LC50 Mixture:ORAL LD50 (RATS) >10ML/KG.
Routes of Entry: Inhalation:NO Skin:YES Ingestion:NO
Health Hazards Acute and Chronic:ACUTE (PRIMARY ROUTE OF EXPOSURE) EYES
& SKIN: SPRAY MAY IRRITATE BOTH EYES AND SKIN. DO NOT USE ON
SURFACES WHICH WILL COME IN PROL

ONGED CONTACT WITH SKIN.

INHALATION: INHALATION TOXICITY >350MG/LITER OF PRODUCT (WITHOUT PROPELLANT) FOR 1 HR. (RAT) AND THUS NOT A TOXIC SUBSTANCE ACCORDING TO FSHA. AVOID PROLONGED INHALATION OF SPRAY MIST AND SPRAYING ON FOOD, SKIN OR VARNISHED SURFACES. INGESTION: ACUTE ORAL LD50 (RAT) AND ACUTE DERMAL LD50 (RABBITS) > 10M1/KG.

SUBCHRONIC, CHRONIC, OTHER: NO AVAILABLE INFORMATION WAS FOUND.

Explanation of Carcinogenicity:NO DATA PROVIDED BY RESPONSIBLE PARTY.

E

Effects of Overexposure:IRRITATE BOTH EYES AND SKIN.

Medical Cond Aggravated by Exposure:NO DATA PROVIDED BY RESPONSIBLE PARTY.

=====
===== First Aid Measures =====

First Aid:EYES: IN CASE OF CONTACT, FLUSH THOROUGHLY WITH WATER FOR 15 MINUTES. IF IRRITATION PERSISTS, OBTAIN MEDICAL ATTENTION IMMEDIATELY. SKIN: DIRECT SPRAY TO SKIN SHOULD BE RINSED THOROUGHLY WITH WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: N/A.

=====
=== Fire Fighting Measures =====

Flash Point Method:CC

Flash Point:=48.9C, 120.F

Autoignition Temp:Autoignition Temp Text:NP

Extinguishing Media:IF PRESSURIZED CANS RUPTURE, TREAT AS ALCOHOL FIRE.

Fire Fighting Procedures:AEROSOL CANS WILL RUPTURE IN FIRE. COOL FROM A DISTANCE WITH WATER.

Unusual Fire/Explosion Hazard:N/A.

=====
===== Accidental Release Measures =====

Spill Release Procedures:PRODUCT IS AN AEROSOL IN PRESSURIZED 20OZ CAN. EXCESS SPRAYED QUANTITIES SHOULD QUICKLY EVAPORATE. FLUSH WITH WATER.

Neutralizing Agent:NO DATA PROVIDED BY RESPONSIBLE PARTY.

=====
===== Handling and Storage =====

Handling and Storage Precautions:THIS PRODUCT WILL NOT FREEZE. IT DOES NOT PERFORM PROPERLY IF USED OR RAPIDLY HEATED IMMEDIATELY AFTER REMOVAL FROM HEATED STORAGE. STORE AT NORMAL ROOM TEMPERATURE FOR 24-48 HOURS FOLLOWING ANY PRO LONGED EXPOSURE TO COLD.

Other Precautions:DO NOT PUNCTURE

, INCINERATE OR STORE ABOVE 100F.
READ AND OBSERVE LABELED USE INSTRUCTIONS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:N/A.
Ventilation:GENERAL ROOM VENTILATION.
Protective Gloves:RUBBER
Eye Protection:SAFETY GLASSES
Other Protective Equipment:N/A.
Work Hygienic Practices:NO DATA PROVIDED BY RESPONSIBLE PARTY.
Supplemental Safety and Health
N/A=NOT APPLICABLE.

===== Physical/Chemical Properties =====

HCC:V3
Boiling Pt:=-12.6C, 9.F
B.P. Text:@14.7 PSIG
Vapor Pres:@20C 48IN
Vapor Density:2.067
Solubility in Water:APPRECIABLE
Appearance and Odor:CLEAR LIQUID (FILL), MILD AND PLEASANT ODOR.
Percent Volatiles by Volume:>99
Corrosion Rate:NP

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
NONE KNOWN.
Stability Condition to Avoid:DO NOT STORE NEAR HEAT SOURCE.
Hazardous Decomposition Products:COMBUSTION PRODUCTS WILL INCLUDE CO,
CO2, HCL.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Toxicological Information =====

Toxicological Information:NO DATA PROVIDED BY RESPONSIBLE PARTY.

===== Ecological Information =====

Ecological:NO DATA PROVIDED BY RESPONSIBLE PARTY.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSE OF EMPTY CANS IN A MANNER TO AVOID
PUNCTURING OR INCINERATION.

===== MSDS =====

Transport Information =====

Transport Information:NO DATA PROVIDED BY RESPONSIBLE PARTY.

===== Regulatory Information =====

SARA Title III Information:2-PHENYLPHENOL, CAS# 90-43-7, 0.042% IS
SUBJECT TO REPORTING UNDER SECTION 313 OF TITLE III (SARA) AND 40
CFR 372.

Federal Regulatory Information:EPA REGISTRATION NUMBER: 1043-19.

State Regulatory Information:NO DATA PROVIDED BY RESPONSIBLE PARTY.

===== Other Informati
on =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information
to their
particular situation.