

CRC CHEMICALS U.S.A. -- 2-26 MULTI PURPOSE PRECISION LUBRICANT-AEROSOL --
6850-00-142-9409

=====
===== Product Identification =====

Product ID:2-26 MULTI PURPOSE PRECISION LUBRICANT-AEROSOL

MSDS Date:01/27/1999

FSC:6850

NIIN:00-142-9409

Status Code:A

MSDS Number: CKKSJ

=== Responsible Party ===

Company Name:CRC CHEMICALS U.S.A.

Address:885 LOUIS DRIVE

City:WARMINSTER

State:PA

ZIP:18974-2820

Country:US

Info Phone Num:215-674-4300

Emergency Phone Num:800-424-9300

Resp. Party Other MSDS Num.:CRC# 591

Preparer's Name:ADAM M. SELISKER

Chemtrec Ind/Phone:(800)424-9300

CAGE:10136

==== Contractor Identification ====

Company Name:CRC INDUSTRIES, INC.

Address:885 LOUIS DRIVE

Box:City:WARMINSTER

State:PA

ZIP:18974-2820

Country:US

Phone:215-674-4300/800-424-9300

CAGE:10136

=====
===== Composition/Information on Ingredients =====

Ingred Name:PETROLEUM DISTILLATES

CAS:64742-47-8

RTECS #:OA55040

00

Minumum % Wt:60.

Maxumum % Wt:70.

Ingred Name:INHIBITED PARAFFINIC OIL

Minumum % Wt:25.

Maxumum % Wt:30.

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3

Ingred Name:CARBON DIOXIDE

CAS:124-38-9

RTECS #:FF6400000

< Wt:10.

OSHA PEL:9000 MG/M3;5000 PPM

ACGIH TLV:9000 MG/M3;5000 PPM

ACGIH STEL:54000 MG/M3

===== Hazards Identification =====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:INHALATION: HEADACHES, NAUSEA,
DIZZINESS A

ND BREATHING PROBLEMS. EYES: IRRITATION. SKIN: DRYNESS.

INGESTION: N/A. CHRONIC OVEREXPOSURE: DERMATITIS.

Effects of Overexposure:INHALATION: HEADACHES, NAUSEA, DIZZINESS AND
BREATHING PROBLEMS. EYES: IRRITATION. SKIN: DRYNESS. INGESTION:
N/A. CHRONIC OVEREXPOSURE: DERMATITIS.

===== First Aid Measures =====

First Aid:INHALATION: REMOVE TO FRESH AIR. GIVE ARTIFICIAL RESPIRATION
IF NECESSARY. EYES: FLUSH WITH LARGE AMOUNTS OF WATER FOR 15

MINUTES. SKIN: REMOVE CONTAMINATED CLOTHING AND WASH AREA WITH SOAP
AND WATER. INGESTION: CALL A PHYSICIAN. DO NOT INDUCE VOMITING.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=79.4C, 175.F

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL AND FOAM.

Fire Fighting Procedures:REMOVE CONTAINERS FROM FIRE AREA IF POSSIBLE.

USE SELF CONTAINED BREATHING APPARATUS FOR FIRE FIGHTING. AEROSOL
CANS MAY BE EXPLODED IF HEATED ABOVE 1

===== Accidental Release Measures =====

Spill Release Procedures:USUALLY NOT A PROBLEM WITH AEROSOLS. AREA SHOULD BE VENTILATED. ABSORBENT SHOULD BE USED TO PICK UP EXCESS MATERIAL. ALL USED AND UNUSED PRODUCT SHOULD BE DISPOSED OF IN ACCORDANCE WITH FEDERAL, STATE AND LOCAL REGULATIONS.

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL, DRY AREA. AEROSOL CANS MUST BE MAINTAINED BELOW 120F TO PREVENT CANS FROM EXPLODING.

Other Precautions:EMERGENCY OVERVIEW: DANGER: FLAMMABLE. HARMFUL OR FATAL IF SWALLOWED. CONTENTS UNDER PRESSURE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE NIOSH/MSHA COMPLIANT RESPIRATORS OR SELF CONTAINED BREATHING APPARATUS ABOVE EXPOSURE LIMIT. FOLLOW OSHA REGULATIONS 29 CFR 1910.134.

Ventilation:ADEQUATE TO PREVENT ACCUMULATION OF VAPORS. USE MECHANICAL MEANS IF NECESSARY TO MAINTAIN LEVELS BELOW THE EXPOSURE LIMITS.

Protective Gloves:WEAR CHEMICALLY PROTECTIVE GLOVES.

Eye Protection:WEAR CHEMICALLY PROTECTIVE SAFETY GLASSES.

Other Protective Equipment:WEAR CHEMICALLY PROTECTIVE GLOVES AND SAFETY GLASSES. USE A SPLASH APRON AND BOOTS IF SPLASHING OCCURS.

Supplemental Safety and Health

ENGINEERING CONTROLS: IF WORKING IN A CONFINED SPACE, FOLLOW APPLICABLE OSHA REGULATIONS.

===== Physical/Chemical Properties =====

HCC:V3

Boiling

Pt:=-193.3C, 380.F

B.P. Text:INITIAL

Vapor Pres:0.23 MM

Vapor Density:>AIR

Spec Gravity:0.8163

VOC Pounds/Gallon:1

VOC Grams/Liter:.01

Evaporation Rate & Reference:SLOW 0.01 (TOLUENE=1)

Solubility in Water:NEGLIGIBLE IN WATER.

Appearance and Odor:LIQUID. AMBER LIQUID, PLEASANT ODOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS.

Hazardous Decomposition Products:CARBON DIOXIDE AND CARBON MONOXIDE (FIRE).

===== Toxicological Information =====

Toxicological Information:LONG-TERM TOXICOLOGICAL STUDIES HAVE NOT BEEN CONDUCTED FOR THIS PRODUCT.

===== Ecological Information =====

Ecological:NO DATA AVAILABLE.

===== Disposal Considerations =====

Waste Disposal Methods:THIS MATERIAL IF DISCARDED MAY BE HAZARDOUS WASTE UNDER U.S. EPA RCRA REGULATIONS. ALL DISPOSAL ACTIVITIES MUST COMPLY WITH FEDERAL, STATE & LOCAL REGULATIONS. CONTACT YOUR LOCAL OR STATE ENVIRONMENTAL AGENCY FOR SPECIFIC RULES. DO NOT DUMP INTO SEWERS, ON THE GROUND OR INTO ANY BODY OF WATER.

===== MSDS Transport Information =====

Transport Information:SHIPPING NAME: CONSUMER COMMODITY. HAZARD CLASS: ORM-D.

===== Regulatory Information =====

SARA Title III Information:SECTION 311/312: ACUTE/PRESSURE. SECTION 313: NONE.

Federal Regulatory

Information:TSCA: ALL COMPONENTS ARE EITHER LISTED UNDER TSCA OR ARE EXEMPT.

State Regulatory Information:THIS PRODUCT CONTAINS CHEMICALS KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER, BIRTH DEFECTS AND OTHER REPRODUCTIVE HARM.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.