

HERNON MFG INC -- NUTS N' BOLTS 232 -- 8030-00-900-4412

=====
Product Identification
=====

Product ID:NUTS N' BOLTS 232

MSDS Date:03/01/1996

FSC:8030

NIIN:00-900-4412

Status Code:A

MSDS Number: CKKWP

=== Responsible Party ===

Company Name:HERNON MFG INC

Address:121 TECH DR

City:SANFORD

State:FL

ZIP:32771

Country:US

Info Phone Num:407-322-4000

Emergency Phone Num:800-255-3924

Preparer's Name:JOSEF

ARNON

CAGE:61603

=== Contractor Identification ===

Company Name:HERNON MANUFACTURING

Address:121 TECH DRIVE

Box:City:SANFORD

State:FL

ZIP:32771

Country:US

Phone:407-322-4000/800-255-3924

CAGE:61603

=====
Composition/Information on Ingredients
=====

Ingred Name:POLYGLYCOL DIMETHACRYLATE

RTECS #:PD1010427

Fraction by Wt: 75-80%

Ingred Name:POLYGLYCOL DIOCTANOATE

RTECS #:PM1001393

Fraction by Wt: 10-15%

Ingred Name:CUMENE HYDROPEROXIDE

RTECS #:CH1003641

Fraction by Wt: 1-3%

Ingred Name:SACCHARIN* *= THIS COMPONENT IS LISTED AS A SARA SECTION
313 TOXIC CHEMICAL

RTECS #:SA1002328

Fraction by Wt: 1-3%

Ingred Name:N,N-DIALKYL TOLUIDINES

RTECS #:NN1008412

Fraction by Wt: 0.1-1%

=====
Hazards Identification
=====

Effects of Overexposure:MAY CAUSE DERMATITIS ON PROLONGED CONTACT IN
SENSITIVE INDIVIDUALS.

=====
First Aid Measures
=====

First Aid:INGESTION: DO NOT INDUCE VOMITING. KEEP INDIVIDUAL CALM.

OBTAIN MEDICAL ATTENTION.

INHALATION: DOES NOT APPLY. SKIN CONTACT: FLUSH WITH WATER. EYE

CONTACT: FLUSH AT

LEAST 15 MINUTES WITH WATER. OBTAIN MEDICAL ATTENTION.

=====
Fire Fighting Measures
=====

Flash Point Method:TCC

Flash Point:=-93.3C, 200.F

TCC>200

Lower Limits:1.2%

Upper Limits:7%

Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL

=====
Accidental Release Measures
=====

Spill Release Procedures:SOA

WASH UP WITH AN INERT ABSORBENT. STORE IN PARTLY FILLED, CLOSED CONTAINER UNTIL
DISPOSAL.

=====
Exposure Controls/Personal Protection
=====

Protective Gloves:RUBBER OR PLASTIC GLOVES.

Eye Protection:SAFETY GLASSES OR GOGGLES.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:>148.9C, 300.F

B.P. Text:>300

Vapor Pres:LESS THAN 5 MM AT 80 F

Volatile Org Content %:10

Spec Gravity:1.066 AT 80 F

Evaporation Rate &

Reference:ETHER=1NOT
Solubility in Water:SLIGHT
Appearance and Odor:BLUE LIQUID , MILD

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
REACTS WITH ALUMINUM WITH PROLONGED CONTACT.
Stability Condition to Avoid:NONE.

===== Toxicological Information =====

Toxicological Information:TOXICITY: EYE IRRITANT. ESTIMATED ORAL LD50
MORE THAN 5000 MG/KG. ESTIMATED DERMAL LD50 MORE THAN 2000 MG/KG.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE FOLLOWING EPA AND LOCAL REGULATIONS.
STORAGE: STORE BELOW 110 F TO
PRESERVE SHELF LIFE. HANDLING: AVOID PROLONGED SKIN CONTACT. KEEP AWAY
FORM EYES.

=====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United State
s of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.