

MINNESOTA MINING AND MFG. CO.MEDICAL SURGICAL MARKETING DIV -- ENHANCED
SCOTCHCAST PLUS CASTING TAPE -- 6510-01-271-5683

=====
Product Identification
=====

Product ID:ENHANCED SCOTCHCAST PLUS CASTING TAPE

MSDS Date:08/19/1996

FSC:6510

NIIN:01-271-5683

Status Code:A

MSDS Number: CKLMF

=== Responsible Party ===

Company Name:MINNESOTA MINING AND MFG. CO.MEDICAL SURGICAL MARKETING
DIV

Address:1713

2 PULLMAN STREET

City:IRVINE

State:CA

ZIP:92614-5524

Country:US

Info Phone Num:800-854-3760; 714-250-9237

Emergency Phone Num:714-250-9237

CAGE:5W380

=== Contractor Identification ===

Company Name:MINNESOTA MINING AND MFG CO, DBA 3M

Address:3M CENTER BLDG 224-5S-04

Box:City:SAINT PAUL

State:MN

ZIP:55144-1000

Country:US

Phone:866-556 5712 / 612-733-1110

CAGE:76381

Company Name:MINNESOTA MINING AND MFG COVMEDICAL SURGICAL MARKETING DIV

Address:17132 PULLMAN STREET

Box:City:IRVINE

State:CA

ZIP:926

14-5524

Country:US

Phone:800-854-3760/714-250-9237

CAGE:5W380

=====
Composition/Information on Ingredients
=====

Ingred Name:FIBOROUS GLASS

CAS:65997-17-3

Minumum % Wt:58.

Maxumum % Wt:63.

Ingred Name:4,4'-DIPHENYLMETHANE DIISOCYANATE-POLYPROPYLENE GLYCOL
COPOLYMER

CAS:9048-57-1

Minumum % Wt:33.

Maxumum % Wt:38.

Ingred Name:DIPHENYLMETHANE DIIOCYANATE

CAS:26447-40-5

Minumum % Wt:3.

umum % Wt:1.
Maxumum % Wt:3.

Ingred Name:COLORANT
< Wt:2.

Ingred Name:DIMORPHOLINODIETHYL ETHER
CAS:6425-39-4
< Wt:2.

Ingred Name:ZINC SULFIDE (ZNS), COPPER CHLORIDE-DOPED
CAS:68611-70-1
< Wt:3.

Ingred Name:BUTYL BENZYL PHTHALATE
CAS:85-68-7
RTECS #:TH9990000
< Wt:2.
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

Ingred Name:TERTIARY AMINE
CAS:111681-72-2
< Wt:2.

Ingred Name:ANTIFOAM
< Wt:1.

Ingred Name:P-TOLUENESULFONYL CHLORIDE
CAS:98-59-9
< Wt:.5

Ingred Name:BUTYLATED HY
DROXYTOLUENE
CAS:128-37-0
RTECS #:GO7875000
< Wt:.5
ACGIH TLV:10 MG/M3

=====
===== Hazards Identification =====

Health Hazards Acute and Chronic:EYE: MILD EYE IRRITATION. SKIN: MILD
SKIN IRRITATION (AFTER PROLONGED OR REPEATED CONTACT). INHALATION:
NO ADVERSE HEALTH EFFECTS ARE EXPECTED FROM INHALATION EXPOSURE.
SWALLOWED: INJECTION IS NOT A LIKELY ROUTE OF EXPOSURE TO THIS
PRODUCT.

Effects of Overexposure:EYE: REDNESS, SWELLING, PAIN, AND TEARIN

G.

SKIN: REDNESS, SWELLING, AND ITCHING. INHALATION: SORENESS OF THE NOSE AND THROAT, COUGHING AND SNEEZING. SWALLOWED: IRRITATION OF GASTROINTESTINAL TISSUES: PAIN, VOMITING, ABDOMINAL TENDERNESS, NAUSEA, BLOOD IN VOMITUS, AND BLOOD FECES.

Medical Cond Aggravated by Exposure: THOSE PEOPLE WITH BRONCHIAL PROBLEMS OR WITH ISOCYANATE SENSITIVITY MAY RESPOND TO LOW ISOCYANATE CONCENTRATIONS, ALTHOUGH NO KNOWN OCCURRENCES HAVE OCCURRED WITH THIS PRODUCT.

=====
===== First Aid Measures =====

First Aid: EYE: IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES. GET IMMEDIATE MEDICAL ATTENTION. SKIN: FLUSH SKIN WITH LARGE AMOUNTS OF WATER. IF IRRITATION PERSISTS, GET MEDICAL ATTENTION. INHALATION: IF SIGNS/SYMPTOMS OCCUR, REMOVE PERSON TO FRESH AIR. IF SIGNS/SYMPTOMS CONTINUE, CALL A PHYSICIAN. SWALLOWED: DRINK TWO GLASSES OF WATER. CALL A PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method: TCC
Flash Point: >104.4C, 220.F
Autoignition Temp: Autoignition Temp Text: N/D
Extinguishing Media: CARBON DIOXIDE, DRY CHEMICAL, FOAM
Fire Fighting Procedures: WEAR FULL PROTECTIVE CLOTHING, INCLUDING HELMET, SELF-CONTAINED, POSITIVE PRESSURE OR PRESSURE DEMAND BREATHING APPARATUS, BUNKER COAT AND PANTS, BANDS AROUND ARMS, WAIST AND LEGS, FACE MASK, AND PROTECTIVE COVERING FOR EXPOSED AREAS OF THE HEAD.
Unusual Fire/Explosion Hazard: NONE KNOWN.

===== Handling and Storage =====

Handling and Storage Precautions: STORE AWAY FROM HEAT. STORE OUT OF DIRECT SUNLIGHT. KEEP CONTAINER DRY. KEEP CONTAINER CLOSED WHEN NOT IN USE.
Other Precautions: SEE PRODUCT INSERT FOR ADDITIONAL PRECAUTION STATEMENTS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: AVOID BREATHING OF VAPORS CREATED DURING THE CURE CYCLE.
Ventilation: USE IN A WELL-VENTILATED AREA.

ED AREA.

Protective Gloves:WEAR APPROPRIATE GLOVES WHEN HANDLING THIS MATERIAL.

Eye Protection:AVOID EYE CONTACT.

Work Hygienic Practices:WASH HANDS AFTER HANDLING AND BEFORE EATING. DO NOT INGEST.

Supplemental Safety and Health

SEE PRODUCT INSERT FOR ADDITIONAL PRECAUTION STATEMENTS.

===== Physical/Chemical Properties =====

HCC:N1

Melt/Freeze Pt:M.P/F.P Text:N/D

Solubility in Water:NIL

Appearance and Odor:LIQUID RESIN IMPREGNATED ON KNIT FIBERGLASS/SLIGHT
O
DOR.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG BASES, AMINES, ALCOHOLS, WATER. PRODUCT REACTS WITH ATMOSPHERIC
MOISTURE OR WATER AND MAY BECOME UNUSABLE.

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE,
OXIDES OF NITROGEN

===== Toxicological Information =====

Toxicological Information:BUTYL BENZYL PHTHALATE (CAS# 85-68-7) IS A
POTENTIAL REPRODUCTIVE HAZARD CAU
SING MALE REPRODUCTIVE SYSTEM
EFFECTS BY THE ORAL ROUTE OF EXPOSURE IN LABORATORY STUDIES.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE IN AN INDUSTRIAL OR COMMERCIAL
FACILITY. INCINERATE IN A PERMITTED HAZARDOUS WASTE INCINERATOR.
DISPOSE OF COMPLETELY CURED (OR POLYMERIZED) MATERIAL IN A SANITARY
LANDFILL.

===== Regulatory Information =====

SARA Title III Information:SECTION 313: ZINC

SULFIDE (ZNS), COPPER
CHLORIDE DOPED.

State Regulatory Information:

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.