

LORD CORP -- CREST 2605A

=====
MSDS Safety Information
=====

FSC: 8040
NIIN: 01-182-8659
MSDS Date: 10/22/1996
MSDS Num: CKPSG
Product ID: CREST 2605A
MFN: 05
Responsible Party
Cage: 30676
Name: LORD CORP
Address: 2000 WEST GRANDVIEW BLVD
City: ERIE PA 16514
Info Phone Number: 8
14-868-3611
Emergency Phone Number: 814-763-2345
Review Ind: Y
Published: Y

=====
Contractor Summary
=====

Cage: 30676
Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION
Address: 2000 WEST GRANDVIEW BLVD
City: ERIE PA 16514-0038
Phone: 814-868-3611

=====
Item Description Information
=====

Item Manager: GSA
Item Name: ADHESIVE
Specification Number: MIL-A-47280
Unit of Issue: KT
UI Container Qty: 0
Type of Container: QT

=====
Ingredients
=====

Name: EPOXY RESIN
Percent by Wt: 100.

=====
Health Hazards Data
=====

Route Of Entry Inds - Inhalation: YES
Skin: YES
Ingestion: YES
Effects of Exposure

re: MAY CAUSE SKIN AND EYE IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. MAY CAUSE RESPIRATORY TRACT IRRITATION. MAKE CAUSE RESPIRATORY TRACT IRRITATION.

Signs And Symptoms Of Overexposure: EYE CONTACT: MAY CAUSE EYE IRRITATION . MAY CAUSE SKIN SENSITIZATION. MAY CAUSE DERMATITIS. EFFECTS OF OVEREXPOSURE INHALATION: MAY CAUSE RESPIRATORY TRACT IRRITATION. EFFECTS OF OVEREXPOSURE IN GESTION: HARMFUL IF SWALLOWED. INGESTION IS NOT AN EXPOOTED ROUTE OF ENTRY IN INDUSTRIAL OR CO

MMERCIAL USES. CHRONIC SKIN CONTACT MAY CAUSE DERMATITIS.

First Aid: EYE CONTACT: FLUSH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT LEAST 15 MINUTES HOLDING EYELIDS OPEN WHILE FLUSHING. GET PROMPT MEDICAL ATTENTION. SKIN CONTACT: FLUSH CONTAMINATED SKIN WIT H LARGE AMOUNTS OF WATER WHILE REMOVING CONTAMINATED CLOTHING. WASH AFFECTED SKIN AREAS WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INHALATION: MOVE PERSON TO FRESH AIR. RESTOR E AND SUPPORT CON

TINUED BREATHING. IF BREATHING IS DIFFICULT, GIVE OXYGEN. GET IMMEDIATE MEDICAL ATTENTION. *

=====
Handling and Disposal
=====

Spill Release Procedures: AVOID BREATHING VAPORS. NOTIFY APPROPRIATE AUTHORITIES IF NECESSARY. AVOID CONTACT. USE APPROPRIATE RESPIRATORY PROTECTION FOR LARGE SPILLS OR SPILLS IN CONFINED AREA. KEEP NON-ESSENTIAL PERSONNEL AWAY FROM SPILL AREA. SCOOP SPILLED MATERIAL INTO AN APPROPRIATE CONTAINER FOR PROPER DISPOSAL. (IF NECESSARY, USE INERT ABSORBENT MATERIAL TO AID IN CONTAINING THE SPILL).

Waste Disposal Methods: DISPOSAL SHOULD BE DONE IN ACCORDANCE WITH FEDERAL (40CFR PART 261), STATE AND LOCAL ENVIROMENTAL CONTROL REGULATIONS. IF WASTE IS DETERMINED TO BE HAZARDOUS, USE LICENSED HAZARDOUS WASTE TRANSPORTOR AND DISPOSAL FACILITY.

Handling And Storage Precautions: KEEP CLOSURE TIGHT AND CONTAINER UPRIGHT TO PREVENT LEAKAGE. AVO
ID SKIN AND EYE CONTACT. WASH THOROUGHLY AFTER HANDLING. DO NOT HANDLE UNTIL ALL SAFETY PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. E MPTY CONTAINERS SHOULD NOT BE RE-USED. USE WITH ADEQUATE VENTILATION. **

Other Precautions: *IF SWALLOWED, DO NOT INDUCE VOMITING. GIVE VICTIM ONE OR TWO GLASSES OF WATER OR MILK. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY FOR FUTHER INSTRUCTIONS. NEVER GIVE ANYTHING BY MOUTH T O AN UNCONSCIOUS PERSON. **STORE ONLY IN WELL-VENTILATED AR

EAS. KEEP CONTAINER
CLOSED WHEN NOT IN USE.

=====
Fire and Explosion Hazard Information
=====

Flash Point Method: SCC

Flash Point: =93.3C, 200.F

Flash Point Text: 93C

Extinguishing Media: CO2 DRY CHEMICAL FOAM WATER FOG

Fire Fighting Procedures: WEAR FULL FIREFIGHTING PROTECTIVE CLOTHING, INCLUDING
SELF-CONTAINED BREATHING APPARATUS (SCBA). IF WATER IS USED, FOG NOZZLES ARE
PREFERABLE.

DURING A FIRE, IRRITATING AND/OR TOXIC GASES AND PARTICULATE
MAY BE GENERATED BY THERMAL DECOMPOSITION OR COMBUSTION.

Unusual Fire/Explosion Hazard: KEEP CONTAINERS LIGHTLY CLOSED. CLOSED
CONTAINERS MAY RUPTURE WHEN EXPOSED TO EXTREME HEAT. USE WATER SPRAY TO KEEP
FIRE EXPOSED CONTAINERS COOL.

=====
Control Measures
=====

Respiratory Protection: USE A NIOSH/MSHA APPROVED AIR-PURIFYING ORGANIC
VAPOR

RESPIRATOR IF OCCUPATIONAL LIMITS ARE EXCEEDED. FOR EMERGENCY SITUATIONS,
CONFINED SPACE USE, OR OTHER CONDITIONS WHERE EXPOSURE LIMITS MAY BE GREATLY
EXCEEDED, USE AN APPROVED AIR-SUPPLIED RESPIRATOR. OBSERVE OSHA REGULATIONS
(29CFR 1910.13) FOR RESPIRATOR USE.

Ventilation: SUFFICIENT VENTILATION IN PATTERN AND VOLUME SHOULD BE PROVIDED IN
ORDER TO MAINTAIN AIR CONTAMINANT LEVELS BELOW RECOMMENDED EXPOSURE LIMITS.

Protective Gloves: USE NEOPRENE, NITRILE, OR RUBBER GLOVES TO PREVENT SKIN
CONTACT.

Eye Protection: SAFETY GOGGLES AND SPLASH GUARDS

Other Protective Equipment: USE DISPOSABLE OR IMPERVIOUS CLOTHING IF WORK
CLOTHING CONTAMINATION IS LIKELY. REMOVE AND WASH CONTAMINATED CLOTHING
BEFORE REUSE.

Work Hygienic Practices: WASH HANDS BEFORE EATING, SMOKING, OR USING TOILET
FACILITY. FOOD OR BEVERAGES SHOULD NOT BE CONSUMED ANYWHERE THIS PRODUCT IS
HANDLED OR STORED. WASH THOROUGHLY AFTER HANDLING.

=====
Physical/Chemical Properties
=====

Vapor Density: HEAVIER THAN AIR

Spec Gravity: 1.17

Evaporation Rate & Reference: SLOWER THAN WATER

Solubility in Water: INSOLUBLE

Appearance and Odor: STRAW COLORED, AROMATIC

Percent Volatiles by Volume: 0.0%

=====
Reactivity Data
=====

Stability Indicator: YES

Materials To Avoid: HIGH TEMPERATURES. INCOMPATIBLE WITH

ITY: AMINES, ACIDS, WATER,
HYDROXYL, OR ACTIVE HYDROGEN COMPOUNDS.
Hazardous Decomposition Products: CARBON MONOXIDE, CARBON DIOXIDE, ALDEHYDES.
Hazardous Polymerization Indicator: NO

=====
Ecological Information
=====

=====
MSDS Transport Information
=====

Transport Information: DOT PROPER SHI
PPING NAME: NOT REGULATED DOT HAZARD
CLASS: NONE DOT UN/NA NUMBER: NONE EMERGENCY RESPONSE RESPONSE GUIDE
NUMBER: NONE PACKING GROUP: NONE

=====
Regulatory Information
=====

Sara Title III Information: THIS PRODUCT CONTAINS THE FOLLOWING SUBSTANCES
SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE
SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT OF 1986 AND 40 CFR PAR
T 372.

=====
Other Information
=====

Other Information: RATING: HEALTH: 2 * FLAMMABILITY: 1 REACTIVITY: 1 *
INDICATES A CHRONIC HAZARD; SEE SECTION 3 (HAZARD INFORMATION). REASON FOR
REVISION: NEW MSDS VOLATILE ORGANIC COMPOUNDS (VOCS): 0.00 LB S/GAL, 0
GRAMS/LTR

=====
HAZCOM Label
=====

=====
Product ID: CREST 2605A
Cage: 30676
Company Name: LORD CORPORATION, CHEMICAL PRODUCTS DIVISION
Street: 2000 WEST GRANDVIEW BLVD
City: ERIE PA
Zipcode: 16514-0038
Health Emergency Phone: 814-763-2345
Label Required IND: Y
Date Of Label Review: 06/30/2000
Status Code: A
Origination Code: G
Hazard And Precautions: MAY CAUSE SKIN AND EYE IRRITATION. MAY CAUSE ALLERGIC
SKIN REACTION. MAY CAUSE RESPIRATORY TRACT IRRITATION. MAKE CAUSE
RESPIRATORY TRACT IRRITATION.
=====

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States

of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.