

HYSAN/AMP -- NON-CHLORINATED BRAKE CLEANER -- 6850-01-167-0678

===== Product Identification =====

Product ID:NON-CHLORINATED BRAKE CLEANER

MSDS Date:09/09/1999

FSC:6850

NIIN:01-167-0678

MSDS Number: CKTFK

=== Responsible Party ===

Company Name:HYSAN/AMP

Address:9055 FREEWAY DRIVE

City:MACEDONIA

State:OH

ZIP:44056

Country:US

Info Phone Num:330-467-4195

Emergency Phone Num:330-467-4195

Preparer's N

ame:NOT PROVIDED

CAGE:UO035

=== Contractor Identification ===

Company Name:GOURMET INQUE LTD

Address:191 STANLEY ST

Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-1555

Country:US

Phone:847-296-6192/FAX: 800-542-1042

Contract Num:SP0450-00-M-SJ19

CAGE:0TNN7

Company Name:GOURMET INQUE LTD

Address:191 STANLEY ST

Box:City:ELK GROVE VILLAGE

State:IL

ZIP:60007-1555

Country:US

Phone:847-296-6192/FAX: 800-542-1042

Contract Num:SP0450-01-M-D989

CAGE:0TNN7

Company Name:HYSAN/AMP

Address:9055 FREEWAY DRIVE

Box:City:MACEDONIA  
State:OH  
ZIP:44056  
Country:US  
Phone:330-467-4195  
CAGE:UO035

=====  
===== Composition/Information on Ingredients =====  
=====

Ingred Name:TOLUENE  
CAS:108-88-3  
RTECS #:XS5250000  
Minumum % Wt:0.  
Maxumum % Wt:60.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:100 PPM  
ACGIH TLV:100 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

Ingred Name:METHANOL  
CAS:67-56-1  
RTECS #:PC1400000  
Minumum % Wt:30.  
Maxumum % Wt:40.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:200 PPM  
ACGIH TLV:200 PPM  
ACGIH ST  
EL:328 MG/M3;250 PPM  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:ACETONE  
CAS:67-64-1  
RTECS #:AL3150000  
Minumum % Wt:0.  
Maxumum % Wt:15.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:750 PPM  
ACGIH TLV:750 PPM  
ACGIH STEL:2380 MG/M3;1000 PPM  
EPA Rpt Qty:5000 LBS  
DOT Rpt Qty:5000 LBS

Ingred Name:XYLENE  
CAS:1330-20-7  
RTECS #:ZE2100000  
Minumum % Wt:0.  
Maxumum % Wt:60.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:100 PPM  
ACGIH TLV:100 PPM  
ACGIH STEL:651 MG/M3;150 PPM  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:100

0 LBS

Ingred Name:HEPTANE

CAS:142-82-5

RTECS #:MI7700000

Minumum % Wt:0.

Maxumum % Wt:35.

Other REC Limits:NOT PROVIDED

OSHA PEL:400 PPM

ACGIH TLV:400 PPM

ACGIH STEL:2050 MG/M3;500 PPM

Ingred Name:N-HEXANE

CAS:110-54-3

RTECS #:MN9275000

Minumum % Wt:0.

Maxumum % Wt:35.

Other REC Limits:NOT PROVIDED

OSHA PEL:5 PPM

ACGIH TLV:50 PPM

EPA Rpt Qty:1 LB

DOT Rpt Qty:1 LB

Ingred Name:CARBON DIOXIDE

CAS:124-38-9

RTECS #:FF6400000

Minumum % Wt:1.

Maxumum % Wt:10.

Other REC Limits:NOT PROVIDED

OSHA PEL:5

000 PPM

ACGIH TLV:5000 PPM

ACGIH STEL:30000 PPM

===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:MAY CAUSE DIZZINESS OR NARCOSIS IN

HIGH VAPOR CONCENTRATIONS. WILL CAUSE DEFATTING OF SKIN. EFFECTS

ARE REVERSIBLE. LONG TERM EXPOSURE (YEARS) TO HIGH CONCENTRATIONS

OF VAPOR MAY CAUSE LUNG, LIVER OR KIDNEY DAMAGE. THE SOLVEN

TS

LISTED HAVE BEEN REPORTED TO AFFECT THE CENTRAL NERVOUS SYSTEM. ASPIRATION HAZARD IF SWALLOWED. EYE AND SKIN IRRITANT. MAY IRRITATE RESPIRATORY TRACT. DELIBERATELY CONCENTRATING AND INHALING THE VAPOR OF THE CONTENTS MAY BE HARMFUL OR FATAL.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:INHALATION - DIFFICULTY IN BREATHING. SKIN - REDNESS. INGESTION - VOMITING.

Medical Cond Aggravated by Exposure:HEART DISEASE, RESPIRATORY DISORDERS.

=====

==== First Aid Measures =====

First Aid:GIVE OXYGEN. DO NOT INDUCE VOMITING. WASH EYES AND SKIN WITH WATER FOR 15 MINUTES. GET MEDICAL HELP.

===== Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point: