View NSN Online: https://aerobasegroup.kr/nsn/6525-01-390-4855

GENDEX CORPORATION FORMERLY DENTSPLY -- SUPERMAX PREMIX DEVELOPER 6525-01-390-4855

Product ID:SUPERMAX PREMIX DEVELOPER MSDS Date:05/15/1995 FSC:6525 NIIN:01-390-4855 Status Code:A Kit Part:Y **MSDS Number: CKTKC** === Responsible Party === Company Name: GENDEX CORPORATION FORMERLY DENTSPLY Address:901 W OAKTON ST City: DES PLAINES State:IL ZIP:60018 Country:US Info Phone Num:847-640-4800 Emergency Phone Num:847-640-4800 CAGE:66267 === Contractor Identification === Company Name: GENDEX CORPORATION FORMERLY DENTSPLY Address:901 W OAKTON ST Box:City:DES PLAINES State:IL ZIP:60018 Country:US Phone:847-640-4800 CAGE:66267

Ingred Name:HYDROQUINONE CAS:123-31-9 RTECS #:MX3500000 Minumum % Wt:1. Maxumum % Wt:5. OSHA PEL:2 MG/CUM ACGIH TLV:2 MG/CUM EPA Rpt Qty:1 LB DOT Rpt Qty:1 LB

Ingred Name:

SODIUM SULFITE CAS:7757-83-7 RTECS #:WE2150000 Minumum % Wt:1. Maxumum % Wt:5. Other REC Limits:5 MG/CUM (DUST)

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 Minumum % Wt:70. Maxumum % Wt:80.

Ingred Name:POTASSIUM CARBONATE CAS:584-08-7 RTECS #:TS7750000 Minumum % Wt:5. Maxumum % Wt:15.

Ingred Name:SODIUM SULFATE CAS:7757-82-6 RTECS #:WE1650000 Minumum % Wt:5. Maxumum % Wt:15.

Routes of Entry: Inhalation:NO Skin:NO In gestion:NO Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Explanation of Carcinogenicity:NONE Effects of Overexposure:EYES: CAUSES IRRITATION. SKIN: PROLONGED OR REPEATED CONTACT MAY CAUSE IRRITATION. MAY ALSO CAUSE ALLERGIC REACTION. INGESTION: MAY CAUSE IRRITATION OR ALLERGIC REACTION IF SWALLOWED.

First Aid:EYES: FLUSH IMMEDIATELY WITH WATER FOR AT LEAST 15 MINUTES AND GET MEDICAL ATTENTION IF IRRI

TATION CONTINUES. SKIN: FLUSH IMMEDIATELY WITH SOAP AND WATER. GET MEDICAL ATTENTION IF IRRITATION PERSIST S OR AN ALLERGIC REACTION DEVELOPS. SWALLOWING: CONSULT A PHYSICIAN. NEVER GIVE AN UNCONSCIOUS PERSON ANYTHING BY MOUTH.
======================================
Flash Point:NON FLAMMABLE Fire Fighting Procedures:NOT COMBUSTIBLE Unusual Fire/Explosion Hazard:NONE
======================================
Handling a nd Storage Precautions:KEEP CONTAINER CLOSED WHEN NOT IN USE. KEEP PRODUCT AWAY FROM STRONG ACIDS. Other Precautions:DON'T DRINK.
======================================
Ventilation:GOOD GENERAL SHOULD BE SUFFICIENT. Protective Gloves:IMPERVIOUS RUBBER Eye Protection:SAFETY GLASSES W/SIDESHIELDS Work Hygienic Practices:NON-ALKALINE TYPE OF SKIN CLEANER & REGULAR CLEANING OF WORK SURFACE & AREA SHOULD MINIMIZE THE POSSIBILITY OF ALLERGIC SKIN REACTION. S
upplemental Safety and Health HMIS HAZARD RATINGS: HEALTH=;REACTIVITY=0;FIRE=0;PROTECTION=B
======================================
Boiling Pt:>100.C, 212.F Vapor Density:0.6 Spec Gravity:1.15 pH:10.50 Solubility in Water:COMPLETE Appearance and Odor:CLEAR, DARK RED SOLUTION W/NEGLEGIBLE ODOR Percent Volatiles by Volume:50 BY WT
======================================
Stability Indicator/Materials to Avoid:YES MINERAL ACIDS Hazardous D

ecomposition Products:SULFUR DIOXIDE

Waste Disposal Methods:DISCHARGE, TREATMENT OR DISPOSAL SHOULD CONFORM TO APPLICABLE LOCAL, STATE AND FEDERAL REGULATIONS.

SARA Title III Information:NONE Federal Regulatory Information:CERCLA OR RCRA: NONE

Disclaimer (provided with this information by the compiling agencies): This information is formulated for us e by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.