

IDEXX LABORATORIES INC -- COLILERT COMPARATOR -- 6630-01-388-4098

===== Product Identification =====

Product ID:COLILERT COMPARATOR

MSDS Date:03/17/1995

FSC:6630

NIIN:01-388-4098

Status Code:A

MSDS Number: CKTXR

=== Responsible Party ===

Company Name:IDEXX LABORATORIES INC

Address:1 IDEXX DRIVE

City:WESTBROOK

State:ME

ZIP:04092

Country:US

Info Phone Num:207-856-0300

Emergency Phone Num:207-856-03

00

Resp. Party Other MSDS Num.:ECN: 5478

CAGE:0THS9

=== Contractor Identification ===

Company Name:IDEXX DISTRIBUTION CORP

Address:ONE IDEXX DRIVE

Box:City:WESTBROOK

State:ME

ZIP:04092

Country:US

Phone:800-321-0207

CAGE:0USV5

Company Name:IDEXX LABORATORIES INC

Address:1 IDEXX DRIVE

Box:City:WESTBROOK

State:ME

ZIP:04092

Country:US

Phone:207-856-0300

CAGE:0THS9

===== Composition/Information on Ingredients =====

Ingred Name:NOT APPLICABLE (ON MSDS) (A YELLOW, FLUORESCING SOLUTI

ON)
= Wt:100.
Code:F

===== Hazards Identification =====

Effects of Overexposure:UNKNOWN.

===== First Aid Measures =====

First Aid:EYE CONTACT: FLUSH THOROUGHLY WITH WATER. SKIN CONTACT: WASH THOROUGHLY WITH WATER. INHALATION: REMOVE TO FRESH AIR. INGESTION: WASH OUT MOUTH WITH WATER. SEEK MEDICAL ASSISTANCE.

===== Fire Fighting Measures =====

Extinguishing Media:USE EXTINGUISHING MEDIA APPROPRIATE FOR THE SURROUNDING FIRE.

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING TO PREVENT CONTACT WITH EYES AND SKIN.

===== Accidental Release Measures =====

Spill Release Procedures:CONTAIN SPILL, THEN CLEAN WITH COPIOUS AMOUNTS OF SOAP AND WATER. AVOID CONTACT WITH SKIN OR CLOTHING.

===== Handling and Storage =====

Handling and Storage Precautions:GOOD HOUSEKEEPING PROCEDURES AND LABORATORY PRACTICE IS THE BEST PRESERVATIVE. USE IN WELL-VENTILATED AREAS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:WEAR SELF-CONTAINED BREATHING APPARATUS IN FIRE FIGHTING AND EXPLOSION DUTY.

Ventilation:PROVIDE ADEQUATE VENTILATION IN WORK AREAS.

Supplemental Safety and Health

PART NO: WP104. ECN 5478.KIT CONTAINING 100 ML OF COLILERT COLOR AND FLOURESCENCE COMPARATOR; FOR USE WITH WATER SAMPLING KIT,

===== Physical/Chemical Properties =====

HCC:N1

Appearance and Odor:YELLOW, FLUORESCING SOLUTION FOR DISTINGUISHING POSITIVE RESULTS FROM NEGATIVE.

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

Stability Condition to Avoid:MATERIALS IN THIS KIT ARE STABLE.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

=====

Waste Disposal Methods:OBSERVE ALL FEDERAL, STATE AND LOCAL LAWS CONCERNING HEALTH AND POLLUTION.

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.