

ACCUMETRIC INC. -- 200 FLUID, 200 CS -- 6850-00-781-3015

=====
Product Identification
=====

Product ID:200 FLUID, 200 CS
MSDS Date:10/15/1990
FSC:6850
NIIN:00-781-3015
Status Code:A
MSDS Number: CKWPD
=== Responsible Party ===
Company Name:ACCUMETRIC INC.
Address:350 RING ROAD
Box:843
City:ELIZABETHTOWN
State:KY
ZIP:42701
Country:US
Info Phone Num:502-769-3385
Emergency Phone Num:502-769-3385
CAG
E:58149

=== Contractor Identification ===
Company Name:ACCUMETRIC INC
Address:350 RING RD
Box:843
City:ELIZABETHTOWN
State:KY
ZIP:42701
Country:US
Phone:502-769-3385
CAGE:58149

=====
Composition/Information on Ingredients
=====

Ingred Name:NO HAZARDOUS INGREDIENTS PRESENT AS DEFINED IN 29 CFR
1910.1200

Ingred Name:SILICONE
CAS:63148-62-9
RTECS #:JT6484500

=====
Hazards Identification
=====

LD50 LC50 Mixture:NO DATA PROVIDED BY MANUFACT

URER

Health Hazards Acute and Chronic:EYE: DIRECT CONTACT MAY CAUSE TEMPORARY DISCOMFORT WITH MILD REDNESS AND DRYNESS SIMILAR TO WINDBURN. SKIN: A SINGLE PROLONGED EXPOSURE (24 TO 48 HOURS) CAUSES NO KNOWN ADVERSE EFFECT. INHALATION: NO IRRITATION TO EYES AND RESPIRATORY PASSAGES. NO INJURY IS LIKELY FROM RELATIVELY SHORT EXPOSURE OF LESS THAN EIGHT HOURS. ORAL: SMALL AMOUNTS TRANSFERRED TO THE MOUTH BY FINGERS DURING USE, ETC., SHOULD NOT INJURE.

SWALLOWING LARGE AMOUNTS MAY CAUSE DIGESTIVE DISCOMFORT. COMMENTS: NO KNOWN ADVERSE CHRONIC HEALTH EFFECTS, BUT UNNECESSARY EXPOSURE TO ANY CHEMICAL SHOULD BE AVOIDED.

Explanation of Carcinogenicity:NO DATA PROVIDED BY MANUFACTURE. Effects of Overexposure:EYES: TEMPORARY DISCOMFORT, REDNESS, DRYNESS. SWALLOWING LARGE AMOUNTS MAY CAUSE DIGESTIVE DISCOMFORT. Medical Cond Aggravated by Exposure:THIS PRODUCT, AS WITH ANY CHEMICAL, MAY ENHANCE ALLERGIC CONDITIONS ON CERTAIN PEOPLE. WE DO NOT KNOW

OF ANY MEDICAL CONDITIONS THAT MIGHT BE AGGRAVATED BY EXPOSURE TO THIS PRODUCT.

=====
First Aid Measures
=====

First Aid:EYES: FLUSH IMMEDIATELY WITH WATER. SKIN: WIPE OFF AND FLUSH WITH WATER. INHALATION: NO FIRST AID SHOULD BE NEEDED. ORAL: NO FIRST AID SHOULD BE NEEDED.

=====
Fire Fighting Measures
=====

Flash Point Method:OC
Flash Point:~315.C, 599.F
Autoignition Temp:Autoignition Temp Text:N/D
Lower Limits:N.D.
Upper Limits:N.D.
Extinguishing Media:WATER FOG, CO2, DRY CHEMICAL, FOAM.
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING SHOULD BE WORN IN FIGHTING FIRES INVOLVING CHEMICALS.
Unusual Fire/Explosion Hazard:NONE KNOWN.

=====
Accidental Release Measures
=====

Spill Release Procedures:USE ABSORBENT MATERIAL TO COLLECT AND CONTAIN FOR SALVAGE OR DISPOSAL. DOT/EPA SPILL REPORTING INFORMATION: HAZARDOUS SUBSTANCE

: NONE. REPORTABLE QUANTITY: NOT APPLICABLE.

CONCENTRATION OF HAZARDOUS SUBSTANCE: NOT APPLICABLE. REPORTABLE QUANTITY OF PRODUCT: NOT APPLICABLE.

Neutralizing Agent:NO DATA PROVIDED BY MANUFACTURER.

=====
===== Handling and Storage =====

Handling and Storage Precautions:USE REASONABLE CARE AND CAUTION.

Other Precautions:NO DATA PROVIDED BY MANUFACTURER

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE RESPIRATORY PROTECTION UNLESS LOCAL EXHAUST VENTILATION IS ADEQUATE.

Ventilation:LOCAL EXHAUST.

Protective Gloves:RUBBER OR PLASTIC GLOVES

Eye Protection:SAFETY GLASSES AS A MINIMUM

Other Protective Equipment:NO DATA PROVIDED BY MANUFACTURER

Work Hygienic Practices:REMOVE CONTAMINATED CLOTHING AND SHOES AS SOON AS PRACTICAL AND CLEAN THOROUGHLY BEFORE REUSE.

Supplemental Safety and Health

NO DATA PROVIDED BY MANUFACTURER

=====
===== Physical/Chemical Properties =====

HCC

:V5

Vapor Pres: