

PRC-DESOTO INTL, INC. (FORMERLY COURTAULDS AEROSPACE INC) -- PRO-SEAL 870 A-2 (BASE)
-- 8030-00-008-7196

===== Product Identification =====

Product ID:PRO-SEAL 870 A-2 (BASE)

MSDS Date:11/19/1996

FSC:8030

NIIN:00-008-7196

Status Code:A

Kit Part:Y

MSDS Number: CKWXL

=== Responsible Party ===

Company Name:PRC-DESOTO INTL, INC. (FORMERLY COURTAULDS AEROSPACE INC)

Address:5430 SAN FERNANDO ROAD

Box:1

800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Info Phone Num:818-240-2060

Emergency Phone Num:(800)424-9300

Chemtrec Ind/Phone:(800)424-9300

CAGE:83574

=== Contractor Identification ===

Company Name:PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY

Address:5430 SAN FERNANDO RD

Box:1800

City:GLENDALE

State:CA

ZIP:91209

Country:US

Phone:818-240-2060

CAGE:83574

===== Composition/Information on Ingredients =====

Ingred Name:PHENOLIC RESIN

CAS:28470-78-2

< Wt:5.

Ingred

Name:TITANIUM DIOXIDE
CAS:13463-67-7
RTECS #:XR2275000
= Wt:10.
OSHA PEL:10 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:CALCIUM CATRBONATE LIMESTONE
CAS:1317-65-3
RTECS #:EV9580000
= Wt:20.
OSHA PEL:15 MG/M3
ACGIH TLV:10 MG/M3

Ingred Name:TOLUENE
CAS:108-88-3
RTECS #:XS5250000
= Wt:10.
OSHA PEL:100 PPM
ACGIH TLV:50 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

Health Hazards Acute and Chronic:MAY CAUSE DISTURBANCE IN MEMORY,

THINKING ABILITY, EMOTIONS AND COORDINATION.

Effects of Overexposure:PHENOLIC RESIN: EYES: IRRITATION, REDNESS,
TEARING; SKIN: SKIN RASH; INGESTION: GASTROINTESTINAL IRRITATION;
TOLUNE: EYES: BURNING, TEARING, REDDENING; SKIN: DRYING AND
CRACKING, POSSIBLE DERMATITIS; INHALATION: DIZZINESS, DROWSINESS,
FATIGUE, LIVER AND KIDNEY DAMAGE; INGESTION: DROWSINESS, DIZZINESS,
NAUSEA.

===== First Aid Measures =====

First Aid:EYES: FLUSH WITH
LUKE WARM WATER FOR 15 MINITUES. IF SYMPTOMS
PERSIST, CONSULT PHYSICIAN.SKIN:WASH WITH SOAP AND WATER. IF
SYMPTOMS PERSIST, CONSULTA PHYSICIAN. INHALATION: REMOVE TO FRESH
AIR. IF SYM PTOMS PERSIST CONSULT A PHYSICIAN. INGESTION: CONSULT A
PHYSICIAN.KL

===== Fire Fighting Measures =====

Flash Point Method:PMCC
Flash Point:=20.C, 68.F
68F
Lower Limits:1.0
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER FOG
Fire Fighting Procedures:

USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL
HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard:HIGH TEMPATURES MAY CAUSE PRESSURE
BUILDUP IN CLOSED CONTAINER.

===== Accidental Release Measures =====

Spill Release Procedures:REMOVE ALL IGNITION SOURCES. COVER WITH
ABSORBANT. SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH A SUITABLE
SOLVENT.

===== Handling and Storage =====

Handling and Storage Precautions:WASH
THROUGHLY AFTER HANDLING AND
BEFORE SMOKING OR EATING. AVOID INGESTION.

Other Precautions:EMPTY DRUMS MAY CONTAIN EXPLOSIVE VAPORS. DO NOT CUT,
PUNCTURE OR WELD ON OR NEAR DRUM. VAPORS OF THIS PRODUCT ARE
HEAVIER THAN AIR AND MAY COLLECT IN LOW OR CONFINED AREAS.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:ORGQANIC VAPOR WHEN PRODUCED ABOVE TLV.

Ventilation:GENERAL

Protective Gloves:SOLVENT RESISTANT GLOVES

Eye Protection:CHEMICAL GOGG
LES OR FULL FACE SHIELD

Other Protective Equipment:KEEP CONTAINER TIGHTLY CLOSED. DO NOT STORE
ABOVE 120 DEG. F. GROUNDING AND BONDING PROCEDURE SHOULD BE
FOLLOWED WHEN TRANSPORTING THIS MATERIAL.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Vapor Density:+ AIR

Spec Gravity:1.411

VOC Pounds/Gallon:312

Appearance and Odor:WHITE LIQUID

Percent Volatiles by Volume:21.03

===== Stability and Reactivity Data =====

===

Stability Indicator/Materials to Avoid: YES

STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: OXIDES OF CARBON, SULFUR DIOXIDE,
TRACES OF HYDROGEN SULFIDE.

===== Disposal Considerations =====

Waste Disposal Methods: DISPOSE OF IN COMPLIANCE WITH FEDERAL AND STATE
REGULATIONS.

===== Regulatory Information =====

SARA Title III Information: TOULENE

State Regulatory Information:

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.