View NSN Online: https://aerobasegroup.kr/nsn/5970-00-814-1788

Product ID:SCOTCHCAST BRAND 4 ELECTRICAL INSULATING RESIN, PART B MSDS Date:06/01/1989 FSC:5970 NIIN:00-814-1788 Status Code:A Kit Part:Y MSDS Number: CKXMB === Responsible Party === Company Name: MINNESOTA MINING & MFG CO ELECTRICAL PRO DUCTS,(3M) Address:3M AUSTIN CTR Box:2963 City:AUSTIN State:TX ZIP:78769-2963 Country:US Info Phone Num:512-984-5670 Emergency Phone Num:612-733-1110 Resp. Party Other MSDS Num.:10-2577-4 CAGE:75037 === Contractor Identification === Company Name: MINNESOTA MINING AND MFG CO, DBA 3M Address:3M CENTER BLDG 224-5S-04 Box:City:SAINT PAUL State:MN ZIP:55144-1000 Country:US Phone:866-556 5712 / 612-733-1110 CAGE:76381 Company Name: MINNESOTA MINING AND MFG CO ELECTRICAL PRODUCTS DIV Address:3M AUSTIN C TR Box:City:AUSTIN State:TX ZIP:78769-2963 Country:US Phone:512-984-1800 CAGE:75037

Ingred Name:NONYLPHENOL CAS:25154-52-3 RTECS #:SM5600000 Minumum % Wt:35. Maxumum % Wt:45. OSHA PEL:NONE ACGIH TLV:NONE

Ingred Name:EPOXY RESIN CAS:70776-37-3 Minumum % Wt:25. Maxumum % Wt:35. -AMINOE PIPERAZINE CAS:140-31-8 RTECS #:TK8050000 Minumum % Wt:10. Maxumum % Wt:13. OSHA PEL:NONE ACGIH TLV:NONE

Ingred Name:AROMATIC HYDROCARBONS CAS:70955-17-8 Minumum % Wt:3. Maxumum % Wt:5. OSHA PEL:NONE ACGIH TLV:NONE

Ingred Name:2,4,6-TRIS(DIMETHYLAMINOMETHYL.)PHENOL CAS:90-72-2 RTECS #:SN3500000 Minumum % Wt:2. Maxumum % Wt:5. Other REC Limits:5 PPM-YWA (CMRG)

LD50 LC50 Mixture:LD50 ALBINO RAT BETWEEN 2500MG-5000MG.K G

Health Hazards Acute and Chronic:EYE: IRRITATING TO EYES ON DIRECT CONTACT WITH MIXTURE OF PART A AND PART B OR EITHER PART SEPERATELY. SKIN: IRRITATING ON DIRECT CONTACT. (MIXTURE OF PART A AND PART B: IRRITATING TO SKIN OF ALB INO RABBIT AFTER 24 HOUR OCCLUDED CONTACT.) MAY CAUSE SKIN SENSITIZATION IN SUCCEPTIBLE INDIVIDUALS. INHALATION: VAPORS MAY BE IRRITATING TO RESPIRATORY SYSTEM. INGESTION: PART A IS PRACTICALLY NON-TOXIC ORALLY.
Explanation of Carcino genicity:IARC STATES THE DATA AVAILABLE ON CARBON

BLACKS ARE INADEQUATE TO PERMIT AN EVALUATION OF THEIR CARCINOGENICITY TO EXPERMIMENTAL ANIMALS. THERE IS SUFFICIENT EVIDENCE THAT BENZENE EXTRACTS OF MOST OF THE CARBON BLACKS TESTED ARE CARCINOGENIC TO EXPERMIMENTAL ANIMALS.

Effects of Overexposure: IRRITATING TO EYES AND SKIN ON DIRECT CONTACT. IRRITATING TO RESPIRATORY SYSTEM

Medical Cond Aggravated by Exposure:NO DATA PROVIDED BY MANUFACTURER.

First Aid:EYE: IMMEDIATELY FLUSH EYES WITH LARGE AMOUNTS OF WATER AND CONTINUE FOR AT LEAST TEN MINUTES. CALL PHYSICIAN. SKIN: WASH AFFECTED AREA THOROUGHLY WITH SOAP AND WATER. INHALATION: PROVIDE FRESH AIR; I F COUGHING, WHEEZING OR SHORTNESS OF BREATH DEVELOPS, CALL A PHYSICIAN. IF SWALLOWED, GIVE ONE TO TWO GALASSES OF WATER IMMEDIATELY AND IMMEDIATELY INDUCE VOMITING. CALL PHYSICIAN.

=========================== Fire Fighting M

Flash Point Method:CC Flash Point:>110.C, 230.F Autoignition Temp:Autoignition Temp Text:N/D Lower Limits:N/D Upper Limits:N/D Extinguishing Media:CARBON DIOXIDE, FOAM, DRY CHEMICAL. Fire Fighting Procedures:FIREFIGHTERS SHOULD BE EQUIPPED WITH SELF-CONTAINED BREATHING APPARATUS. Unusual Fire/Explosion Hazard:NONE

Spill Release Procedures: PART A OR PART B: OBSERVE PRECAUTIONARY INFORMATI

ON FROM OTHER SECTIONS. USE ABSORBENT MATERIAL AS NEEDED AND SWEEP UP. MIXTURE OF PART A AND PART B: OBSERVE PRECAUTIONARY INFORMATION FROM OTHER SECTI ONS. CLEAN UP SPILL. Neutralizing Agent:NO DATA PROVIDED BY MANUFACTURER.

Handling and Storage Precautions: USE ONLY IN WELL VENTILATED AREAS WITH SUFFICIENT AIR MOVEMENT TO MAINTAIN AIRBORNE VAPOR CONCENTRATION LEVELS AT RECOGNIZED HEALTH AND SAFETY LEVELS. Othe

r Precautions:DO NOT GET INTO EYES; USE OF COMMERCIAL SAFETY GLASSES IS RECOMMENDED. AVOID SKIN CONTACT. AVOID PROLONGED BREATHING OF VAPORS. LAUNDER CONTAMINATED CLOTHING BEFORE RE-USE.

Respiratory Protection:NO DATA PROVIDED BY MANUFACTURER. Ventilation:USE ONLY IN WELL VENTILATED ARE WITH SUFFICIENT AIR MOVEMENT TO MAINTAIN AIRBORNE VAPOR CONCENTRATION LEVELS AT RECOMMENDED LEVELS. Protective Gloves:NO DATA PROVIDED BY MANUFACTURER. Eye Protection:CHEMICAL SAFETY GLASSES Other Protective Equipment:NO DATA PROVIDED BY MANUFACTURER. Work Hygienic Practices:LAUNDER CONTAMINATED CLOTHING BEFORE REUSE. Supplemental Safety and Health DLA-HMIS NOTE: PART B OF TWO PART KIT. PART A IS DOD-HMIS SERIAL NUMBER CKXLZ.

HCC:V5 Spec Gravity:0.98 Viscosity:3500 CPS Solubility in Water:NIL Appearance and Odor:BLACK LIQUID, AMINE ODOR Percent Volatiles by Volume:0

Stability Indicator/Materials to Avoid:YES NONE

Stability Condition to Avoid:NONE

Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE AND OXIDES OF NITROGEN

Conditions to Avoid Polymerization: WILL NOT OCCUR.

Toxicological Information:NO DATA PROVIDED BY MANUFACTURER.

====== Ecological Information ======

Ecological:NONE.

Waste Disposal Methods:PART A OR PART B: DISPOSE BY INCINERATION OR SEND FULLY ADSORBED MATERIAL FOR LANDFILL IN ACCORDANCE WITH LOCAL AND STATE REGULATIONS. MIXTURE OF PART A AND PART B: FULLY CURED MATERIAL MAY BE LANDFIL LED IN ACCORDANCE WITH LOCAL AND STATE REGULATIONS.

Transport Information:NO DATA PRO

VIDED BY MANUFACTURER.

 SARA Title III Information:SARA HAZARD CLASS: FIRE: NO, PRESSURE: NO, REACTIVITY-NO, ACUTE: YES, CHRONIC: YES.
 Federal Regulatory Information:NO DATA PROVIDED BY MANUFACTURER.
 State Regulatory Information:NO DATA PROVIDED BY MANUFACTURER.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.