

CHEMENCE INC -- SEALING COMPOUND -- 8030-00-081-2341

===== Product Identification =====

Product ID:SEALING COMPOUND

MSDS Date:03/31/1999

FSC:8030

NIIN:00-081-2341

Status Code:A

MSDS Number: CKXQK

=== Responsible Party ===

Company Name:CHEMENCE INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Info Phone Num:404-664-6624

Emergency Phone Num:(800)424-9300

Preparer's Name

:HENRY SIMMONS

Chemtrec Ind/Phone:(800)424-9300

CAGE:0ZDS4

=== Contractor Identification ===

Company Name:CHEMENCE INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Phone:404-664-6624

CAGE:0ZDS4

===== Composition/Information on Ingredients =====

Ingred Name:POLYETHYLENE GLYCOL DIMETHACRYLATE

CAS:25852-47-5

= Wt:93.

Ingred Name:CUMENE HYDROPEROXIDE

CAS:80-15-9

RTECS #:MX2450000

= Wt:3.

EPA Rpt Qty:10 LBS

DOT Rpt Qty:10 LBS

Ingred Name:SACCHARIN

CA

S:81-07-2  
RTECS #:DE4200000  
= Wt:3.  
EPA Rpt Qty:100 LBS  
DOT Rpt Qty:100 LBS

Ingred Name:N,N-DIALKYL TOLUIDINE  
= Wt:1.

===== Hazards Identification =====

Effects of Overexposure:PROLONGED SKIN CONTACT MAY RESULT IN DERMATITIS  
IN SENSITIVE PERSONS. WILL IRRITATE  
EYES ON CONTACT.

===== First Aid Measures =====

First Aid:WASH WITH SOAP AND WATER FOR SKIN CONTACT. FOR EYE CONTACT.  
FLUSH WITH PLENTY OF  
WATER. FOR INGES  
TION, DO NOT INDUCE VOMITING. CONTACT PHYSICIAN.

===== Fire Fighting Measures =====

Flash Point Method:TCC  
Flash Point:>100.C, 212.F  
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER  
Fire Fighting Procedures:SELF CONTAINED BREATHING APPARATUS  
Unusual Fire/Explosion Hazard:IRRITATE ORGANIC VAPORS

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH INERT ABSORBENT.

===== Handling and  
Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE AND OUT OF  
DIRECT SUNLIGHT.  
Other Precautions:KEEP AWAY FROM CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE NEEDED FOR NORMAL USE.  
Ventilation:ENSURE ADEQUATE ROOM VENTILATION FOR COMFORTABLE WORKING  
CONDITIONS.  
Protective Gloves:POLYETHYLENE OR RUBBER GLOVES.  
Eye Protection:SAFETY GLASSES.  
Other Protective Equipment:BARRIER CREAMS RECO

MMENDED.  
Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt:>204.4C, 400.F  
B.P. Text:@ 760MM  
Vapor Pres:.01  
Vapor Density:1.01  
Spec Gravity:1.1  
VOC Pounds/Gallon:134  
Evaporation Rate & Reference:VERY LOW  
Solubility in Water:INSOLUBLE  
Appearance and Odor:GREEN, MILD ORGANIC LIQUID  
Percent Volatiles by Volume:12.5%  
Corrosion Rate:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials  
to Avoid:YES  
AVOID CONTAMINATION  
Stability Condition to Avoid:TEMPERATURES IN EXCESS OF 150 DEGREES F  
Hazardous Decomposition Products:NONE

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL OR INCINERATE IN ACCORDANCE WITH EPA  
AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no m  
anner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.