

EASTMAN KODAK COMPANY -- 801 8657,KODAK STARMATE 500 (SEE SUPPL DATA) --  
6850-01-389-1740

===== Product Identification =====

Product ID:801 8657,KODAK STARMATE 500 (SEE SUPPL DATA)

MSDS Date:08/06/1999

FSC:6850

NIIN:01-389-1740

Status Code:A

Kit Part:Y

MSDS Number: CKYGZ

=== Responsible Party ===

Company Name:EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:NY

ZIP:14650

Country:

US

Info Phone Num:716-722-5151/(800) 242-2424

Emergency Phone Num:716 722-5151

Preparer's Name:NOT PROVIDED

CAGE:19139

=== Contractor Identification ===

Company Name:EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST

Box:City:ROCHESTER

State:NY

ZIP:14650-1115

Country:US

Phone:716-722-5151/(800) 242-2424

CAGE:19139

===== Composition/Information on Ingredients =====

Ingred Name:IRON OXIDE

CAS:1309-37-1

RTECS #:NO7400000

Fraction by Wt: SEE ING 1%

Other REC Limit

s:NOT PROVIDED  
OSHA PEL:10 MG/M3  
ACGIH TLV:5 MG/M3;2 PPM

Ingred Name:MAGNESIUM OXIDE  
CAS:1309-48-4  
RTECS #:OM3850000  
Fraction by Wt: SEE ING 1%  
Other REC Limits:NOT PROVIDED  
OSHA PEL:15 MG/M3  
ACGIH TLV:10 MG/M3

Ingred Name:STYRENE-ACRYLATE COPOLYMER  
CAS:27136-15-8  
Minumum % Wt:1.  
Maxumum % Wt:5.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:NOT PROVIDED  
ACGIH TLV:NOT PROVIDED

Ingred Name:CARBON BLACK  
CAS:1333-86-4  
RTECS #:FF5800000  
&lt; Wt:1.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:3.5 MG/M3  
ACGIH TL  
V:3.5 MG/M3

Ingred Name:FERRITE (CONTAINING INGREDIENTS 2, 3, 4 AND 5)  
Minumum % Wt:90.  
Maxumum % Wt:95.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:NOT PROVIDED  
ACGIH TLV:NOT PROVIDED

Ingred Name:COPPER OXIDE  
CAS:1317-38-0  
RTECS #:GL7900000  
&lt; Wt:25.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:NOT PROVIDED  
ACGIH TLV:NOT PROVIDED

Ingred Name:ZINC OXIDE  
CAS:1314-13-2  
RTECS #:ZH4810000  
&lt; Wt:25.  
Other REC Limits:NOT PROVIDED  
OSHA PEL:15 MG/M3  
ACGIH TLV:10 MG/M3 (TDUST)  
ACGIH STEL:10 MG/M3

=====

=====  
Hazards Identification  
=====

LD50 LC50 Mixture:NOT PROVIDED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:EFFECTS OF EXPOSURE: INHALATION:

EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING. EYES: NO

SPECIFIC HAZARD KNOWN. MAY CAUSE TRANSIENT IRRITATION. SKIN:

EXPECTED TO BE A LOW HAZARD FOR RECOMMENDED HANDLING. INGESTION:

EXPECTED TO BE A LOW INGESTION HAZARD.

Explanation of Carcinogenicity:(COMPONENTS PR

ESSENT AT 0.1% OR MORE):-

INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC) (CARBON BLACK):

2B - AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS

(ACGIH): CARBON BLACK: NOT CLASSIFIABLE AS A HUMAN CARCINOGEN (A4)

NATIONAL TOXICOLOGY PROGRAM (NTP): NONE - OCCUPATIONAL SAFETY AND

HEALTH ADMINISTRATION (OSHA): NONE

Effects of Overexposure:EYES: MAY CAUSE TRANSIENT IRRITATION.

Medical Cond Aggravated by Exposure:NOT PROVIDED

=====  
First Aid Measures  
=====

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: ANY MATERIAL THAT CONTACTS THE EYE SHOULD BE WASHED OUT IMMEDIATELY WITH WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. SKIN: WASH WITH SOAP AND WATER. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

=====  
Fire  
=====

Fighting Measures =====

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE (CO2), DRY CHEMICAL

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS.

Unusual Fire/Explosion Hazard:NONE, BASED ON LIMITED QUANTITY OF

CHEMICAL CONTAINED IN CARTRIDGE. HOWEVER, COMPONENT IS COMBUSTIBLE.

=====  
Accidental Release Measures  
=====

Spill Release P

rocedures:DO NOT USE A VACUUM CLEANER TO CLEAN UP SPILLS  
OF POWDERED TONERS. THE VERY FINE PARTICLES CAN CAUSE A FIRE OR  
EXPLOSION. SWEEP MATERIAL ONTO PAPER AND PLACE IN A FIBER CARTON.  
AVOID GENERATION OF DUS T. CLEAN SURFACE THOROUGHLY TO REMOVE  
RESIDUAL CONTAMINATION.

Neutralizing Agent:NOT RELEVANT

=====  
===== Handling and Storage =====

Handling and Storage Precautions:KEEP CONTAINER CLOSED. KEEP FROM  
CONTACT WITH OXIDIZING MATERIALS.

Other

Precautions:AVOID BREATHING DUST. AVOID CONTACT WITH EYES AND  
PROLONGED OR REPEATED CONTACT WITH SKIN. USE WITH ADEQUATE  
VENTILATION. WASH THOROUGHLY AFTER HANDLING.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE SHOULD BE NEEDED.

Ventilation:GOOD VENTILATION (TYPICALLY 4-6 ROOM VOLUMES PER HOUR)  
SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS.

Protective Gloves:FOR PROLONGED OR REPEATED SKIN CONTACT IMPERVIOUS

GLOVES SHOULD BE WORN.

Eye Protection:IT IS A GOOD INDUSTRIAL HYGIENE PRACTICE TO MINIMIZE EYE  
CONTACT.

Other Protective Equipment:WASHING FACILITIES

Work Hygienic Practices:IT IS A GOOD INDUSTRIAL HYGIENE PRACTICE TO  
MINIMIZE EYE CONTACT. IT IS A GOOD INDUSTRIAL HYGIENE PRACTICE TO  
MINIMIZE SKIN CONTACT.

Supplemental Safety and Health

CONTINUED FROM PRODUCT ID: TONER/DEVELOPER CARTRIDGE KIT/NEGATIVE  
(CARTRIDGE). ABBREVIATION: N/A = NOT APPLICABLE. N/AV = NOT  
AVAILABLE. N/K

= UNKNOWN. N/P = NOT PROVIDED. N/R = NOT RELEVANT.

N/D = NO T DETERMINED. N/E = NOT ESTABLISHED.

=====  
===== Physical/Chemical Properties =====

HCC:N1

NRC/State Lic Num:NOT RELEVANT

Melt/Freeze Pt:M.P/F.P Text:NOT AVAILABLE

Decomp Temp:Decomp Text:NOT PROVIDED

Vapor Pres:NEGLIGIBLE

Vapor Density:NEGLIGIBLE

Spec Gravity:4.13

Evaporation Rate & Reference:NEGLIGIBLE

Solubility in Water:NEGLIGIBLE

Appearance and Odor:BLACK SOLID (POWDER) ODOR: SLIGHT

Percent Volatiles

by Volume:NEGLIGIBLE  
Corrosion Rate:NOT PROVIDED

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG OXIDIZING AGENTS  
Stability Condition to Avoid:NOT PROVIDED  
Hazardous Decomposition Products:CARBON DIOXIDE, CARBON MONOXIDE,  
OXIDES OF IRON

===== Toxicological Information =====

Toxicological Information:EFFECTS OF EXPOSURE: INHALATION: EXPECTED TO  
BE A LOW HAZARD FOR RECOMMENDED HANDLING.  
EYES: NO SPECIFIC HAZARD  
KNOWN. MAY CAUSE TRANSIENT IRRITATION. SKIN: EXPECTED TO BE A LOW  
HAZARD FOR RECOMMENDED HANDLING. INGESTION: EXPECTED TO BE A LOW  
INGESTION HAZARD.

===== Ecological Information =====

Ecological:IT IS EXPECTED TO HAVE THE FOLLOWING PROPERTIES: A LOW  
BIOCHEMICAL OXYGEN DEMAND AND LITTLE POTENTIAL TO CAUSE OXYGEN  
DEPLETION IN AQUEOUS SYSTEMS, A LOW POTENTIAL TO AFFECT AQUATIC  
ORGANISMS, A MOD ERATE POTENTIAL TO  
AFFECT THE GROWTH OF SOME  
PLANT SEEDLINGS, A MODERATE POTENTIAL TO AFFECT ALGAL GROWTH, A  
LOW POTENTIAL TO BIODEGRADE (HIGH PERSISTENCE) WITH UNACCLIMATED  
MICROORGANISMS FROM ACT IVATED SLUDGE, A LOW POTENTIAL TO  
BIOCONCENTRATE. AFTER DILUTION WITH A LARGE AMOUNT OF WATER,  
FOLLOWED BY SECONDARY WASTE TREATMENT, THIS MATERIAL IS NOT  
EXPECTED TO CAUSE ADVERSE ENVIRONMENTAL EFF ECTS.

===== Disposal Considerations =====

Waste Disposal Methods:INCINERATE OR LANDFILL. CAN BE LANDFILLED WHEN  
IN COMPLIANCE WITH LOCAL REGULATIONS. DISCHARGE, TREATMENT, OR  
DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE, OR LOCAL LAWS.

===== MSDS Transport Information =====

Transport Information:FOR TRANSPORTATION INFORMATION REGARDING THIS  
PRODUCT CALL THE KODAK WORLDWIDE TRANSPORTATION HAZMAT HOT LINE:  
(716) 722-2400 BETWEEN 8 A.M. AND 5 P.M. (EASTERN STANDARD TIME),  
MONDAY THROUGH FRIDAY .

=====

=====  
Regulatory Information  
=====

SARA Title III Information:CHEMICAL(S) SUBJECT TO THE REPORTING  
REQUIREMENTS OF SECTION 313 OR TITLE III OF THE SUPERFUND  
AMENDMENTS AND REAUTHORIZATION ACT (SARA) OF 1986 AND 40 CFR  
PART 372: COPPER OXIDE, ZINC OXIDE

Federal Regulatory Information:NOT PROVIDED

State Regulatory Information:MATERIAL(S) KNOWN TO THE STATE OF  
CALIFORNIA TO CAUSE CANCER: CARBON BLACK - MATERIAL(S) KNOWN TO  
THE STATE OF CALIFORNIA

A TO CAUSE ADVERSE REPRODUCTIVE EFFECTS:  
NONE

=====  
Other Information  
=====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United States of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.