

CONCHEMCO INC. -- TOLUENE -- 6810-00-281-2002

=====  
Product Identification  
=====

Product ID:TOLUENE

MSDS Date:06/10/1999

FSC:6810

NIIN:00-281-2002

Status Code:A

MSDS Number: CKYKZ

=== Responsible Party ===

Company Name:CONCHEMCO INC.

Address:17817 DAVENPORT RD. SUITE245

City:DALLAS

State:TX

ZIP:75252

Country:US

Info Phone Num:1-972-248-4253

Emergency Phone Num:1-972-248-4253

Preparer's Name:NOT P

ROVIDED

CAGE:UO266

=== Contractor Identification ===

Company Name:CHEMICAL SPECIALISTS AND DEVELOPMENT INC

Address:2210 HACKBERRY LN

Box:687

City:CONROE

State:TX

ZIP:77305

Country:US

Phone:409-756-1065

Contract Num:SPO450-01-M-D655

CAGE:4N760

Company Name:CONCHEMCO INC.

Address:17817 DAVENPORT RD. SUITE245

Box:City:DALLAS

State:TX

ZIP:75252

Country:US

Phone:1-972-248-4253

CAGE:UO266

=====  
Composition/Information on Ingredients  
=====

Ingred Name:TOLUENE

CAS:108-88-3

RTECS #:XS

5250000

Minimum % Wt:95.

Maximum % Wt:100.

Other REC Limits:NOT PROVIDED

OSHA PEL:SEE TABLE Z-2

ACGIH TLV:188 MG/M3;50 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE HAZARDS: NONE KNOWN. EYE & SKIN

CONTACT: PRIMARY IRRITATION TO SKIN, DEFATTING, DERMATITIS.

ABSORPTION THRU SKIN INCREASES EXPOSURE.

PRIMARY IRRITATION TO

EYES, REDNESS, TEARING, BLURRED VISION. LIQUID CAN CAUSE EYE

IRRITATION. WASH THOROUGHLY AFTER HANDLING. INHALATION: ANESTHETIC.

IRRITATES RESPIRATORY TRACT. ACUTE OVEREXPOSURE CAN CAUSE SERIOUS

NERVOUS SYSTEM DEPRESSION. VAPOR HARMFUL.SWALLOWING: HARMFUL OR

FATAL IF SWALLOWED. SWALLOWING CAN CAUSE ABDOMINAL IRRITATION,

NAUSEA, VOMITING & DIARRHEA. ACUTE AND CHRONIC OVEREXPOSURE CAN

CAUSE DAMAGE TO KIDNEYS, BLOOD, NERVES, LIVER AND LUNGS. CHR

ONIC:

MAY CAUSE DAMAGE TO FETUS.

Explanation of Carcinogenicity:THIS PRODUCT MAY CONTAIN LESS THAN 300

PPM OF BENZENE. NOT CONSIDERED HAZARDOUS IN SUCH LOW

CONCENTRATIONS.

Effects of Overexposure:EYE AND SKIN CONTACT: PRIMARY IRRITATION TO

SKIN, DEFATTING, DERMATITIS. PRIMARY IRRITATION TO EYES, REDNESS,

TEARING, BLURRED VISION. LIQUID CAN CAUSE EYE IRRITATION.

INHALATION: ANESTHETIC. IRRITATES RESPIRATORY TRACT. ACUTE

OVEREXPOSURE CAN CAUSE SERIOUS NERVOUS SYSTEM D

EPRESSION.

SWALLOWING: CAN CAUSE ABDOMINAL IRRITATION, NAUSEA, VOMITING AND

DIARRHEA.

Medical Cond Aggravated by Exposure:CHRONIC OVEREXPOSURE CAN CAUSE

DAMAGE TO KIDNEYS, BLOOD, NERVES, LIVER AND LUNGS. PERSONS WITH

SEVERE SKIN, LIVER OR KIDNEY PROBLEMS SHOULD AVOID USE.

===== First Aid Measures =====

First Aid:EYE CONTACT: FOR EYES, FLUSH WITH PLENTY OF WATER FOR 15

MINUTES & GET MEDICAL ATTENTION. SKIN CONTACT: IN CASE OF CONTACT

WITH SKIN IMMEDIATELY REMOVE CONTAMINATED CLOTHING. WASH THOROUGHLY WITH SOAP & WATER. WASH CONTAMINATED CLOTHING BEFORE REUSE. INHALATION: AFTER HIGH VAPOR EXPOSURE, REMOVE TO FRESH AIR. IF BREATHING IS DIFFICULT, GIVE OXYGEN. IF BREATHING HAS STOPPED GIVE ARTIFICIAL RESPIRATION. SWALLOWING: IF SWALLOWED, CALL A PHYSICIAN IMMEDIATELY! DO NOT INDUCE VOMITING. HAVE PATIENT LIE DOWN & KEEP WARM. VOMITING MAY LEAD TO PNEUMONIA, WHICH MAY BE FATAL.

===== F  
Fire Fighting Measures =====

Flash Point Method:TCC

Flash Point:=7.2C, 45.F

Autoignition Temp:=536.1C, 997.F

Lower Limits:1.4

Extinguishing Media:NFPA CLASS B EXTINGUISHERS (CARBON DIOXIDE OR FOAM) FOR CLASS 1 B LIQUID FIRES.

Fire Fighting Procedures:WATER SPRAY MAY BE INEFFECTIVE BUT CAN PROTECT FIRE-FIGHTERS & COOL CLOSED CONTAINERS. USE FOG NOZZLES IF WATER IS USED. DO NOT ENTER CONFINED FIRE-SPACE WITHOUT FULL BUNKER GEAR. (HELMET WITH FACE SHIELD, BUNKER CO

ATS, GLOVES & RUBBER BOOTS).

USE NIOSH APPROVED POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard:HIGHLY FLAMMABLE! VAPORS CAN CAUSE FLASH FIRE. KEEP CONTAINER TIGHTLY CLOSED. ISOLATE FROM OXIDIZERS, HEAT, SPARKS, ELECTRIC EQUIPMENT, OPEN FLAME. CLOSED CONTAINERS MAY EXPLODE IF EXPOSED TO EXTREME HEAT. APPLYING TO HOT SURFACES REQUIRES SPECIAL PRECAUTIONS. EMPTY CONTAINER VERY HAZARDOUS! CONTINUE LABEL PRECAUTIONS

===== F  
Accidental Release Measures =====

Spill Release Procedures:STOP SPILL AT SOURCE. DIKE AREA & CONTAIN.

CLEAN UP REMAINDER WITH ABSORBENT MATERIALS. MOP UP & DISPOSE OF. PERSONS WITHOUT PROPER PROTECTION SHOULD BE KEPT FROM AREA UNTIL CLEANED UP.

Neutralizing Agent:NOT RELEVANT

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT STORE ABOVE 49C/120F. STORE LARGE AMOUNTS IN STRUCTURES MADE FOR OSHA CLASS 1 B

LIQUIDS. KEEP

CONTAINER TIGHTLY CLOSED AND UPRIGHT WHEN NOT IN USE TO PREVENT LEAKAGE. ISOLATE FROM OXIDIZERS, HE AT, SPARKS, ELECTRIC EQUIPMENT & OPEN FLAME. GROUND CONTAINERS WHEN TRANSFERRING.

Other Precautions:USE ONLY WITH ADEQUATE VENTILATION. AVOID BREATHING OF VAPOR OR SPRAY MIST. AVOID CONTACT WITH SKIN & EYES. WEAR OSHA STANDARD GOGGLES OR FACE SHIELD. CONSULT SAFETY EQUIPMENT SUPPLIER. WEAR IMPERVIOUS APRON & FOOTWEAR. AVOID FREE FALL OF LIQUID. DO NOT FL

AME CUT, SAW, BRAZE OR WELD. EMPTY CONTAINER VERY HAZARDOUS.

=====  
===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE VAPOR, MIST GAS MASK WITH USE LIMITS, OR VENTILATE TO KEEP VAPORS OF THIS MATERIAL BELOW 25 PPM. IF OVER TLV, IN ACCORDANCE WITH 29 CFR 1910.134, USE NIOSH APPROVED POSITIVE-PRESSURE SELF-CONTAINED BREATHING APPARATUS. CONSULT SAFETY EQUIPMENT SUPPLIER. USE EXPLOSION-PROOF EQUIPEMENT.

Ventilation:LOCAL EXHAUST NECESSARY. MECHANICAL (GENERAL) ACCEPTABLE.

Protective Gloves:IMPERVIOUS

Eye Protection:WEAR OSHA STANDARD GOGGLES OR FACE SHIELD.

Other Protective Equipment:WEAR APRON & FOOTWEAR IMPERVIOUS TO THIS MATERIAL. WASH CLOTHING BEFORE REUSE. PROVIDE READILY ACCESSIBLE EYE WASH STATIONS & SAFETY SHOWERS.

Work Hygienic Practices:WASH CLOTHING BEFORE REUSE. WASH AT END OF EACH WORKSHIFT & BEFORE EATING, SMOKING OR USING THE TOILET. PROMPTLY REMOVE CLOTHING THAT BECOMES CONTAMINATED. DESTROY CON

TAMINATED LEATHER ARTICLES.

Supplemental Safety and Health

LAUNDER OR DISCARD CONTAMINATED CLOTHING. ABBREVIATION: N/A = NOT APPLICABLE. N/AV = NOT AVAILABLE. N/K = UNKNOWN. N/P = NOT PROVIDED. N/R = NOT RELEVANT. N/D = NOT DETERMINED. N/E = NOT ESTABLISHED.

=====  
===== Physical/Chemical Properties =====

HCC:F2

NRC/State Lic Num:NOT RELEVANT

Boiling Pt:B.P. Text:230F TO 232F

Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED

Decomp Temp:Decomp Text:NOT PROVIDED

Vapor Pr

es:23 @ 20C/68F  
Vapor Density:3.2  
Spec Gravity:.870  
VOC Pounds/Gallon:871  
VOC Grams/Liter:7.26  
Viscosity:NOT PROVIDED  
Evaporation Rate & Reference:NOT PROVIDED  
Solubility in Water:NOT PROVIDED  
Appearance and Odor:WATER-WHITE LIQUID, AROMATIC ODOR  
Percent Volatiles by Volume:100  
Corrosion Rate:NOT PROVIDED

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
ISOLATE FROM STRONG OXIDIZERS SUCH AS PERMANGANATES, CHROMATES &  
PEROXIDES.  
Stability Condition to Avoid:ISOLATE FROM OXIDIZERS, HEAT, SPARKS,  
ELECTRIC EQUIPMENT & OPEN FLAME.  
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE FROM  
BURNING.

===== Toxicological Information =====

Toxicological Information:EYE & SKIN CONTACT: PRIMARY IRRITATION TO  
SKIN, DEFATTING, DERMATITIS. ABSORPTION THRU SKIN INCREASES  
EXPOSURE. PRIMARY IRRITATION TO EYES, REDNESS, TEARING, BLURRED  
VISION. LIQUID CAN CAUSE EYE IRRITATION. WASH THOROUGHLY AFTER  
HANDLING. INHALATION: ANESTHETIC. IRRITATES RESPIRATORY TRACT.  
ACUTE OVEREXPOSURE CAN CAUSE SERIOUS NERVOUS SYSTEM DEPRESSION.  
VAPOR HARMFUL.SWALLOWING: HARMFUL OR FATAL IF SWALLOWED.  
SWALLOWING CAN CAUSE ABDOMINAL IRRITATION, NAUSEA, VOMITING &  
DIARRHEA. ACUTE AND CHRONIC OVEREXPOSURE CAN CAUSE DAMAGE TO  
KIDNEYS, BLOOD, NERVES, LIVER AND LUNGS. CHRONIC: MAY CAUSE DAMAGE  
TO FETUS.

===== Ecological Information =====

Ecological:TOLUENE CAS # 108-88-3: LOWEST KNOWN LETHAL DOSE DATA LD50  
(ORAL): 3000 MG/KG (RATS); LC50 (VAPORS): 5300 PPM (MICE); LD50  
(SKIN): 4000 MG/KG (RABBITS). AQUATIC ANIMAL INFORMATION: THE MOST  
SENSITIVE KNOWN MARINE GROUP TO ANY COMPONENT OF THIS PRODUCT IS:  
JUVENILE RAINBOW TROUT ARE ADVERSELY AFFECTED BY COMPONENTS OF THIS  
PRODUCT. MOBILITY: THIS MATERIAL IS A MOBILE LIQUID. DEGRADABILITY:  
THIS PRODUCT IS NONBIODEGRADABLE. ACCUMULATION: THIS PRODUCT

UCT DOES

NOT ACCUMULATE OR BIOMAGNIFY IN THE ENVIRONMENT.

=====  
===== Disposal Considerations =====

Waste Disposal Methods:RECYCLE / DISPOSE OF OBSERVING NATIONAL, REGIONAL, STATE, PROVINCIAL AND LOCAL HEALTH, SAFETY & POLLUTION LAWS. IF QUESTIONS EXIST, CONTACT THE APPROPRIATE AGENCIES.

=====  
===== MSDS Transport Information =====

Transport Information:DOT SHIPPING NAME: TOLUENE, 3, UN 1294, PG-I I. DRUM LABEL: (FLAMMABLE LIQ UID). IATA / ICAO: SAME AS DOT SHIPPING NAME. IMO / IMDG: SAME AS DOT SHIPPING NAME. EMERGENCY RESPONSE GUIDEBOOK NUMBER: 130.

=====  
===== Regulatory Information =====

SARA Title III Information:SARA SECTION 311/312 HAZARDS: ACUTE HEALTH, FIRE. SARA TITLE III, SECTION 313 SUPPLIER NOTIFICATION: THIS PRODUCT CONTAINS THE FOLLOWING CHEMICALS SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF TITLE III OF THE EMERGENCY PLANNING AND COMMUNI

TY RIGHT-TO-KNOW ACT OF 1986 AND OF 40 CFR 372: TOLUENE CAS # 108-88-3; 100 % (311,312,313,RCRA), RQ (LBS): 1000. IF > 1000 POUNDS OF THIS PRODUCT IS IN ONE CONTAINER, THE "RQ" OF TOLUENE IS EXCEEDED.

Federal Regulatory Information:ALL COMPONENTS OF THIS PRODUCT ARE ON THE TSCA LIST.

State Regulatory Information:CALIFORNIA PROPOSITION 65: THIS PRODUCT CONTAINS THE FOLLOWING CHEMICAL KNOWN TO THE STATE OF CALIFORNIA TO CAUSE REPRODUCTIVE TOXICITY: TOLUENE.

=====  
===== Other Information =====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suita

bility of this information to their particular situation.