View NSN Online: https://aerobasegroup.com/nsn/7510-00-469-7910

Product ID:BLACK MARKING INK #7274 MSDS Date:03/10/1986 FSC:7510 NIIN:00-469-7910 Status Code:A MSDS Number: CLBCB === Responsible Party === Company Name: CROWN INDUSTRIAL PRODUCTS, CO. Address:STATE LINE ROAD **City:HEBRON** State:IL ZIP:60034 Info Phone Num:815-648-2424/815-338-2141(NIGHT) Emergency Phone Num:815-338-2141 Preparer's Name: ROBERTE. BAYTON CAGE:DO171 === Contractor Identification === Company Name: CROWN INDUSTRIAL PRODUCTS, CO. Address:STATE LINE ROAD **City:HEBRON** State:IL ZIP:60034 Phone:815-648-2424/815-338-2141(NIGHT) CAGE:DO171

Ingred Name:METHYL ETHYL KETONE CAS:78-93-3 RTECS #:EL6475000 Minumum % Wt:30. Maxumum % Wt:51. OSHA PEL:200 PPM ACGIH TLV:200 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

Ingred Name:METHYLENE CHLORIDE CAS:75-09-2 RTECS #:PA8050000 Minumum % Wt:11. Maxumum % Wt:30. OSHA PEL:100 PPM ACGIH TLV:100 PPM EPA Rpt Qty:1000 LBS DOT Rpt Qty:1000 LBS Ingred Name:PETROLEUM GASES, LIQUEFIED, SWEETENED CAS:68476-86-8 Minumum % Wt:11. Maxumum % Wt:30. OSHA PEL:1000 PPM ACGIH TLV:1000 PPM

Health Hazards Acute and Chronic:INHALATION: HIGH VAPOR CONCENTRATIONS MAY RESULT IN DIZZINESS, HEADACHES AND
UNCONSCIOUSNESS. INGESTION: NOT LIKELY. EYE CONTACT: EYE IRRITATANT. CAN CAUSE CORNEAL DAMAGE. SKIN CONTACT: PROLONGED CONT ACT WILL CAUSE DEFATTING OF THE SKIN LEADING TO IRRITATION AND DERMITIS. SKIN ABSORBTION: NOT LIKELY IN TOXIC AMOUNTS.

Medical Cond Aggravated by Exposure:

First Aid:OBTAIN MEDICAL ATTENTION IN ALL CASES. EYES: FLUSH WITH WATER FOR 15 MINITUES OR UNTIL IRRITATION SUBSIDES. SKIN: REMOV

E ALL

CONTAMINATED CLOTHING; WASH SKIN WITH SOAP AND WATER. INHALATION: REMOVE FR OM EXPOSURE IMMEDIATELY. IF BREATHING IS IRREGULAR OR STOPPED, BEGIN ARTIFICIAL RESPIRATION AND ADMINISTER OXYGEN. INGESTION: DRINK LARGE AMOUNTS OF WATER AND INDUCE VOMITING. TARGET ORGAN AFFECTED: R ESPIRATORY TRACT IRRITATION. CAN CAUSE NERVOUS SYSTEM DEPREEION IN HIGH CONCENTRATIONS. MAY CAUSE LIVER AND KIDNEY DAMAGE.

===

Flash Point Method:TCC Flash Point:1 Spec Gravity: