

KOH-I-NOOR RAPIDOGRAPH INC -- 291 KOH=I-LAR LIQUID ERASER -- 7510-01-027-9129

=====
Product Identification
=====

Product ID:291 KOH=I-LAR LIQUID ERASER
MSDS Date:05/27/1994
FSC:7510
NIIN:01-027-9129
Status Code:A
MSDS Number: CLBDD
=== Responsible Party ===
Company Name:KOH-I-NOOR RAPIDOGRAPH INC
Address:100 NORTH STREET
City:BLOOMSBURY
State:NJ
ZIP:08804-9501
Country:US
Info Phone Num:908-479-412
4
Emergency Phone Num:00000000000
CAGE:75364
=== Contractor Identification ===
Company Name:KOH-I-NOOR RAPIDOGRAPH INC
Address:100 NORTH STREET
Box:City:BLOOMSBURY
State:NJ
ZIP:08804-9501
Country:US
Phone:908-479-4124
CAGE:75364

=====
Composition/Information on Ingredients
=====

Ingred Name:N-BUTYL ALCOHOL
CAS:71-36-3
RTECS #:EO1400000
= Wt:5.
OSHA PEL:100 PPM
ACGIH STEL:C50 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:AMMONIUM HYDROXIDE
CAS:1336-21-6
RTECS #:BQ

9625000
= Wt:2.
ACGIH TLV:25 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:WATER
CAS:7732-18-5
RTECS #:ZC0110000
= Wt:93.

=====
===== Hazards Identification =====

LD50 LC50 Mixture:LD50 ORAL-RAT GREATER THAN 5G/KG
Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO
Health Hazards Acute and Chronic:IRRITATION OF EYES, SKIN, RESPIRATORY
TRACT, MUCOUS MEMBRANES FROM ACUTE EXPOSURE
Effects of Overexposure:REDNESS OR EYES, NOSE AND SKIN.

=====
===== First Aid Measures =====

First Aid:INGESTION: DRINK 1-2 GLASSES OF WATER TO DILUTE, CONSULT
PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY. SPLASHES SKIN OR
EYES: FLUSH WITH COUPOUS AMOUNTS OF WATER. INHALATION: REMOVE TO
FRESH AIR.

=====
===== Fire Fighting Measures =====

Flash Point:=47.8C, 118.F
118 F ASM D56
Extinguishing Media:LIQUID WILL NOT BURN OR SUPPORT COMBUSTION

=====
===== Accidental Release Measures =====

Spill Release Procedures:RINSE AWAY WITH WATER.

=====
===== Handling and Storage =====

Other Precautions:KEEP FROM FREEZING

=====
===== Exposure Controls/Personal Protection =====

Ventilation:MECHANICAL
Protective Gloves:NOT REQUIRED
Eye Protection:PROTECTION SPLASHING INTO EYES
Work Hygienic Practices:GOOD INDUSTRIAL HYGIENE
Supplemental Safety and Health

=====
===== Physical/Chemical Properties =====

Boili

ng Pt:=104.4C, 220.F

B.P. Text:220 F

Melt/Freeze Pt:=-1.5C, 29.F

M.P/F.P Text:29 F

Spec Gravity:.99

Evaporation Rate & Reference:LIKE WATER

Solubility in Water:COMPLETE

Appearance and Odor:CLEAR COLORLESS LIQUID ODOR PRIMARILY FROM BUTANOL

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

STRONG OXIDIZERS

===== Disposal Considerations =====

Waste Disposal Methods:BURY, INCINERATE OR RUN INTO SEWE

R IN ACCORDANCE

WITH ALL LEGAL REGULATIONS.

===== Regulatory Information =====

SARA Title III Information:N-BUTYL ALCOHOL

State Regulatory Information:

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for
its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.