

AMETIK, INC/HAVEG DIVISION -- SILTEMP 188 CH -- 5640-01-086-4223

=====
Product Identification
=====

Product ID:SILTEMP 188 CH
MSDS Date:04/01/1991
FSC:5640
NIIN:01-086-4223
Status Code:A
MSDS Number: CLBGX
=== Responsible Party ===
Company Name:AMETIK, INC/HAVEG DIVISION
Address:900 GREENBANK ROAD
City:WILMINGTON
State:DE
ZIP:19808
Country:US
Info Phone Num:302-995-0400
Emergency Phone Num:302-99
5-0496
CAGE:UO012
=== Contractor Identification ===
Company Name:AMETIK, INC/HAVEG DIVISION
Address:900 GREENBANK ROAD
Box:City:WILMINGTON
State:DE
ZIP:19808
Country:US
Phone:302-995-0400
CAGE:UO012

=====
Composition/Information on Ingredients
=====

Ingred Name:AMORPHOOUS SILICA
CAS:7631-86-9
= Wt:96.
ACGIH TLV:10 MG/M3

=====
Hazards Identification
=====

Health Hazards Acute and Chronic:THER IS NO ESTABLISHED THRESHOLD LIMIT
VALUE THAT

APPLIES SPECIFICALLY TO SILTEMP. CHEMICALLY, SILTEMP IS AMORPHOUS SILICA WHICH HAS A TLV OF 10MG/M3 AS ESTABLISHED BY THE ACGIH. DUST MADE BY BREAKING SILTEMP TEXTILE FIBERS VARIOUS FIBER LENGTHS A WITH DIAMETERS RANGING FROM 6 TO 13 MICRONS. THESE FIBERS ARE TERMED AS NON-RESPIRABLE BECAUSE THE FIBER DIAMETERS ARE GREATER THAN 4 MICRONS THE LARGES FIBER DIAMETER CONSIDERED TO BE RESPIRABLE.

Effects of Overexposure:EYE, SKIN, THROAT AND NOSE IRRITATION.

Medical Cond Agg

ravated by Exposure:SKIN HYPERSINSITIVITY

=====
First Aid Measures
=====

First Aid:REMOVE FROM THE EXPOSED AREA. FLUSH EYES WITH. WASH SKIN WITH MILD SOAP AND WATER. GET MEDICAL ATTENTION IF CONDITIONS PERSIST.

=====
Fire Fighting Measures
=====

Unusual Fire/Explosion Hazard:THE BASE SILICA MATRIAL IS NONCOMBUSTIBLE. THE ORGANIC COATED SILICA MATERIAL IS SELF-EXTINGUISHING. HOWEVER AROUND 1000 THE COATING MA Y GENERATE SOME LIGHT SMOKE FOR A BRIDF PERIOD OF TIME.

=====
Exposure Controls/Personal Protection
=====

Work Hygienic Practices:USE GOOD PERSONAL HYGIENE WHICH INCLUDES THE USE PROTECTIVE CREAMS.

Supplemental Safety and Health

=====
Physical/Chemical Properties
=====

Boiling Pt:>-16.1C, 3.F

B.P. Text:>3.000 F

Spec Gravity:2.2

Appearance and Odor:OFF WHITE BROWN NO ODOR

=====
Stability and Reactivity Data
=====

Stability Indicator/Materials to Avoid:YES

BASIC PHOSPHATES, HYDROFLURIC ACID, SOME OXIDIDES AND HYDROXIDES.

Hazardous Decomposition Products:OXIDATION OF THE ORGANIC COATING PRODUCT CARBON MONOXIDE AND CARBON DIOXIDE.

=====
Disposal Considerations
=====

Waste Disposal Methods:APPROVED LANDFILL

=====
Other Information
=====

Disclaimer (provided with this information by the compiling agencies):

This information is f

ormulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.