

LABBCO INC -- LASSO BLEACH -- 6810-00-598-7316

=====
Product Identification
=====

Product ID:LASSO BLEACH
MSDS Date:07/16/1996
FSC:6810
NIIN:00-598-7316
Status Code:A
MSDS Number: CLBVT
=== Responsible Party ===
Company Name:LABBCO INC
Address:2903 DUPREE CIR
City:HOUSTON
State:TX
ZIP:77054-5000
Country:US
Info Phone Num:713-747-8710
Emergency Phone Num:1-800-255-3924
Preparer's Name:C. BENNING
C
AGE:00QA8
=== Contractor Identification ===
Company Name:LABBCO INC
Address:2903 DUPREE CIR
Box:City:HOUSTON
State:TX
ZIP:77054-5000
Country:US
Phone:713-747-9133
CAGE:00QA8

=====
Composition/Information on Ingredients
=====

Ingred Name:SODIUM HYPOCHLORITE
CAS:7681-52-9
RTECS #:NH3486300
Minimum % Wt:5.3
Maximum % Wt:5.7
EPA Rpt Qty:100 LBS
DOT Rpt Qty:100 LBS

Ingred Name:SODIUM HYDROXIDE
CAS:1310-73-2
RTECS #:WB4900000
Minimum % Wt:.3
Maximum % Wt:.5
EPA Rpt Qty:1000 LBS
DO

T Rpt Qty:1000 LBS

=====
===== Hazards Identification =====
=====

Health Hazards Acute and Chronic:SKIN AND EYE IRRITANT: MAY CAUSE BURNS AND/OR RASH ON SKIN AND MUCOUS MEMBRANES. BLEACHES SKIN AND HAIR.
Medical Cond Aggravated by Exposure:

=====
===== First Aid Measures =====
=====

First Aid:EYES: FLUSH EYES WITH FLOWING WATER FOR AT LEAST 15 MINUTES. GET PROMPT MEDICAL ATTENTION. SKIN: IMMEDIATELY REMOVE CONTAMINATED CLOTHING AND WASH EXPOSED AREA WITH LARGE AMOUNTS OF WATER. THOROUGHLY WASH CONTAMINATED CLOTHING BEFORE WEARING AGAIN. INGESTION: MAY CAUSE NAUSEA & VOMITING. GIVE 2-3 GLASSES OF WATER ONLY. DO NOT INDUCE VOMITING. SEEK MEDICAL ATTENTION IMMEDIATELY IF INGESTED. INHALATION OF CONC. VAPORS: REMOVE FROM EXPOSURE. GIVE MOIST OXYGEN. CPR CAN BE GIVEN IF NEEDED OR BREATHING PROBLEMS DEVELOP. TRANSPORT TO A HOSPITAL.

=====
===== Fire Fighting Measures =====
=====

Extinguishing Media:FLOOD WITH WATER
Fire Fighting Procedures:WEAR APPROVED RESPIRATOR, FLAME RESISTANT CLOTHING AND EYE PROTECTION.
Unusual Fire/Explosion Hazard:COOL CONTAINERS TO PREVENT RUPTURE AND RELEASE OF CHLORINE GAS.

=====
===== Accidental Release Measures =====
=====

Spill Release Procedures:WASH SPILLS WITH PLENTY OF WATER INTO A HOLDING TANK FOR NEUTRALIZATION AND DISPOSAL. USE LOW PRESSURE WATER SPRAY. OBSERVE LOCAL, STATE AND FEDERAL REGULATIONS FOR PROPER DISPOSAL PROCEDURES.

=====
===== Handling and Storage =====
=====

Handling and Storage Precautions:STORE AWAY FROM ORGANIC AND INORGANIC AMINES, ACIDS, AMMONIA. STORE IN WELL VENTILATED AREAS. KEEP IN A COOL DRY PLACE. AVOID BREATHING FUMES AND SKIN OR EYE CONTACT WITH LIQUID.

=====
===== Exposure Controls/Personal Protection =====
=====

Ventilation:SPOT VENTILATION OR MECHANICAL VENTILATION TO MAINTAIN VAPORS BELOW PER

MISSIBLE WORKER EXPOSURE LEVEL.

Protective Gloves:PVC, RUBBER OR OTHER IMPERVIOUS MATERIAL.

Eye Protection:CHEMICAL SPLASHPROOF GOGGLES.

Other Protective Equipment:PVC, RUBBER, OR OTHER IMPERVIOUS MATERIAL
APRONS MAY BE USED TO PREVENT SPLASHING ON USERS. PVC HATS AND
CLOSED SHOES MAY BE USED DEPENDING ON EXPOSURE CONDCTIONS.

Work Hygienic Practices:USE NORMAL GOOD HOUSEKEEPING PROCEDURE WHEN
HANDLING AND DISPENSING OF THIS PRODUCT.

Supplemental Safety and Health

=====

Physical/Chemical Properties =====

Boiling Pt.=35.C, 95.F

B.P. Text:95F/35C

Vapor Pres:LIKE WATER

Vapor Density:AIR=1

Volatile Org Content %:89

Spec Gravity:1.08

pH:11.5-12.4

Evaporation Rate & Reference:WATER=1

Solubility in Water:COMPLETE

Appearance and Odor:THIN YELLOWISH-GREEN CLEAR LIQUID-MILD CHLORINE OD

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

ACID OR AMMONIA CONTAINING PRODUCTS, RUST REMOVERS, TOI
LET BOWL

CLEANERS, FECEs. DO NOT USE OR MIX WITH ANY OTHER HOUSEHOLD
CHEMICALS.

Stability Condition to Avoid:REACTS VIOLENTLY WITH ORGANIC AND
INORGANIC AMINES, ACIDS, AMMONIA BOWL CLEANERS ETC.

Hazardous Decomposition Products:PRODUCEs ENVOLED CHLORAMINES AND
CHLORINE GASES IF MIXED WITH AFORE MENTIONED PRODUCTS.

===== Disposal Considerations =====

Waste Disposal Methods:WASH SMALL INCIDENTAL SPILLS TO SWEAR WITH
WATER. DIKE LARGE SPILLS.

ABSORB WITH OIL-DRI OR SIMILAR INERT MATERIAL. SWEEP OR SCRAPE UP AND CONTAINERIZE IN INERT(POLYETHYLENE) CONTAINER. RINSE AFFECTED AREA WITH WATER.

===== MSDS Transport Information =====

Transport Information: DOT PROPER SHIPPING NAME: HYPOCHLORITE SOLUTIONS WITH MORE THAN 5 PERCENT BUT LESS THAN 16 PERCENT AVAILABLE CHLORINE. DOT ID NUMBER: UN 1791. DOT HAZARD CLASS: 8 PACKAGING GROUP: III DOT LABEL REQUIRED: CORROSIVE.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.