View NSN Online: https://aerobasegroup.com/nsn/6850-01-371-8048

SENTRY CHEMICAL INC

-- 0632, ELECTRON AEROSOL

MSDS Safety Information

______ _____

FSC: 6850

NIIN: 01-371-8048 MSDS Date: 12/23/1992

MSDS Num: CLCCL

Product ID: 0632, ELECTRON AEROSOL

MFN: 01

Responsible Party Cage: 8S927

Name: SENTRY CHEMICAL CO INC Address: 1481 ROCK MOUNTAIN BLVD

Box: 748 City: ST

ONE MOUNTAIN GA 30086

Info Phone Number: 770-934-4242

Emergency Phone Number: 800\877-3339OR800/886-8240

Proprietary Ind: Y Review Ind: Y Published: Y

Contractor Summary

Cage: NO580

Name: ECOLINK, INC.

Address: 1481 ROCK MOUNTAIN BLVD. City: STONE MOUNTAIN GA 30086

Phone: 800-886-8240

Cage: 8S927

Name: SENTRY CHEMICAL CO INC Address: 1481 ROCK MOUNTAIN BLVD

Box: 748

City: STONE MOUNTA

IN GA 30086

Phone: 770-934-4242

Item Description Information

Item Manager: S9G

Item Name: CLEANING COMPOUND, SOLVENT

Unit of Issue: BX

Quantitative Expression: 00000000012EA

UI Container Qty: 1

Type of Container: AEROSOL CAN

Ingredients

Name: *** PROPRIETARY ***

Health Hazards Data

LD50 LC50 Mixture: NO DATA PROVIDED BY MANUFACTURER

Route Of Entry Inds - Inhalation: YES

Skin: YES Ingestion: YES

Carcinogenicity Inds - NTP: NO

IARC: NO OSHA: NO

Effects of Exposure: INGESTION: CAN CAUSE GASTROINTESTINAL IRRITATION, NAUSEA, VOMITING. INHALATION: ASPIRATION INTO LUNGS MAY CAUSE INJURY. EXCESSIVE

INHALATION OF VAPORS MAY CAU

SE DIZZINESS OR HEADACHE. THIS PRODUCT HAS A LOW

VAPOR PRESSURE AND IS NOT EXPECTED TO PRESENT AN INHALATION HAZARD AT AMBIENT CONDITIONS. CAUTION SHOULD BE TAKEN TO PREVENT AEROSOLIZATION OR MISTING WITHOUT TAKING SPECIFIC PRECAUTIONS. EYES: EXPOSURE TO HIGH CONCENTRATION OF VAPORS MAY CAUSE SLIGHT IRRITATION. SKIN CONTACT: PROLONGED OR REPEATED EXPOSURE MAY CAUSE EXCESSIVE DRYING OR FLAKING SKIN.

Explanation Of Carcinogenicity: NO DATA PROVIDED BY MANUFACTURER

Signs And Symptions O

f Overexposure: INGESTION: NAUSEA, VOMITING. INHALATION:

DIZZINESS OR HEADACHE. SKIN: REPEATED LONG TERM CONTACT MAY CAUSE EXCESSIVE DRYING OR FLAKING OF SKIN.

Medical Cond Aggravated By Exposure: NO DATA PROVIDED BY MANUFACTURER.

First Aid: INGESTION: DO NOT INDUCE VOMITING. PRODUCT CONTAINS HYDROCARBON, CALL PHYSICIAN. INHALATION: REMOVE TO FRESH AIR. IF BREATHING DIFFICULT, GIVE OXYGEN, CALL PHYSICIAN. EYES: IRRIGATE IMMEDIATELY WITH W ATER FOR AT LEAST 15 MINUTES. CALL A PHYSICIAN.

SKIN: WASH OFF IN FLOWING WATER OR SHOWER USING

SOAP AND WATER. REMOVE CONTAMINATED CLOTHING AND WASH BEFORE REUSE.

Handling and Disposal

Spill Release Procedures: SMALL SPILL: REMOVE ALL SOURCES OF IGNITION! ABSORB LIQUID ON ABSORBENT MATERIAL. LARGE SPILL: REMOVE ALL SOURCES OF IGNITION. PERSONS NOT WEARING PROTECTIVE EQUIPMENT SHOULD BE EXCLUDED FROM AREA. DI KE AREA OF SPI

LL TO PREVENT SPREADING, THEN BEGIN PUMPING INTO A STORAGE OR RECYCLING TANK/DRUM. PREVENT RUNOFFS TO SEWERS, STREAMS OR OTHER BODIES OF WATER. IF RUNOFF OCCURS, NOTIFY PROPER AUTHORITIES.

Neutralizing Agent: NO DATA PROVIDED BY MANUFACTURER

Waste Disposal Methods: TREAT AS A SIMPLE OIL WASTE. INCINERATE OR LANDFILL IN MANNER CONFORMING TO STATE, FEDERAL AND LOCAL REGS.

Handling And Storage Precautions: STORE AS LEVEL 3 AEROSOL (NFPA 30B). STORE AWAY FROM IGNITION SOURCES AND AVOID BREATHI

NG VAPORS.

Other Precautions: NO DATA PROVIDED BY MANUFACTURER.

Fire and Explosion Hazard Information

Flash Point Method: TCC Flash Point: =43.3C, 110.F Lower Limits: 0.7(VOL 70F) Upper Limits: 6.0(VOL 70F)

Extinguishing Media: REGULAR FOAM, CO2 OR DRY CHEMICALS.

Fire Fighting Procedures: FIGHT AS A HYDROCARBON FIRE. WEAR SELF-CONTAINED,

NIOSH APPROVED, BREATHING APPARATUS.

Unusual

Fire/Explosion Hazard: AEROSOL CAN WILL BURST IF EXPOSED TO HEAT OF

FIRE.

Control Measures

Respiratory Protection: NOT REQUIRED UNDER CONDITIONS OF NORMAL USE. IF VAPOR MIST IS GENERATED, USE A NIOSH CERTIFIED ORGANIC VAPOR RESPIRATOR WITH A DUST AND MIST FILTER.

Ventilation: LOCAL EXHAUST/HOOD OR FAN. MECHANICAL: NONE REQUIRED.

Protective Gloves: RUBBER GLOVES ARE RECOMMENDED.

Eye Protection: SAFETY GLASSES ARE RECOMMENDED.

Other Protective Equipment: NONE REQUIRED.

Work Hygienic Practices: USE WITH ADEQUATE VENTILATION. WASH HANDS AFTER USE. Supplemental Safety and Health: NOTE: ELECTRON AEROSOL DIELECTRIC SOLVENT IS FLAMMABLE (FLASHPOINT BELOW 200F). HANDLE WITH CARE AROUND OPEN FLAME OR

HEATED SURFACES. DO NOT USE AROUND HOT WORK!

Physical/Chemical Properties

========

HCC: V2

Boiling Point: =160.C, 320.F

M.P/F.P Text: N.A.

Vapor Pres: <3 (MMHG) Vapor Density: 5.0(AIR=1) Spec Gravity: 0.784(H20=1)

Evaporation Rate & Evaporation R

Solubility in Water: NEGLIGIBLE

Appearance and Odor: CLEAR, COLORLESS LIQUID WITH MILD CITRUS ODOR.

Reactivity Data

Stability Indicator: YES

Stability Condition To Avoid: EXCESSIVE HEA

T.

Materials To Avoid: AVOID CONTACT WITH STRONG OXIDIZING AGENTS.

Hazardous Decomposition Products: OXIDES OF CARBON MAY BE FORMED UPON

COMBUSTION.

Hazardous Polymerization Indicator: NO

Conditions To Avoid Polymerization: WILL NOT OCCUR.

Toxicological Information

Toxicological Information: NO DATA PROVIDED BY MANUFACTURER.

Ec

ological Information

Ecological: NO DATA PROVIDED BY MANUFACTURER.

MSDS Transport Information

Transport Information: NO DATA PROVIDED BY MANUFACTURER.

Regulatory Information

Sara Title III Information: ELECTRON AEROSO

L DIELECTRIC SOLVENT, IN ITS

PURCHASED FORM, IS NOT REGULATED UNDER SARA TITLE SECTIONS 311 & amp; 312. Federal Regulatory Information: THIS PRODUCT CONTAINS HIGHLY REFINED ALIPHATIC

HYDROCARBONS AND TERPENES, WHICH ARE NOT CONSIDERED HAZARDOUS OR RESTRICTED

BY EPA RCRA.

State Regulatory Information: NO DATA PROVIDED BY MANUFACTURER.

Other Information

Other Information: PEL & DEL &

TLV FOR THIS PRODUCT AS OIL MIST IS 5 MG/M3.

EXPOSURES BELOW 5 MG/M3 APPEAR TO BE WITHOUT ANY SIGNIFIGANT HEALTH RISK.

Transportation Information

Responsible Party Cage: 8S927

Trans ID NO: 156785

Product ID: 0632, ELECTRON AEROSOL

MSDS Prepared Date: 12/23/1992

Review Date: 04/19/2001

MFN: 1

Tech Entry NOS Shipping Nm: ALIPHATIC HYDROCARBONS, TERPENES

Net Unit Weight: 0.8 LB

Multip

le KIT Number: 0 Unit Of Issue: BX Container QTY: 1

Type Of Container: AEROSOL CAN

Additional Data: SHIPPING NAME IS PER SAMMS-CTDF/PID. TECH NOS NAME IS BEST

GUESS BY DLA- STAFF.

Detail DOT Information

DOT PSN Code: AGC

DOT Proper Shipping Name: AEROSOLS, FLAMMABLE, DOT PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)

Hazard Class: 2.1 UN ID Num: UN1950 Label: FLAMMABLE GAS

Special

Provision: N82

Non Bulk Pack: NONE Bulk Pack: NONE Max Qty Pass: 75 KG Max Qty Cargo: 150 KG Vessel Stow Reg: A

Water/Ship/Other Req: 40,48,85

Detail IMO Information

IMO PSN Code: AKD

IMO Proper Shipping Name: AEROSOLS o

IMDG Page Number: 2102

UN Number: 1950 UN Hazard Class: 2(T) IMO Packaging Group: -Subsidiary Risk Label: T EMS Number: 2-13

MED First Aid Guide NUM: 620

========

Detail IATA Information

IATA PSN Code: ALS IATA UN ID Num: 1950

IATA Proper Shipping Name: AEROSOLS, FLAMMABLE IATA PSN Modifier: (EACH NOT EXCEEDING 1 L CAPACITY)

IATA UN Class: 2.1

IATA Label: FLAMMABLE GAS Packing Note Passenger: 203 Max Quant Pass: 75KG

Max Quant Pass: 75KG
Max Quant Cargo: 150KG
Packaging Note Cargo: 203

Detail AFI Information

========

AFI PSN Code: ALR

AFI Symbols: *

AFI Proper Shipping Name: AEROSOLS, FLAMMABLE, N.O.S. AFI PSN Modifier: (EACH NOT EXCEEDING 1L CAPACITY)

AFI Hazard Class: 2.1 AFI UN ID NUM: UN1950 Special Provisions: P4 Back Pack Reference: A6.3

HAZCOM Label

Product ID: 0632, ELECTRON AEROSOL

Cage: 8S927

Company Name: SENTRY CHEMICAL CO INC

Street: 1481 R

OCK MOUNTAIN BLVD

PO Box: 748

City: STONE MOUNTAIN GA

Zipcode: 30086

Health Emergency Phone: 800\877-3339OR800/886-8240

Label Required IND: Y

Date Of Label Review: 04/19/2001

Status Code: A
Origination Code: F
Eye Protection IND: YES
Skin Protection IND: YES
Signal Word: DANGER

Respiratory Protection IND: NO

Health Hazard: Moderate Contact Hazard: Slight Fire Hazard: Severe Reactivity Hazard: None

Hazard And Precautions: FLAMMABLE! TARGET ORGANS: N/P. HEALTH HAZARDS:

INGESTION: CAN CAUSE GASTR

OINTESTINAL IRRITATION, NAUSEA, VOMITING.

INHALATION: ASPIRATION INTO LUNGS MAY CAUSE INJURY. EXCESSIVE INHALATION OF VAPORS M AY CAUSE DIZZINESS OR HEADACHE. CAUTIONSHOULD BE TAKEN TO PREVENT AEROSOLIZATION OR MISTING WITHOUT TAKING SPECIFIC PRECAUTIONS. EYES: EXPOSURE TO HIGH CONCENTRATION OF VAPORS MAY CAUSE SLIGHT IRRITAT ION. SKIN CONTACT: PROLONGED OR REPEATED EXPOSURE MAY CAUSE EXCESSIVE DRYING OR FLAKING SKIN.

Disclaimer

(provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liabili

ty for such use. Any person

utilizing this instruction who is not a military or civilian employee of the United States of America should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.