View NSN Online: https://aerobasegroup.kr/nsn/6750-00-357-7422

EASTMAN KODAK COMPANY -- 185 5501, WKG SOL, KODAK EA-5 STABILIZER AND REPLENISHER -- 6750-00-357-7422

Product ID:185 5501, WKG SOL, KODAK EA-5 STABILIZER AND REPLENISHER MSDS Date:09/30/2000 FSC:6750 NIIN:00-357-7422 Status Code:A **MSDS Number: CLDFD** === Responsible Party === Company Name: EASTMAN KODAK COMPANY Address:343 STATE STREET City:ROCHESTER State:NY ZIP:1 4650 Country:US Info Phone Num:716-477-3194 FOR MSDS : 242-2424 Emergency Phone Num:716-722-5151 Preparer's Name:NOT PROVIDED CAGE:19139 === Contractor Identification === Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS Address:343 STATE ST Box:City:ROCHESTER State:NY ZIP:14650-1115 Country:US Phone:716-722-5151/(800) 242-2424 CAGE:19139

Ingred Name:WATER CAS:7732-18-5 RTECS #:ZC0110000 > Wt:99. Other REC Limits: NOT PROVIDED Code:F Code:F

Ingred Name:FORMALDEHYDE CAS:50-00-0 RTECS #:LP8925000 = Wt:.2 Other REC Limits:NOT PROVIDED OSHA PEL:SEE 1910.1048 ACGIH STEL:C0.37 MG/M3;C0.3 PPM EPA Rpt Qty:100 LBS DOT Rpt Qty:100 LBS

Ingred Name:METHANOL CAS:67-56-1 RTECS #:PC1400000 = Wt:.1 Other REC Limits:NOT PROVIDED OSHA PEL:260 MG/M3;200 PPM ACGIH TLV:262 MG/M3;200 PPM ACGIH STEL:328 MG/M3;250 PPM EPA Rpt Qty:5000 LBS DOT Rpt Qty:5000 LBS

=

LD50 LC50 Mixture:NOT PROVIDED

Reports of Carcinogenicity:NTP:YES IARC:YES OSHA:YES

Health Hazards Acute and Chronic:INHALATION: FORMALDEHYDE IS DETECTABLE BY MOST PEOPLE AT LEVELS BELOW 1 PPM. IT PRODUCES MILD SENSORY IRRITATION OF THE EYES, NOSE AND THROAT. AT 2-5 PPM, BECOMES UNPLEASANT AT 5-10 PPM, AND IS INTOLE RABLE AT HIGHER CONCENTRATIONS. EXPOSURE TO FORMALDEHYDE MAY CAUSE RESPIRATORY SENSITIZATION IN SOME INDIVIDUALS OR AGGRAVATE PRE-EXISTING ASTHMATIC C

ONDITIONS. EYES: CAUSES IRRITATION. VAPOR CAUSES E YE IRRITATION AND TEARING. SKIN: CAUSES IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION. INGESTION: EXPECTED TO BE A LOW INGESTION HAZARD.

Explanation of Carcinogenicity:AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS (ACGIH) (FORMALDEHYDE): SUSPECTED HUMAN CARCINOGEN (A2) - INTERNATIONAL AGENCY RESEARCH ON CANCER (IARC) (FORMALDEHYDE): 2A NATIONAL TOXICOLO GY PROGRAM (NTP) (FORMALDEHYDE): REASONABLY ANTICIPATED CA RCINOGEN (2) -OCCUPATIONAL SAFETY AND HEALTH ADMINISTR (OSHA) (FORMALDEHYDE): POTENTIAL CANCER HAZARD

- Effects of Overexposure:INHALATION: FORMALDEHYDE IS DETECTABLE BY MOST PEOPLE AT LEVELS BELOW 1 PPM. IT PRODUCES MILD SENSORY IRRITATION OF THE EYES, NOSE AND THROAT. EYES: CAUSES IRRITATION. VAPOR CAUSES EYE IRRITATION AND TEARING. SKIN: CAUSES IRRITATION. MAY CAUSE ALLERGIC SKIN REACTION.
- Medical Cond Aggravated by Exposure:EXPOSURE TO FORMALDEHYDE MAY CAUSE RESPIR
- ATORY SENSITISATION IN SOME INDIVIDUALS OR AGGRAVATE PRE-EXISTING ASTHMATIC CONDITIONS.

First Aid:INHALATION: MOVE TO FRESH AIR. TREAT SYMPTOMATICALLY. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION. SKIN: IMMED IATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES WHILE REMOVING CONTAMINATED CLOTHING AND SHOES. IF S KIN

IRRITATION OR AN ALLERGIC SKIN REACTION DEVELOPS, GET MEDICAL ATTENTION. WASH CONTAMI NATED CLOTHING BEFORE REUSE. DESTROY OR THOROUGHLY CLEAN CONTAMINATED SHOES. INGESTION: DRINK 1-2 GLASSES OF WATER. SEEK MEDICAL ATTENTION. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

Flash Point:NONE Extinguishing Media:USE APPROPRIATE AGENT FOR ADJACENT FIRE. Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS. Unusual Fire/Explosion Hazard:NONE.

Spill Release Procedures: FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN A CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE THOROUGHLY TO REMOVE RESIDUAL CONTAMINATION. Neutralizing Agent

## :NOT PROVIDED

Handling and Storage Precautions: KEEP CONTAINER CLOSED.

Other Precautions: AVOID BREATHING VAPOR AT CONCENTRATIONS GREATER THAN THE EXPOSURE LIMITS. AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING.

Respiratory Protection: IF FORMALDEHYDE IS EMITTED AT LEVELS REQUIRING RESPIRAT

ORY PROTECTION, WORN: FULL FACEPIECE WITH CARTRIDGES OR CANISTERS SPECIFICALLY APPROVED BY NIOSH FOR PROTECTION AGAINST FORMALDEHYDE OR A TYPE C AIR-SUPPLIED RESPIRATOR DEMAND TYPE, WITH FULL FACEPIECE, HOOD, OR HELMET. OBSERVE OSHA STANDARD 29CFR 1910.134 AND 29CFR 1910.1048.

Ventilation: GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES PER HOUR) SHOULD BE USED. VENTILATION RATES SHOULD BE MATCHED TO CONDITIONS.

Protective Gloves:WEAR IMPERVIOUS GLOVES AND PROTECTIVE CLOTHING

APPROPRIATE FOR RISK OF EXPOSURE

Eye Protection:WEAR SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES).

Other Protective Equipment: EYE BATH, WASHING FACILITIES, SAFETY SHOWER. FOLLOWING GLOVES HAVE BEEN SHOWN TO BE IMPERVIOUS UNDER THE

INDICATED CONDITIONS: NEOPRENE RUBBER, NITRILE RUBBER. Work Hygienic Practices:SKIN CONTACT WITH LIQUIDS CONTAINING 0.1 PERCENT/MORE FORMALDEHYDE SHOULD BE PREVENTED BY CHEMICAL

PROTECTIVE CLOTHING MADE OF MATERIAL IMPERVIOUS TO FORMALDEH YDE AND

OTHER PERSONAL PROTECTIVE EQUIP.

Supplemental Safety and Health

USE PROCESS ENCLOSURES, LOCAL EXHAUST VENTILATION, OR OTHER ENGINEERING CONTROLS TO MAINTAIN AIRBORNE LEVELS BELOW RECOMMENDED EXPOSURE LIMITS. ABBREVIATION: N/A = NOT APPLICABLE. N/AV = NOT AVAILABL E. N/K = UNKNOWN. N/P = NOT PROVIDED. N/R = NOT RELEVANT. N/D = NOT DETERMINED. N/E = NOT ESTABLISHED.

HCC:N1 NRC/State Lic Num:NOT RELE VANT Boiling Pt:>100.C, 212.F Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED Decomp Temp:Decomp Text:NOT PROVIDED Vapor Pres:68F: 24 MBAR (18 MM HG) Vapor Density:0.6 Spec Gravity:0.90-1.10 pH:5.3-5.5 Viscosity:NOT PROVIDED Evaporation Rate & amp; Reference:NOT PROVIDED Solubility in Water:COMPLETE Appearance and Odor:CLEAR, COLORLESS LIQUID. SLIGHT ODOR. Percent Volatiles by Volume:100 WT Corrosion Rate:NOT PROVIDED

Stability Indica tor/Materials to Avoid:YES NONE WITH COMMON MATERIALS AND CONTAMINANTS WITH WHICH THE MATERIAL MAY REASONABLY COME INTO CONTACT. Stability Condition to Avoid:NOT PROVIDED Hazardous Decomposition Products:FORMALDEHYDE

Toxicological Information:INHALATION: FORMALDEHYDE IS DETECTABLE BY MOST PEOPLE AT LEVELS BELOW 1 PPM. IT PRODUCES MILD SENSORY IRRITATION OF THE EYES, NOSE AND THROAT AT 2-5 PPM, BECOMES UNPLEASANT

AT 5-10 PPM, AND IS INTOLER ABLE AT HIGHER CONCENTRATIONS. EXPOSURE TO FORMALDEHYDE MAY CAUSE RESPIRATORY SENSITIZATION IN SOME INDIVIDUALS OR AGGRAVATE PRE-EXISTING ASTHMATIC CONDITIONS. DATA FOR FORMALIN: ACUTE TOXICITY DAT A: ORAL LD-50 (RAT): 800 MG/KG. DERMAL LD-50: 270 MG/KG. SKIN IRRITATION: MODERATE IRRITATION EYE IRRITATION: SEVERE IRRITATION INHALATION LCLO (RAT): 250 PPM/4 HOUR(S), FORMALDE HYDE GAS

====== Ecological Informat

Ecological:THE FOLLOWING PROPERTIES ARE ESTIMATED FROM THE COMPONENTS OF THE PREPARATIONS. POTENTIAL TOXICITY: FISH LC50 MG/L: >100. DAPHNID EC50 MG/L: >100. ALGAL IC50 MG/L: >100. ORGANICS READILY DEGRAD ABLE (>70%): YES (7 DAYS). POTENTIAL BIOACCUMULATION: LOG POW 100.

Waste Disposal Methods:DISCHARGE, TREATMENT, OR DISPOSAL MAY BE SUBJECT TO NATIONAL, STATE, OR LOCAL LAW

S. FLUSH TO SEWER WITH LARGE AMOUNTS OF WATER. SINCE EMPTIED CONTAINERS RETAIN PRODUCT RESIDUE, FOLLOW LABEL WARNINGS E VEN AFTER CONTAINER IS EMPTIED.

Transport Information:FOR TRANSPORTATION INFORMATION REGARDING THIS PRODUCT CALL THE KODAK WORLDWIDE TRANSPORTATION HAZMAT HOT LINE: (716) 722-2400 BETWEEN 8 A.M. AND 5 P.M. (EASTERN STANDARD TIME), MONDAY THROUGH FR IDAY.

SARA Title III Information:CHEMICAL(S) SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OR TITLE III OF THE SUPERFUND AMENDMENTS AND REAUTHORIZATION ACT (SARA) OF 1986 AND 40 CFR PART 372: FORMALDEHYDE, METHANOL
Federal Regulatory Information:NOT PROVIDED
State Regulatory Information:MATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER: FORMALDEHYDE - MATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE ADVERSE REPR
ODUCTIVE EFFECTS: NONE

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to ve

rify and assume responsibility for the suitability of this information to their particular situation.