

MCGEAN-ROHCO INC -- CEE BEE C-105HF -- 6850-01-085-4664

=====
===== Product Identification =====

Product ID:CEE BEE C-105HF
MSDS Date:03/27/2001
FSC:6850
NIIN:01-085-4664
Status Code:A
MSDS Number: CLGMK
=== Responsible Party ===
Company Name:MCGEAN-ROHCO INC
Address:9520 E CEE BEE DR
City:DOWNEY
State:CA
ZIP:90241-5501
Country:US
Info Phone Num:562-803-4311/FAX: 562-803-6701
Emergency Phone Num:800-42
4-9300 703-527-3887
Resp. Party Other MSDS Num.:23018 REV 6
Chemtrec Ind/Phone:(800)424-9300
CAGE:71361

==== Contractor Identification ====

Company Name:MCGEAN-ROHCO INC
Address:9520 E CEE BEE DR
Box:City:DOWNEY
State:CA
ZIP:90241-5501
Country:US
Phone:562-803-4311/FAX: 562-803-6701
Contract Num:SP0411-01M-EP92
CAGE:71361

=====
===== Composition/Information on Ingredients =====

Ingred Name:METHYLENE CHLORIDE
CAS:75-09-2
RTECS #:PA8050000
Minimum % Wt:15.
Maximum % Wt:20.
OSHA PEL:25

PPM
ACGIH TLV:50 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:TOLUENE
CAS:108-88-3
RTECS #:XS5250000
Minumum % Wt:5.
Maxumum % Wt:10.
OSHA PEL:375 MG/M3
ACGIH TLV:375 MG/M3
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:AROMATIC PETROLEUM SOLVENT
CAS:8030-30-6
RTECS #:DE3030000
Minumum % Wt:50.
Maxumum % Wt:60.
OSHA PEL:400 MG/M3

Ingred Name:ALKYL BENZENE SULFONIC ACID
CAS:27176-87-0
RTECS #:DB6600000
Minumum % Wt:15.
Maxumum % Wt:20.
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000
LBS

===== Hazards Identification =====

Health Hazards Acute and Chronic:TARGET ORGANS: PANCREAS, SPLEEN,
LUNGS, LIVER, KIDNEY, EYES, SKIN, CVS, CNS. PRIMARY ENTRY ROUTES:
CONTACT AND INHALATION. ACTUE EFFECTS: IRRITATIONS, BURNS. CHRONIC
EFFECTS:Explanation of Carcinogenicity:METHYLENE CHLORIDE-SUSPECT
CARCINOGEN: YES. TOLUENE-SUSPECT CARCINOGEN: NO. AROMATIC PETROLEUM
SOLVENT-SUSPECT CARCINOGEN-NO. ALKYL BENZENE SULFONIC ACID-SUSPECT
C

ARCINOGEN-NO.

Effects of Overexposure: EYE CONTACT: IRRITATION OR BURNING. SKIN CONTACT: IRRITATION OR BURNING. INHALATION: HEADACHED, DIZZINESS, INGESTION: NAUSEA, SEVERE ABDOMINAL PAIN.

Medical Cond Aggravated by Exposure: DERMATITIS, LIVER AND KIDNEY DISEASES.

===== First Aid Measures =====

First Aid: EYE CONTACT: FLUSH WITH WATER FOR AT LEAST 15 MINUTES, GET MEDICAL ATTENTION. SKIN CONTACT: WASH OFF IN FLOWING WATER. WASH WITH SOAP AND WATER. INHALATION: REMOVE TO FRESH AIR. CALL A PHYSICIAN. INGESTION: IF CONSCIOUS, GIVE WATER TO DRINK. DO NOT INDUCE VOMITING. CALL A PHYSICIAN AND/OR TAKE TO EMERGENCY MEDICAL FACILITY.

===== Fire Fighting Measures =====

Flash Point Method: TCC

Flash Point: =65.C, 149.F

Lower Limits: 1%

Upper Limits: 6%

Extinguishing Media: WATER, CARBON DIOXIDE, FOAM.

Fire Fighting Procedures: WEAR FULL PROTECTIVE GEAR AND POSITIVE PRESSURE PROCEDURES: SELF-CONTAINED BREATHING APPARATUS.

Unusual Fire/Explosion Hazard: FLAMMABLE VAPOR-AIR MIXTURES POSSIBLE.

===== Accidental Release Measures =====

Spill Release Procedures: MOP, WIPE UP, OR SOAK UP IMMEDIATELY WITH ABSORBANTS. WEAR PROPER PROTECTIVE EQUIPMENT.

===== Handling and Storage =====

Handling and Storage Precautions: STORE IN A COOL, DRY, WELL VENTILATED AREA AT 32-90F. OPEN CONTAINERS SLOWLY AND WITH CAUTION IN ORDER TO

VENT IN CASE THERE IS PRESSURE BUILD UP.

Other Precautions: HAZARD SYMBOL CODES. NFPA: HEALTH=2, FLAMMABILITY=2, REACTIVITY=0. HMIS: : HEALTH=2, FLAMMABILITY=2, REACTIVITY=0.

===== Exposure Controls/Personal Protection =====

Respiratory Protection: IF TWA IS EXCEEDED, MUST BE NIOSH OR MSHA APPROVED.

Ventilation: SUFFICIENT TO KEEP BELOW TWA LIMITS.

Protective Gloves: NEOPRENE.

Eye Protection: CHEMICAL GOGGLES AND FACE SHIELD.

Other Protective Equipment: SUFFICIENT TO PREVEN

T SKIN CONTACT. EYE
WASH. SAFETY SHOWER.
Supplemental Safety and Health

===== Physical/Chemical Properties =====

HCC:C2
Boiling Pt:=90.C, 194.F
Melt/Freeze Pt:BUTYL ACETATE
Solubility in Water:EMULSIFIES
Appearance and Odor:CLEAR, REDDISH BROWN LIQUID. ODOR: SOLVENT
Percent Volatiles by Volume:80 WT

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS.
Stability Condition to Avoid:STABL
E
Hazardous Decomposition Products:OPEN FLAMES CAN CAUSE THERMAL
DEGRADATION GIVING OFF CHLORINE AND HYDROGEN CHLORIDE.
Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:SEND TO AN APPROVED WASTE DISPOSAL FACILITY.
FOLLOW ALL LOCAL, STATE AND FEDERAL REGULATIONS.

===== MSDS Transport Information =====

Transport Information:D.O.T. CLASS: 8.0. UN REGISTER: UN-3265.
IMCO
CLASS: 8.0. UN REGISTER: UN-3265.

===== Regulatory Information =====

SARA Title III Information:METHYLENE CHLORIDE-SARA 313 CHEMICAL.
TOLUENE-SARA 313 CHEMICAL.
Federal Regulatory Information:RCRA #(IF DISPOSED AS RECEIVED): D-002.
State Regulatory Information:

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elem

ents of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.