

PARKER-HANNIFIN CORP SEAL GROUP O-RING DIVISION -- 884-4 PARKER O-LUBE --
9150-01-081-8788

=====
===== Product Identification =====

Product ID:884-4 PARKER O-LUBE

MSDS Date:06/03/1998

FSC:9150

NIIN:01-081-8788

Status Code:A

MSDS Number: CLHLY

==== Responsible Party ===

Company Name:PARKER-HANNIFIN CORP SEAL GROUP O-RING DIVISION

Address:2360 PALUMBO DRIVE

Box:11751

City:LEXINGTON

State:KY

ZIP:40509

Coun

try:US

Info Phone Num:606-269-2351

Emergency Phone Num:606-269-2351

CAGE:02697

==== Contractor Identification ===

Company Name:PARKER-HANNIFIN CORP SEAL GROUP O-RING DIVISION

Address:2360 PALUMBO DRIVE

Box:11751

City:LEXINGTON

State:KY

ZIP:40509

Country:US

Phone:606-269-2351

CAGE:02697

Company Name:SDB CONSULTANTS LTD

Address:401 WHITNEY AVE SUITE 120

Box:City:GRETNA

State:LA

ZIP:70056

Country:US

Phone:504-366-9105

Contract Num:SP0450-01-M-LL49

CAGE:0PGK2

=====
===== Composition/Information o

n Ingredients =====

Ingred Name:PETROLEUM NAPHTHENIC OIL
CAS:64742-52-5
RTECS #:PY8035000
Minumum % Wt:70.
Maxumum % Wt:75.

Ingred Name:BARIUM SOAP-INSOLUBLE
CAS:68201-19-4
Minumum % Wt:25.
Maxumum % Wt:30.

===== Hazards Identification =====

Effects of Overexposure:EYES: MODERATE IRRITATION, REDNESS, TEARING.
SKIN: SLIGHT IRRITATION. SWALLOWING: GASTRIC INTESTINAL IRRITATION,
NAUSEA, VOMITING & DIARRHEA. INHALATION: UNKNOWN.

=====
===== First Aid Measures =====

First Aid:INGESTION: IMMEDIATELY DRINK 2 GLASSES WATER. SEEK MEDICAL
ATTENTION. EYES: FLUSH WITH LARGE AMOUNTS OF WATER, LIFT EYELIDS
OCCAISIONALLY. SEEK MEDICAL ATTENTION. SKIN: WASH EXPOSED AREA WITH
SOAP AND WATER. INHALATION: N/A.

===== Fire Fighting Measures =====

Flash Point Method:OC
Flash Point:=223.9C, 435.F
Extinguishing Media:CARBON DIOXIDE, FOAM AND DRY CHEMICAL.
Fire Fighting Pr
ocedures:WEAR SELF-CONTAINED BREATHING APPARATUS. WATER
OR FOAM MAY CAUSE FROTHING, WHICH CAN BE VIOLENT, ESPECIALLY IF
SPRAYED INTO CONTAINERS OF HOT BURING LIQUID.
Unusual Fire/Explosion Hazard:NEVER USE WELDINGOR CUTTING TORCH ON OR
NEAR (EVEN EMPTY) BECAUSE PRODUCT (EVEN JUST RESIDUE) CAN IGNITE
EXPLOSIVELY.

===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL: COLLECT IN BEAKER. LARGE SPILL:
PERSONS NOT WEARING PROTEC

TIVE EQUIPMENT SHOULD BE EXCLUDED FROM
SPILL AREA. SHOVEL MATERIAL INTO CONTAINER. REMAINING MATERIAL
TAKEN UP WITH ABSORBENT MAT ERIAL.

===== Handling and Storage =====

Handling and Storage Precautions:NORMAL PRECAUTIONS. AVOID FIRE
HAZARDS.

Other Precautions:NONE.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE REQUIRED UNDER NORMAL USE.

Ventilation:MECHANICAL (GENERAL) RECOMMENDED.

Protective Gl

oves:RESISTANT GLOVES SUCH AS NITRILE, NEOPRENE OR RUBBER.

Eye Protection:NOT REQUIRED UNDER NORMAL USE.

Other Protective Equipment:N/A.

Supplemental Safety and Health

TRADE NAME AND SYNONYMS: PARKER O-LUBE. CHEMICAL FAMILY: PETROLEUM
GREASE.

===== Physical/Chemical Properties =====

HCC:V6

Boiling Pt:=371.1C, 700.F

Spec Gravity: