View NSN Online: https://aerobasegroup.com/nsn/8030-01-118-4083

Product ID: POLYSULFIDE RUBBER COMPOUND PR1725 B-1/2 - BASE COMPOUND MSDS Date:07/24/1998 FSC:8030 NIIN:01-118-4083 Status Code:A MSDS Number: CLJLX === Responsible Party === Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDU STRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Info Phone Num:818-240-2060 Emergency Phone Num: (800) 424-9300 Preparer's Name: HENRY SIMMONS Chemtrec Ind/Phone:(800)424-9300 CAGE:83574 === Contractor Identification === Company Name: PRC-DESOTO INTERNATIONAL, INC. A PPG INDUSTRIES COMPANY Address:5430 SAN FERNANDO RD Box:1800 City:GLENDALE State:CA ZIP:91209 Country:US Phone:818-240-2060 CAGE:83574 ======== Composition/Information on Ingredien ts ============== Ingred Name: PHENOLIC RESIN CAS:28470-78-2 < Wt:5. Ingred Name: TITANIUM DIOXIDE CAS:13463-67-7 RTECS #:XR2275000 = Wt:5. OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3 Ingred Name:CALCIUM CARBONATE @ LIMESTONE CAS:1317-65-3 RTECS #: EV9580000 = Wt:30. OSHA PEL:15 MG/M3 ACGIH TLV:10 MG/M3

Ingred Name:TOLUENE

Ingred Name:ALKYL POLYSULFIDE POLYMER CAS:68426-28-8

- Effects of Overexposure: PHENOLIC RESIN EYES: IT MAY CAUSE IRRITATION, REDNESS AND TEARING. SKIN: ALLERGIC SKIN
- RASH IN SENSITIZED INDIVIDUALS. INGESTION: MAY CAUSE GASTROINTESTINAL IRRITATION.
- TOLUENE EYE: MAY CAUSE BUR NING, TEARING, AND REDDENING. SKIN: PROLONGED EXPOSURE
- MAY CAUSE DRYING AND CRACKING OF SKIN, AND POSSIBLE DERMATITIS. INHALATION: MAY
- CAUSE DIZZINESS, DROWSINESS AND FATIGUE. MAY CAUSE LIVER AND KI DNEY DAMAGE.
- INGESTION: MAY CAUSE DROWSINESS, DIZZINESS AND NAUSEA. EFFECTS OF LONG TERM (CHRONIC)
- EXPOSURE MAY CAUSE DISTURBANCE IN MEMORY, THINKING ABILITY, EMOTIONS AND
- COORDINATION.

- First Aid:EYES: FLUSH WITH WATER FOR 15 MINUTES. IF SYMPTOMS PERSIST, CONSULT A PHYSICIAN. SKIN:WASH WITH SOAP AND WATER. DO NOT USE SOLVENTS. CONSULT PHYSICIA
- N. INHALATION:REMOVE TO FRESH AIR. IF SYMPTOMS ARE PRESENT CONSULT A PHYSICIAN. INGESTION. CONSULT A PHYSICIAN.

Flash Point:>93.3C, 200.F

Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, FOAM, WATER. Fire Fighting Procedures:USE AIR SUPPLIED RESPIRATOR. USE WATER TO COOL HEAT EXPOSED CONTAINERS.

Unusual Fire/Explosion Hazard: HIGH TEMPERATURE MAY CAUSE PRESSURE BUILDUP IN CLOSED CONTAINERS..

====== A

Spill Release Procedures: SCOOP INTO CONTAINERS. CLEAN-UP RESIDUE WITH A SUITABLE SOLVENT.

Handling and Storage Precautions: WASH THOROUGHLY AFTER HANDLING AND BEFORE SMOKING OR EATING. AVOID INGESTION.

EMPTY DRUMS MAY CONTAIN EXPLOSIVE VAPORS. DO NOT CUT, PUNCTURE OR WELD ON OR NEAR

DRUM. VAPORS OF THIS PRODUCT ARE HEAVIE R THAN AIR AND MAY COLLECT IN LOW OR

CONFIN

ED AREAS.

Respiratory Protection:WHEN APPLYING IN ANY CIRCUMSTANCES LIKELY TO PRODUCE AIRBORNE LEVEL OF HAZARDOUS INGREDIENTS IN EXCESS OF TLV, USE A VAPOR CARTRIDGE OR AIR-SUPPLIED RESPIRATOR.
Ventilation:GENERAL VENTILATION TO MAINTAIN VAPORS BELOW TLV.
Protective Gloves:SOLVENT RESISTANT GLOVES.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:KEEP CONTAINER TIGHTLY CLOSED. DO NOT STORE ABOVE 120 DEG F.
GROUNDING AND BONDING PROCEDURE SHOULD BE FOLLOWED WHEN TRANSPORTING THIS MATERIAL.
Supplemental Safety and Health

Vapor Density:>AIR Spec Gravity:1.6 VOC Pounds/Gallon:55 Evaporation Rate & amp; Reference:NON VOLATILE Appearance and Odor:WHITE PASTE Percent Volatiles by Volume:5

Stability Indicator/Materials to Avoid:YES STRONG OXIDIZING AGENTS Stabili ty Condition to Avoid:NOT KNOWN Hazardous Decomposition Products:OXIDES OF CARBON AND NITROGEN, SULFUR DIOXIDE, TRACES OF HYDROGEN SULFIDE

Waste Disposal Methods:NOT A HAZARDOUS WASTE ACCORDING TO EPA REGULATIONS. CONSULT STATE REGULATIONS PRIOR TO DISPOSAL TO DISPOSAL OF SPILLAGE.

Disclaimer (provided with this information by the compiling agencies ):

This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.