

ADVANCED CHEMISTRY & TECHNOLOGY -- AC-236 ACCELERATOR -- 8030-00-753-4599

=====  
Product Identification  
=====

Product ID:AC-236 ACCELERATOR

MSDS Date:06/26/2000

FSC:8030

NIIN:00-753-4599

Status Code:A

MSDS Number: CLKGF

=== Responsible Party ===

Company Name:ADVANCED CHEMISTRY & TECHNOLOGY

Address:7341 ANACONDA AVE

City:GARDEN GROVE

State:CA

ZIP:92841-2921

Country:US

Info Phone Num:714-373-2837

Em

ergency Phone Num:(800)424-9300

Preparer's Name:HENRY SIMMONS

Chemtrec Ind/Phone:(800)424-9300

CAGE:1DWR5

=== Contractor Identification ===

Company Name:ADVANCED CHEMISTRY & TECHNOLOGY

Address:7341 ANACONDA AVE

Box:City:GARDEN GROVE

State:CA

ZIP:92841-2921

Country:US

Phone:714-373-2837

CAGE:1DWR5

=====  
Composition/Information on Ingredients  
=====

Ingred Name:MANGANESE OXIDE

CAS:1313-13-9

RTECS #:OP0350000

= Wt:66.4

OSHA PEL:C5 MG/M3

ACGIH TLV:5 MG/M3

Ingred Name:HYDROGENATED

TERPHENYL  
CAS:61788-32-7  
RTECS #:WZ6535000  
= Wt:22.7  
ACGIH TLV:4.9 MG/M3;0.5 PPM

Ingred Name:1,3-DIPHENYLGUANIDINE  
CAS:102-06-7  
RTECS #:MF0875000  
= Wt:.7

Ingred Name:TERPHENYL  
CAS:26140-60-3  
RTECS #:WZ6450000  
= Wt:4.8  
OSHA PEL:C9 MG/M3;C1 PPM  
ACGIH STEL:C5 MG/M3;C0.53 PPM

Ingred Name:ETHOXYLATED NONYLPHENOL PHOSPHATE  
CAS:51811-79-1  
= Wt:4.8

Ingred Name:SODIUM HYDROXIDE  
CAS:1310-73-2  
RTECS #:WB4900000  
= Wt:1.4  
OSHA PEL:2 MG/M3  
ACGIH STEL:C2 MG/M3  
EPA Rpt Qty:1000 LBS  
DOT Rpt Qty:1000 LBS

==  
===== Hazards Identification =====

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES  
Health Hazards Acute and Chronic:CHRONIC EFFECTS: LIVER, KIDNEYS,  
NERVOUS SYSTEM. BLOOD AND/OR BLOOD-FORMING ORGANS. LUNGS AND  
RESPIRATORY SYSTEM. REPRODUCTIVE SYSTEM (AND REPRODUCTIVE EFFECTS).  
EYES. SKIN. IMMUNE SYSTEM, (E.G., ALLERGIC REACTIONS).  
Effects of Overexposure:EYE CONTACT: MAY CAUSE MODERATE IRRITATION  
SKIN CONTACT: MAY CAUSE SLIGHT TO MILD I

IRRITATION. MAY CAUSE

ALLERGIC SKIN REACTIONS AND SENSITIZATIONS. INHALATION (BREATHING): IRRITATING TO THE EYES, NOSE, AND RESPIRATORY TRACT. CAN CAUSE DIZZINESS, HEADACHE, AND INCOORDINATION. INGESTION (SWALLOWING): IRRITATING TO THE MOUTH. MAY CAUSE NAUSEA, VOMITING, PAIN, AND STOMACH UPSET (E.G., DIARRHEA)

Medical Cond Aggravated by Exposure:LIVER, KIDNEYS, LUNGS AND RESPIRATORY SYSTEM. SKIN. IMMUNE SYSTEM AND/OR SPECIFIC CHEMICAL ALLERGIES.

=====

=== First Aid Measures =====

First Aid:EYE CONTACT: IMMEDIATELY FLUSH EYES WITH PLENTY OF WATER FOR AT LEAST 15 MINUTES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. SKIN CONTACT: IMMEDIATELY FLUSH WITH WATER. REMOVE CONTAMINATED CLOTHING AND SHOES. GET MEDICAL ATTENTION IF IRRITATION PERSISTS. PROFESSIONALLY WASH CLOTHING AND SHOES BEFORE RE-USE. INHALATION (BREATHING): REMOVE TO FRESH AIR. IF SYMPTOMS DEVELOP, SEEK IMMEDIATE MEDICAL ATTENTION. IF NOT BREATHING, GIVE ARTIFICIAL RESPIRATION. INGESTION (SWALLOWING): SEEK MEDICAL ATTENTION: IMMEDIATELY INDUCE VOMITING, AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHING BY MOUTH TO AN UNCONSCIOUS PERSON.

===== Fire Fighting Measures =====

Flash Point Method:SCC

Flash Point:>93.3C, 200.F

Extinguishing Media:SMALL FIRES: DRY CHEMICAL, CARBON DIOXIDE, HALON, WATER SPRAY, OR FOAM. LARGE FIRES: WATER SPRAY, FOG, OR ALCOHOL FOAM.

Fire

Fighting Procedures:FIRE FIGHTERS AND OTHERS WHO MAY BE EXPOSED TO THE PRODUCTS OF COMBUSTION SHOULD BE EQUIPPED WITH NIOSH-APPROVED POSITIVE PRESSURE SELF-CONTAINED BREATHING APPARATUS (SCBA) AND FULL PROTECTIVE CLOTHING.

Unusual Fire/Explosion Hazard:DURING A FIRE, IRRITATING AND HIGHLY TOXIC GASES MAY BE GENERATED DURING COMBUSTION OR DECOMPOSITION.

===== Accidental Release Measures =====

Spill Release Procedures:ISOLATE HAZARD AREA. KEEP UNNECES

SARY AND

UNPROTECTED PERSONNEL FROM ENTERING. SAFETY STOP DISCHARGE. CONTAIN MATERIAL, AS NECESSARY, WITH A DIKE OR BARRIER. STOP MATERIAL FROM CONTAMINATING SOIL, OR FROM ENTERING SEWERS OF BODIES OF WATER. APPROPRIATE SAFETY MEASURES AND PROTECTIVE EQUIPMENT SHOULD BE USED. USE SUPPLIED AIR RESPIRATOR OR SELF-CONTAINED BREATHING APPARATUS IN ENCLOSED SPACES.

=====  
===== Handling and Storage =====  
=====

Handling and Storage Precautions:STORE I  
N COOL, DRY, WELL VENTILATED

AREA AWAY FROM HEAT, IGNITION SOURCES, AND DIRECT SUNLIGHT. KEEP CONTAINERS TIGHTLY CLOSES. TRANSFER- NO SPECIAL PRECAUTIONS ARE NEEDED. FOLLOW GOOD MANUFACTURING A ND HANDLING PRACTICES.

Other Precautions:THIS CONTAINER CAN BE HAZARDOUS WHEN EMPTY. FOLLOW LABEL WARNINGS EVEN AFTER CONTAINER IS EMPTIED SINCE EMPTY CONTAINERS MAY RETAIN PRODUCT RESIDUES. DO NOT REUSE EMPTY CONTAINER WITHOUT PROFESSIONAL CLEANING FOR FOOD, CLOTHING, OR PROD  
UCTS FOR HUMAN OR ANIMAL CONSUMPTION OR WHERE SKIN CONTACT CAN  
O CCUR.

=====  
===== Exposure Controls/Personal Protection =====  
=====

Respiratory Protection:AVOID BREATHING VAPOR OR MIST. WEAR NIOSH/MSHA-APPROVED EQUIPMENT. DETERMINE THE APPROPRIATE TYPE BY CONSULTING THE RESPIRATOR MANUFACTURER. HIGH AIRBORNE CONCENTRATION MAY NECESSITATE THE USE OF SELF CONTAINED BREATHING APPARATUS (SCBA) OR A SUPPLIED AIR RESPIRATOR. RESPIRATORY PROTECTION PROGRAMS MUST BE IN

COMPLIANCE WITH 29 CFR 1910.134

Ventilation:LOCAL EXHAUST VENTILATION WHEN VAPORS, MISTS, OR DUSTS CAN BE RELEASED IN EXCESS OF ESTABLISHED AIRBORNE EXPOSURE LIMITS (TLV?S OR PEL?S)

Protective Gloves:WEAR PROTECTIVE CLOTHING AND APPROPRIATE IMPERVIOUS GLOVES.

Eye Protection:WEAR CHEMICAL SPLASH GOGGLES OR SAFETY GLASSES WITH SIDE SHIELDS.

Work Hygienic Practices:WASH THOROUGHLY AFTER HANDLING, ESPECIALLY BEFORE EATING, DRINKING, SMOKING, AND USING RESTROOM FACILITIES.

Supplem

ental Safety and Health

===== Physical/Chemical Properties =====

Vapor Pres:0.1 MM HG

Vapor Density:>1

Spec Gravity:2.1

Evaporation Rate & Reference:2,000 MG/KG 1,3- DIPHENYLQUANIDINE: ORAL RAT 507 MG/KG  
MOUSE

290 MG/KG TERPHENYL ORAL LD50 RAT 13,200 MG/KG ETHOXYLATED  
NONYLPHENOL PHOSPHATE ORAL LD50 RAT 3,630 MG/KG SODIUM HYDROXIDE:  
CORROSIVE! CAUSE EYE AND S KIN BURNS. DERMAL LD50 RABBIT 1000  
MG/KG.

===== Disposal Consider  
ations =====

Waste Disposal Methods:DISPOSE OF ACCORDING TO APPLICABLE LOCAL, STATE  
AND FEDERAL REGULATIONS OF THE METHODS OF DISPOSAL CURRENTLY  
AVAILABLE, IT IS RECOMMENDED THAT AN ALTERNATIVE BE ACCORDING OR  
THE FOLLOWING ORDER OF PRE FERENCE. BASED UPON ENVIRONMENTAL  
ACCEPTABILITY. (1) RECYCLE OR REWORK, IF FEASIBLE; (2) INCINERATE  
AT AN AUTHORIZED FACILITY.

===== Regulatory Information =====

SARA Title III Information:

SECTION 311 AND 312: IMMEDIATE (ACUTE)

HEALTH HAZARD, DELAYED (CHRONIC) HEALTH HAZARD. SARA SECTION 302  
EXTREMELY HAZARDOUS MAT-NO REGULATED INGREDIENTS SARA SECTION 313  
TOXIC CHEMICALS MANGANESE OX IDE

Federal Regulatory Information:UNITED STATES CHEMICAL COMPONENTS THIS  
PRODUCT ARE ON THE SECTION 8(B) CHEMICAL SUBSTANCE INVENTORY LIST  
(40 CFR 710)

State Regulatory Information:STATE RIGHT TO KNOW PENNSYLVANIA-NEW  
JERSEY R-T-K MANGANESE OXIDE 1313-13-9 66.4% TERPHEN

YL,  
HYDROGENATED 61788-32-7 22.7% 1,3 ? DIPHENYLQUANIDINE 102-06 7%  
TERPHENYL 26140-60-3 4.8% ETHOXYLATED NONYLPHENOL PHOSPHATE  
51811-79-1 2.9% SODIUM HYDROXIDE 1310-73-2 1.4% CALIFORNIA ?  
CALIFORNIA PROPOSITION 65-NO REGULATED INGREDIENTS

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department  
of Defense. The United S

tates of America in no manner whatsoever,  
expressly or implied, warrants this information to be accurate and  
disclaims all liability for its use. Any person utilizing this  
document should seek competent professional advice to verify and  
assume responsibility for the suitability of this information to their  
particular situation.