View NSN Online: https://aerobasegroup.kr/nsn/6750-01-010-7343

EASTMAN KODAK COMPANY -- 191 9042, PT C, KODAK FLEXICOLOR DEVELOPER (SEE SUPPL) -- 6750-01-010-7343

============= Product Identification ========================

Product ID:191 9042, PT C, KODAK FLEXICOLOR DEVELOPER (SEE SUPPL)

MSDS Date:01/08/2001

FSC:6750

NIIN:01-010-7343 Status Code:A

Kit Part:Y

MSDS Number: CLLFB === Responsible Party ===

Company Name: EASTMAN KODAK COMPANY

Address:343 STATE STREET

City:ROCHESTER

State:N

Υ

ZIP:14650 Country:US

Info Phone Num:716-477-3194 MSDS:800-242-2424

Emergency Phone Num:716-722-5151 Preparer's Name:NOT PROVIDED

CAGE:19139

=== Contractor Identification ===

Company Name: EASTMAN KODAK CO GOVERNMENT MARKETS CONTRACTS

Address:343 STATE ST Box:City:ROCHESTER

State:NY

ZIP:14650-1115 Country:US

Phone:716-722-5151/(800) 242-2424 Contract Num:SP0500-96-D-9413-N525

CAGE:19139

====== Composition/Information on Ingredients ========

Ingred Name:WATER

CAS:7732-18-5

RTECS

#:ZC0110000 Minumum % Wt:55. Maxumum % Wt:60. Other REC Limits:NOT PROVIDED

Code:F

Ingred Name:4-(N-ETHYL-N-2-HYDROXYETHYL)-2-METHYLPHENYLENEDIAMINE SULFATE

CAS:25646-77-9

RTECS #:KJ6477000

Minumum % Wt:35.

Maxumum % Wt:40.

Other REC Limits: 0.1 MG/M3 (MFR)

OSHA PEL:NOT PROVIDED ACGIH TLV:NOT PROVIDED

Ingred Name:SODIUM BISULFITE

CAS:7631-90-5

RTECS #:VZ2000000

Minumum % Wt:1.

Maxumum % Wt:5.

Other REC Limits:NOT PROVIDED

OSHA PEL:NOT PROVIDED

ACGIH TLV:5 MG/M3 EPA Rpt Qty:5000 LBS

DOT Rpt Qty:5000 LBS

========== Hazards Identification ================

LD50 LC50 Mixture: NOT PROVIDED

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:GENERAL: CONTAINS

4-(N-ETHYL-N-2HYDROXYETHYL)-2-METHYLPHENYLENEDIAMINE SULFATE. MAY CAUSE KIDNEY DAMAGE BASED ON ANIMAL DATA. INHALATION: LIBERATES SULFUR DIOXIDE GAS WHICH CAN CAUSE IRRITATION TO THE RESPIRATORY TRACT. SOME ASTHMATICS OR HYPERSENSITIVE INDIVIDUALS MAY EXPERIENCE

DIFFICULT BREATHING. EYES: CAUSES IRRITATION. VAPOR IRRITATING. SKIN: CAUSES IRRITATION. MAY CAUSE ALLERGIC SKIN REACTI ON. INGESTION: MAY BE FATAL IF SWALLOWED. MAY CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT. MAY CAUSE KIDNEY DAMAGE BASED ON ANIMAL DATA.

Explanation of Carcinogenicity:INTERNATIONAL AGENCY FOR RESEARCH ON CANCER (IARC): NONE AMERICAN CONFERENCE OF GOVERNMENTAL INDUSTRIAL HYGIENISTS (ACGIH): SODIUM BISULFITE, A4; NOT CLASSIFIABLE AS A H

UMAN CARCINOGEN, SULFUR DIOXIDE, A4; NOT CLASSIFIABLE AS A HUMAN CARCINOGEN. - NATIONAL TOXICOLOGY PROGRAM (NTP): NONE - OCCUPATIONAL SAFETY AND HEALTH ADMINISTRATION (OSHA): NONE Effects of Overexposure:INHALATION: LIBERATES SULFUR DIOXIDE GAS WHICH CAN CAUSE IRRITATION TO THE RESPIRATORY TRACT. EYES: CAUSES

IRRITATION. VAPOR IRRITATING. SKIN: CAUSES IRRITATION. INGESTION: MAY CAUSE IRRITATION OF THE GASTROINTESTINAL TRACT.

Medical Cond Aggravated by Exposure:SOME ASTHMATI

CS. HYPERSENSITIVE OR

SULFITE-SENSITIVE INDIVIDUALS MAY EXPERIENCE DIFFICULT BREATHING, WHEEZING, CHEST TIGHTNESS, STOMACH UPSET, HIVES, FAINTNESS, WEAKNESS AND DIARRHEA.

First Aid:INHALATION: IF SYMPTOMATIC, MOVE TO FRESH AIR. GET MEDICAL ATTENTION IF SYMPTOMS PERSIST. EYES: IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR 15 MIN. GET MEDICAL ATTENTION. IMMEDIATELY FLUSH WITH PLENTY OF WATER FOR AT LEAST 1

5 MINUTES WHILE REMOVING

CONTAMINATED CLOTHING AND SHOES. GET MEDICAL ATTENTION IF SYMPTOMS OCCUR. INGESTION: NDUCE VOMITING AS DIRECTED BY MEDICAL PERSONNEL. NEVER GIVE ANYTHIN G BY MOUTH TO AN UNCONSCIOUS PERSON. CALL A PHYSICIAN OR POISON CONTROL CENTER IMMEDIATELY.

========== Fire Fighting Measures ================

Flash Point:NONE

Extinguishing Media:WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, ALCOHOL FOAM. USE WATER SPRAY TO KEEP FIRE EXPOSED CONTA INFRS COOL

Fire Fighting Procedures:WEAR SELF-CONTAINED BREATHING APPARATUS AND PROTECTIVE CLOTHING. FIRE OR EXCESSIVE HEAT MAY PRODUCE HAZARDOUS DECOMPOSITION PRODUCTS.

Unusual Fire/Explosion Hazard: ELEVATED TEMPETRAUES CAN CAUSE DECOMPOSITION.


========= Accidental Release Measures ============

Spill Release Procedures:FLUSH TO SEWER IF ALLOWABLE WITH LARGE AMOUNT OF WATER. OTHERWISE, ABSORB SPILL WITH VERMICULITE OR OTHER INERT MATERIAL, THEN PLACE IN A

CONTAINER FOR CHEMICAL WASTE. CLEAN SURFACE TO REMOVE RESIDUAL CONTAMINATION. Neutralizing Agent: NOT PROVIDED ============= Handling and Storage ========================== Handling and Storage Precautions: STORE IN A COOL PLACE. KEEP AWAY FROM INCOMPATIBLE SUBSTANCES. KEEP CONTAINER CLOSED. Other Precautions: AVOID BREATHING MIST OR VAPOR. AVOID CONTACT WITH EYES AND PROLONGED OR REPEATED CONTACT WITH SKIN. USE WITH ADEQUATE VENTILATION. WASH THOROUGHLY AFTER HANDLING. ===== Exposure Controls/Personal Protection ======== Respiratory Protection: IF ENGINEERING CONTROLS DO NOT MAINTAIN AIRBORNE CONCENTRATIONS BELOW RECOMMENDED EXPOSURE LIMITS, AN APPROVED RESPIRATOR MUST BE WORN. RESPIRATOR TYPE: ACID GAS. Ventilation: GOOD GENERAL VENTILATION (TYPICALLY 10 AIR CHANGES Protective Gloves:WEAR IMPERVIOUS GLOVES. Eye Protection: WEAR SAFETY GLASSES WITH SIDE SHIELDS (OR GOGGLES). Other Protective Equipment: EYE BATH, SAFETY SHOWER, WASHING FACILITI ES. WEAR PROTECTIVE CLOTHING APPROPRIATE Work Hygienic Practices: NOT PROVIDED Supplemental Safety and Health CONTD FROM PRODUCT ID: REPLENISHER. THIS IS A KIT. THE OTHER MSDS SERIAL NUMBERS ARE: CLLDN, CLLDW. ABBREVIATION: N/A = NOT APPLICABLE, N/AV = NOT AVAILABLE, N/K = UNKNOWN, N/P = NOT PROVIDED. N/R = NOT RELEVANT. N/D = NOT DETERMINED. N/E = NOT ESTABLISHED. ========= Physical/Chemical Properties =========== HCC:C2 NRC/State Lic Num: NOT RELEVANT iling Pt:>100.C, 212.F Melt/Freeze Pt:M.P/F.P Text:NOT PROVIDED Decomp Temp:>172.2C, 342.F Vapor Pres:18MM @ 20C Vapor Density:0.6 Spec Gravity:1.15 pH:2.1 Viscosity:NOT PROVIDED Evaporation Rate & Evaporation R Solubility in Water: COMPLETE Appearance and Odor:RED-BROWN LIQUID; STRONG SULFUR DIOXIDE ODOR. Percent Volatiles by Volume:55-60 WT Corrosion Rate: NOT PROVIDED ======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES

ST



ATERIAL(S) KNOWN TO THE STATE OF CALIFORNIA TO CAUSE ADVERSE REPRODUCTIVE EFFECTS: NONE

=========== Other Information ===============================

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this

document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.