

CLICK BOND DIV OF PHYSICAL SYSTEMS INC -- CB200 (COMPONENT A) -- 8040-01-422-3958

=====  
Product Identification  
=====

Product ID:CB200 (COMPONENT A)

MSDS Date:02/10/1999

FSC:8040

NIIN:01-422-3958

Status Code:A

MSDS Number: CLLLN

=== Responsible Party ===

Company Name:CLICK BOND DIV OF PHYSICAL SYSTEMS INC

Address:2151 LOCKHEED WAY

City:CARSON CITY

State:NV

ZIP:89701-0713

Country:US

Info Phone Num:

775-885-8000

Emergency Phone Num:800-255-3924

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:66530

=== Contractor Identification ===

Company Name:CLICK BOND DIV OF PHYSICAL SYSTEMS INC

Address:2151 LOCKHEED WAY

Box:City:CARSON CITY

State:NV

ZIP:89701-0713

Country:US

Phone:775-885-8000

CAGE:66530

=====  
Composition/Information on Ingredients  
=====

Ingred Name:BENZOYL PEROXIDE

CAS:94-36-0

RTECS #:DM8575000

&lt; Wt:25.

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3

Ingr

ed Name:DIISOBUTYL PHTHALATE

CAS:84-69-5

RTECS #:TI1225000

&lt; Wt:30.

Ingred Name:EPOXY RESIN PROPRIETARY

&lt; Wt:50.

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NONE

Routes of Entry: Inhalation:YES Skin:YES Ingestion:YES

Health Hazards Acute and Chronic:SKIN CONTACT: INHALATION: INGESTION:

EYE CONTACT: EYE CONTACT: MAY CAUSE EYE IRRITATION. SKIN CONTACT:  
MAY CAUSE SKIN SENSITIZATION. MAY CAUSE DERMATITIS. INHALATION: MAY  
CAUSE RESPIRA

TORY TRACT IRRIT ATION. INGESTION: HARMFUL IF

SWALLOWED, INGESTION IS NOT AN EXPECTED ROUTE OF ENTRY IN  
INDUSTRIAL OR COOERCIAL USES.

Explanation of Carcinogenicity:NONE

Effects of Overexposure:NONE

Medical Cond Aggravated by Exposure:NONE

=====  
===== First Aid Measures =====

First Aid:FLUSH EYES IMMEDIATELY WITH LARGE AMOUNTS OF WATER FOR AT  
LEAST 15 MINUTES HOLDING EYELIDS OPEN WHILE FLUSHING. GET PROMPT  
MEDICAL ATTENTION.FLUSH CONTAMINATED SKI

N WITH LARGE AMOUNTS OF

WATER WHILE R EMOVING CONTAMINTED CLOTHING.MOVE PERSON TO FRESH  
AIR. RESTORE AND SUPPORT CONTINUED BREATHING. IF SWALLOWED, DO NOT  
INDUCE VOMITING. GIVE VICTIM ONE OR TWO GLASSES OF WATER OR MILK.  
CALL A PHYSICIAN OR POSION CONTROL CENTER IMMEDIATELY FOR FURTHER  
INSTRUCTIONS.

=====  
===== Fire Fighting Measures =====

Flash Point Method:SCC

Flash Point:=93.3C, 200.F

Autoignition Temp:Autoignition Temp Text:NONE

Lower Limit

s:NONE

Upper Limits:NONE

Extinguishing Media:CO2, DRY CHEMICAL FOAM WATER FOG.

Fire Fighting Procedures:WEAR FULL FIREFIGHTING PROTECTIVE CLOTHING.  
INCLUDING SELF CONTAINED BREATHING APPARATUS(SCBA). IF WATER IS  
USED, FOG NOZZLES ARE PREFERABLE. DURING A FIRE, IRRITATING AND/OR  
TOXIC GASES AND PARTICULA TE MAY BE GENERATED BY THERMAL  
DECOMPOSITION OR COMBUSTION.

Unusual Fire/Explosion Hazard:CLOSED CONTAINERS MAY RUPTURE WHEN  
EXPOSED TO EXTREME HEAT. USE WATER SPRAY TO KEEP F  
IRE EXPOSED  
CONTAINERS COOL.

===== Accidental Release Measures =====

Spill Release Procedures:AVOID BREATHING VAPORS. USE SELF CONTAINED  
BREATHING EQUIPMENT. NOTIFY APPROPRIATE AUTHORITY IF NECESSARY.  
CONTAIN AND REMOVE WITH INERT ABSORBENT MATERIAL. AVOID CONTACT.  
KEEP NON-ESSENTIAL PERSONNEL AWAY FROM SPILL AREA. BEFORE  
ATTEMPTING CLEANUP, REFER TO HAZARD CAUTION INFORMATION IN OTHER  
SECTIONS OF THE MSDS FORM.

Neutralizing Agent:NONE

=

===== Handling and Storage =====

Handling and Storage Precautions:DO NOT HANDLE UNTIL ALL SAFETY  
PRECAUTIONS HAVE BEEN READ AND UNDERSTOOD. STORAGE: STORE ONLY IN  
WELL VENTILATED AREAS.

Other Precautions:NONE

===== Exposure Controls/Personal Protection =====

Respiratory Protection:USE A NIOSH/MSHA APPROVED AIR PURIFYING ORGANIC  
VAPOR RESPIRATOR.

Protective Gloves:USE NEOPRENE, NITRILE, OR RUBBER GLOVES TO PREVENT  
SKIN CONTACT

Eye Protection:SAFETY GLASSES WITH SIDE SHIELDS AND CHEMICAL GOGGLES.

Other Protective Equipment:REMOVE AND WASH CONTAMINATED CLOTHING BEFORE  
REUSE.

Work Hygienic Practices:WASH HANDS BEFORE EATING, SMOKING, OR USING  
TOILET FACILITY.

Supplemental Safety and Health  
NONE

===== Physical/Chemical Properties =====

Boiling Pt:B.P. Text:212-212 F

Melt/Freeze Pt:M.P/F.P Text:NONE

Decomp Temp:Decomp Text:NONE

Vapor Density:9.88

Spec Gravity:1.19

Evaporation Rate &a

mp; Reference:SLOWER THAN ETHER  
Solubility in Water:INSOLUBLE  
Appearance and Odor:YELLOW PASTE  
Percent Volatiles by Volume:3.0%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES  
STRONG ACIDS, BASES, AND STRONG OXIDIZERS.  
Stability Condition to Avoid:HIGH TEMPERATURES.  
Hazardous Decomposition Products:CARBON MONOXIDE, CARBON DIOXIDE.  
Conditions to Avoid Polymerization:WILL NOT OCCUR UNDER NORMAL  
CONDITIONS.

===== T  
oxicological Information =====

Toxicological Information:NONE SPECIFIED BY MANUFACTURER.

===== Ecological Information =====

Ecological:NONE SPECIFIED BY MANUFACTURER.

===== Disposal Considerations =====

Waste Disposal Methods:DISPOSAL SHOULD BE DONE IN ACCORDANCE WITH  
FEDERAL (40CFR PART 261), STATE AND LOCAL ENVIRONMENTAL CONTROL  
REGULATIONS.

===== MSDS Transport Information =====  
=====

Transport Information:NONE SPECIFIED BY MANUFACTURER.

===== Regulatory Information =====

SARA Title III Information:THIS PRODUCT CONTAINS THE FOLLOWING  
SUBSTANCES SUBJECT TO THE REPORTING REQUIREMENTS OF SECTION 313 OF  
TITLE 111 OF THE SUPERLUND AMENDMENTS AND REAUTHORIZATION ACT OF  
1986 AND 40 CFR PART 372.

Federal Regulatory Information:OSHA: HAZARDOUS BY DEFINITION OF HAZARD  
COMMUNICATION STANDARD (29 CFR 1910.1200).

State Regulator

ry Information:

===== Other Information =====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation.