

CHEMENCE INC -- EPOXY HARDENER/ACTIVATOR MMM-A-1750 PART B -- 8040-00-738-6429
===== Product Identification =====

Product ID:EPOXY HARDENER/ACTIVATOR MMM-A-1750 PART B

MSDS Date:09/26/1994

FSC:8040

NIIN:00-738-6429

Status Code:A

MSDS Number: CLNCJ

=== Responsible Party ===

Company Name:CHEMENCE INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Info Phone Num:404-664-66

24

Emergency Phone Num:404-362-8319

Preparer's Name:ERNEST CARTER

Chemtec Ind/Phone:(800)424-9300

CAGE:0ZDS4

=== Contractor Identification ===

Company Name:CHEMENCE INC

Address:6425 INDUSTRIAL WAY

City:ALPHARETTA

State:GA

ZIP:30201

Country:US

Phone:404-664-6624

CAGE:0ZDS4

===== Composition/Information on Ingredients =====

Ingred Name:FATTY ACID DIMER-BASED REACTIVE POLYAMIDE RESIN
< Wt:5.

Ingred Name:MONOHYDROXYBENZENE

CAS:108-95-2

RTECS #:SJ3325000

< Wt:15.

OSHA PEL:

19 MG/M3;5 PPM
ACGIH TLV:19 MG/M3;5 PPM
EPA Rpt Qty:1000 LBS
DOT Rpt Qty:1000 LBS

Ingred Name:DIETHYL TRIAMINE
CAS:111-40-0
Code:F
RTECS #:IE1225000
< Wt:5.
ACGIH TLV:4.2 MG/M3;1 PPM

Ingred Name:FURFURYL ALCOHOL
CAS:98-00-0
RTECS #:LU9100000
< Wt:5.
OSHA PEL:200 MG/M3;50 PPM
ACGIH TLV:40 MG/M3;10 PPM
ACGIH STEL:60 MG/M3;15 PPM

Ingred Name:PHENOL DERIVATIVE
CAS:104-40-5
Code:F
RTECS #:SM5630000
< Wt:5.

===== Hazards Identification =====

LD50 LC50 Mi
xture:NONE
Health Hazards Acute and Chronic:NONE
Effects of Overexposure:EFFECTS OF OVEREXPOSURE: PROLONGED SKIN
CONTACT MAY RESULT IN DERMATITIS IN SENSITIVE PERSONS. WILL
IRRITATE EYES ON CONTACT.
Medical Cond Aggravated by Exposure:NONE

===== First Aid Measures =====

First Aid:WASH WITH SOAP AND WATER FOR SKIN CONTACT. FOR EYE CONTACT,
FLUSH WITH PLENTY OF WATER. FOR INGESTION, INDUCE VOMITING. CONSULT
PHYSICIAN.

=====

Fire Fighting Measures =====

Flash Point Method:TCC
Flash Point:=254.4C, 490.F
Autoignition Temp:Autoignition Temp Text:NONE
Lower Limits:NONE
Upper Limits:NONE
Extinguishing Media:CARBON DIOXIDE, DRY CHEMICAL, WATER.
Fire Fighting Procedures:SELF-CONTAINED BREATHING APPARATUS.
Unusual Fire/Explosion Hazard:TOXIC VAPORS.

===== Accidental Release Measures =====

Spill Release Procedures:SOAK UP WITH INERT ABSORBENT. FLUSH AREA WITH WATER.
Neutr
alizing Agent:NONE

===== Handling and Storage =====

Handling and Storage Precautions:STORE IN A COOL DRY PLACE AND OUT OF DIRECT SUNLIGHT.
Other Precautions:KEEP AWAY FROM CHILDREN.

===== Exposure Controls/Personal Protection =====

Respiratory Protection:NONE
Ventilation:NONE
Protective Gloves:POLYETHYLENE OR RUBBER GLOVES.
Eye Protection:SAFETY GLASSES.
Other Protective Equipment:BARRIER CREME.
Work Hygienic Practices:NONE
Supplementa
I Safety and Health
NONE

===== Physical/Chemical Properties =====

Boiling Pt:>93.3C, 200.F
Melt/Freeze Pt:M.P/F.P Text:NONE
Decomp Temp:Decomp Text:NONE
Spec Gravity:1.83 (H2O=1)
Solubility in Water:SLIGHT
Appearance and Odor:BEIGE/AMINE ODOR
Percent Volatiles by Volume:3%

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES
STRONG OXIDIZERS.
Stability Condition to Avoid:TEMPERATURES IN EXCESS OF 150 DEGREE

S F.

Hazardous Decomposition Products:CO. CO2, & ALDEHYDES.

Conditions to Avoid Polymerization:WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods:LANDFILL OR INCINERATE ?IN ACCORDANCE WITH EPA
AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly

or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.