

KENNETH INDUSTRIAL PRODUCTS IN -- PLASTISEAL "F"

=====

MSDS Safety Information

=====

FSC: 8030
NIIN: 01-216-5487
MSDS Date: 11/01/1997
MSDS Num: CLNYR
Product ID: PLASTISEAL "F"
MFN: 02
Responsible Party
Cage: 53181
Name: KENNETH INDUSTRIAL PRODUCTS INC
Address: 174 STATE STREET
Box: 4020
City: MERIDEN
CT 06450
Info Phone Number: 203-238-2623
Emergency Phone Number: 203-238-2623
Preparer's Name: ERNEST CARTER
Chemtrec IND/Phone: (800)424-9300
Review Ind: Y
Published: Y

=====

Contractor Summary

=====

Cage: 53181
Name: KENNETH INDUSTRIAL PRODUCTS INC
Address: 174 STATE STREET
Box: 4020
City: MERIDEN CT 06450
Phone: 203-238-2623

=====

Item Descript
ion Information

=====

Item Name: PLASTERSEAL "F"

=====

Health Hazards Data

=====

Skin: YES
Effects of Exposure: MAY CAUSE SKIN IRRITATION IN SOME INDIVIDUALS.
Medical Cond Aggravated By Exposure: MAY CAUSE SKIN IRRITATION IN SOME
INDIVIDUALS.
First Aid: SKIN CONTACT: WASH WITH WARM SOAPY WATER. EYE CONTACT: FLUSH WITH
EYE IRRIGANT.

=====

=====

Handling and Disposal

=====

Spill Release Procedures: CLEAN UP WITH WATER.

Handling And Storage Precautions: AVOID REPEATED CONTACT. SLIGHTLY SKIN IRRITATION MAY OCCUR. BEST STORED IN ORIGINAL CONTAINER.

=====

Control Measures

=====

Protective Gloves: SHOULD BE USED.

Eye Protection: SHOULD BE USED AS COMMON SAFETY PRACTICE.

=====

Physical/Chemical Properties

=====

Boiling Point: =100.C, 212.F

Vapor Pres: 25

Vapor Density: 1

Spec Gravity: 1.6

Solubility in Water: SOLUBLE

Appearance and Odor: SHINEY BLACK ODORLESS PASTE

=====

HAZCOM Label

=====

Product ID: PLASTISEAL "F"

Cage: 53181

Company Nam

e: KENNETH INDUSTRIAL PRODUCTS INC

Street: 174 STATE STREET

PO Box: 4020

City: MERIDEN CT

Zipcode: 06450

Health Emergency Phone: 203-238-2623

Label Required IND: Y

Date Of Label Review: 10/23/2001

Status Code: A

Origination Code: G

Hazard And Precautions: MAY CAUSE SKIN IRRITATION IN SOME INDIVIDUALS.

=====

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department

of Defense.

The United States of America in no manner whatsoever expressly or implied warrants, states, or intends said information to have any application, use or viability by or to any person or persons outside the Department of Defense nor any person or persons contracting with any instrumentality of the United States of America and disclaims all liability for such use. Any person utilizing this instruction who is not a military or civilian employee of the United States of Amer

ica should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular situation regardless of similarity to a corresponding Department of Defense or other government situation.