

ORGANIC PRODUCTS CO. -- F-900 TORQUE SEAL (SEALANT) -- 8030-01-163-3483

=====
Product Identification
=====

Product ID:F-900 TORQUE SEAL (SEALANT)

MSDS Date:01/04/1998

FSC:8030

NIIN:01-163-3483

Status Code:A

MSDS Number: CLQVR

=== Responsible Party ===

Company Name:ORGANIC PRODUCTS CO.

Address:1963 E. IRVING BOULEVARD

Box:428

City:IRVING

State:TX

ZIP:75060-4555

Country:US

Info Phone Num:214-438-73

21

Emergency Phone Num:972-438-7321

Preparer's Name:ERNEST CARTER

Chemtrec Ind/Phone:(800)424-9300

CAGE:01195

=== Contractor Identification ===

Company Name:ORGANIC PRODUCTS CO.

Address:1963 E. IRVING BOULEVARD

Box:428

City:IRVING

State:TX

ZIP:75060-4555

Country:US

Phone:214-438-7321

CAGE:01195

=====
Composition/Information on Ingredients
=====

Ingred Name:METHANOL

CAS:67-56-1

RTECS #:PC1400000

Minimum % Wt:30.

Maximum % Wt:60.

OSHA PEL:260 MG/M3;200 PPM

ACGIH TLV:262 MG/M3;2

00 PPM
ACGIH STEL:328 MG/M3;250 PPM
EPA Rpt Qty:5000 LBS
DOT Rpt Qty:5000 LBS

Ingred Name:ETHANOL
CAS:64-17-5
RTECS #:KQ6300000
Minumum % Wt:10.
Maxumum % Wt:40.
OSHA PEL:1900 MG/M3;1000 PPM
ACGIH TLV:1880 MG/M3;1000 PPM

=====
===== Hazards Identification =====

Effects of Overexposure:MINOR IRRITATION FROM PROLONGED BREATHING.
MINOR IRRITATION TO SKIN AND EYES.
NAUSEA, VOMITING OF SWALLOWED.

=====
===== First Aid Measures =====

First Aid:REMOVE TO FRESH AIR. WASH AFFECTED AREAS WITH WATER. IF
SWALLOWED, INDUCE VOMITING.
CALL PHYSICIAN.

=====
===== Fire Fighting Measures =====

Flash Point Method:TOC
Flash Point:=42.8C, 109.F
Extinguishing Media:CARBON DIOXIDE OR DRY CHEMICAL FOR SMALL FIRES,
ALCOHOL FOAM FOR LARGE FIRES.
Fire Fighting Procedures:USE SELF CONTAINED BREATHING APPARATUS WITH
FULL FACE PIECE WITH PRESSURE DEMAND.
Unusual Fire/Explosion Hazard:LIGHT, LIGHTS, FLAMES,
SPARKS, HEATERS,
SMOKERS.

=====
===== Accidental Release Measures =====

Spill Release Procedures:ABSORB LIQUID; USE ABSORBENT MATERIAL AND
TRANSFER TO HOOD, ELIMINATE ALL IGNITION
SOURCES. DESTROY REMAINING MATERIAL BY INCINERATION.

=====
===== Handling and Storage =====

Handling and Storage Precautions:WEAR RESISTANT GLOVES SUCH AS
NEOPRENE, EYE PROTECTION, CHEMICAL SPLASH GOGGLES,
PROTECTIVE EQUIPMENT TO PREVENT PROLONGED SKIN

CONTACT.

===== Exposure Controls/Personal Protection =====

Protective Gloves: YES; NEOPRENE.

Eye Protection: SAFETY GOGGLES.

Other Protective Equipment: SAFETY SHOWER AND EYE BATH.

Supplemental Safety and Health

===== Physical/Chemical Properties =====

Boiling Pt: =65.6C, 150.F

Vapor Pres: 42.00

Appearance and Odor: HEAVY THICK PASTE. ALCOHOL ODOR.

Percent Volatiles by Volume: 50%

===== Stability and Reactivity Data =====

St

Stability Indicator/Materials to Avoid: YES

Stability Condition to Avoid: AVOID HEAT, SPARKS, FIRES.

Hazardous Decomposition Products: THERMAL DECOMPOSITION MAY PRODUCE
CARBON MONOXIDE AND/OR CARBON DIOXIDE.

Conditions to Avoid Polymerization: WILL NOT OCCUR.

===== Disposal Considerations =====

Waste Disposal Methods: INCINERATE IN FURNACE, OR BY LIQUID
INCINERATION. IN TOXIC LANDFILL IN ACCORDANCE
WITH LOCAL, STATE, AND FEDERAL REGULATIONS.

Disclaimer (provi

ded with this information by the compiling agencies):

This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent professional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.