View NSN Online: https://aerobasegroup.kr/nsn/8030-00-881-2618

FLAMEMASTER CORP THE CHEM SEAL DIV -- CS 3100 (PART B) -- 8030-00-881-2618

Product ID:CS 3100 (PART B)

MSDS Date:01/13/1999

FSC:8030

NIIN:00-881-2618

Status Code:A

Kit Part:Y

MSDS Number: CLQYP === Responsible Party ===

Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

City:SUN VALLEY

State:CA

ZIP:91352-4949

Country:US

Info Phone Num:818-9

82-1650

Emergency Phone Num:(800)424-9300 Preparer's Name:HENRY SIMMONS Chemtrec Ind/Phone:(800)424-9300

CAGE:14439

=== Contractor Identification ===

Company Name: FLAMEMASTER CORP THE CHEM SEAL DIV

Address:11120 SHERMAN WAY

Box:City:SUN VALLEY

State:CA

ZIP:91352-4949 Country:US

Phone:818-982-1650

CAGE:14439

======= Composition/Information on Ingredients ========

Ingred Name:LEAD OXIDE CAS:1317-36-8

RTECS #:OG1750000

= Wt:6.

Ingred Name:LEAD DIOXIDE

CAS:1309-60-0

RTECS #:OG0700000

= Wt:64.
======================================
Routes of Entry: Inhalation:NO Skin:NO Ingestion:YES Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO Health Hazards Acute and Chronic:ACUTE-WEAKNESS, STUPOR. CHRONIC-KIDNEY DAMAGE, ANEMIA, REPRODUCTIVE DEFECTS. Effects of Overexposure:HEADACHE, MUSCLE AND JOINT PAIN, NEUROMUSCULAR DYSFUNCTION Medical Cond Aggravated by Exposure:ANEMIA, KIDNEY DISEASE, PREGNANCY.
======================================
First Aid:INGESTION ? INDUCE VOMITING, CONSULT A PHYSICIAN AT ONCE. EYE CONTACT: FLUSH WITH LARGE AMOUNT OF WATER AND CONTACT A PHYSICIAN
======================================
Flash Point Method:TCC Flash Point:>93.3C, 200.F Extinguishing Media:FOAM, DRY CHEMICAL, CO2, WATER Fire Fighting Procedures:USE A SELF CONTAINED BREATHING APPARATUS WITH FULL FACE PIECE IN CONFINED AREAS. Unusual Fire/Explosion Hazard:FIRE HAZARD EXIT S IF CONTACT WITH OXIDIZABLE MATERIALS AT HIGH TEMPERATURES OCCURS.
========= Accidental Release Measures ==========
Spill Release Procedures:SCOOP UP AND TRANSFER TO A SAFETY CONTAINER.
======================================
Handling and Storage Precautions:STORE IN A COOL DRY AREA. KEEP CONTAINERS CLOSED. Other Precautions:WASH HANDS BEFORE EATING, DRINKING OR SMOKING. ===================================

Respiratory Protection:IF SOOT IS FORMED USE NIOSH APPROVED RESPIRATOR
Ventilation:LOCAL EXHAUST- AIR HOOD, MECHANICAL- FAN
Protective Gloves:RUBBER
Evo Protection: SAFETY CLASSES

Eye Protection: SAFETY GLASSES

Other Protective Equipment: APPROPRIATE TO AVOID PROLONGED CONTACT Work Hygienic Practices: TRAIN PERSONNEL IN SAFE HANDLING OF THIS

PRODUCT

Supplemental Safety and Health

======== Physical/Chemical Properties ===========

Boiling Pt:=340.C, 644.F

Melt/Freeze Pt:M.P/F.P Text:LIQUID AT ROOM TEMP

ERATUR

Vapor Pres:NIL Spec Gravity:3.00

pH:6.8

Solubility in Water: NEGLIGIBLE

Appearance and Odor:BROWM PASTE, OILY ODOR

======== Stability and Reactivity Data ==========

Stability Indicator/Materials to Avoid:YES
OXIDIZABLE MATERIALS
Stability Condition to Avoid:HIGH HEAT

Hazardous Decomposition Products: LEAD OXIDE DUST AND ORGANICS.

====== Disposal Considerations ==========

Waste Disposal Methods: RETURN TO SMELTER FOR RECLAMATION OR REACT WITH

BASE AND DISPOSE ACCORDING TO FEDERAL, STATE AND LOCAL REGULATIONS.

Disclaimer (provided with this information by the compiling agencies): This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibili

