

QPL INC, FORMERLY OMNITECH INTERNATIONAL, INC. -- SLYDE II LUBRICATING COMPOUND --  
9150-00-823-7860

===== Product Identification =====

Product ID:SLYDE II LUBRICATING COMPOUND

MSDS Date:04/01/1993

FSC:9150

NIIN:00-823-7860

Status Code:A

MSDS Number: CLRHS

=== Responsible Party ===

Company Name:QPL INC, FORMERLY OMNITECH INTERNATIONAL, INC.

Address:800 N. ACADIA ROAD

City:THIBODAUX

State:LA

ZIP:70

301

Country:US

Info Phone Num:504-394-8440

Emergency Phone Num:504-449-0660

CAGE:0AD61

=== Contractor Identification ===

Company Name:QPL INC, FORMERLY OMNITECH INTERNATIONAL, INC.

Address:800 N. ACADIA ROAD

Box:City:THIBODAUX

State:LA

ZIP:70301

Country:US

Phone:504-394-8440

CAGE:0AD61

===== Composition/Information on Ingredients =====

Ingred Name:TRICHLOROTRIFLUOROETHANE

CAS:26523-64-8

= Wt:37.

OSHA PEL:NOT PROVIDED

ACGIH TLV:1000 PPM

Ingred Name:METHYLCHLOROFORM

CAS:71-55-

6

RTECS #:KJ2975000

= Wt:35.

OSHA PEL:1900 MG/M3;350 PPM

ACGIH TLV:1910 MG/M3;350 PPM

ACGIH STEL:2460 MG/M3;450 PPM

EPA Rpt Qty:1000 LBS

DOT Rpt Qty:1000 LBS

Ozone Depleting Chemical:1

Ingred Name:HYDROCARBON PROPELLANT

= Wt:20.

=====  
===== Hazards Identification =====

LD50 LC50 Mixture:NOT PROVIDED.

Routes of Entry: Inhalation:YES Skin:YES Ingestion:NO

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:ACUTE: HEADACHE, DIZZINES  
S, NAUSEA.

Explanation of Carcinogenicity:NOT PROVIDED.

Effects of Overexposure:HEADACHE, DIZZINESS AND NAUSEA

Medical Cond Aggravated by Exposure:NOT PROVIDED.

=====  
===== First Aid Measures =====

First Aid:INHALATION: REMOVE VICTIM TO FRESH AIR. DO NOT GIVE ANYTHING  
BY MOUTH TO AN UNCONSCIOUS PERSON. INGESTION: DO NOT INDUCE  
VOMITING. CONTACT PHYSICIAN. EYE: WASH WITH PLENTY OF WATER FOR 15  
MINUTES. SKI N: FLUSH WITH WATER.

=====  
===== Fire Fighting Measures =====

Flash Point:NO FLASH POINT

Lower Limits:6.2

Upper Limits:17.2

Extinguishing Media:MECHANICAL FOAM, DRY CHEMICAL, WATER, CO2.

Fire Fighting Procedures:SELF CONTAINED RESPIRATORY EQUIPMENT.

Unusual Fire/Explosion Hazard:NONE.

=====  
===== Accidental Release Measures =====

Spill Release Procedures:SMALL SPILL: MOP, WIPE OR SOAK UP WITH  
ABSORBENT MATERIAL USING PROPER PROTECTIVE EQUIPMENT. LARGE SPILL:  
FLUSH SPILL TO GROUN



Condition to Avoid:OPEN FLAME OR WELDING ARCS

Hazardous Decomposition Products:EXPOSURE TO HIGH TEMPERATURES OR OPEN FLAME GENERATED HYDROCARBON AND SMALL AMOUNT OF CHLORINE & PHOSGENE.

Conditions to Avoid Polymerization:WILL NOT OCCUR

===== Toxicological Information =====

Toxicological Information:NOT PROVIDED.

===== Ecological Information =====

Ecological:NOT PROVIDED.

===== Disposal Considerations =====

=====

Waste Disposal Methods:DO NOT INCINERATE OR PUNCTURE CAN. WRAP CONTAINER AND DISPOSE OF IN TRASH COLLECTION.

===== MSDS Transport Information =====

Transport Information:NOT PROVIDED.

===== Regulatory Information =====

SARA Title III Information:NOT PROVIDED.

Federal Regulatory Information:NOT PROVIDED.

State Regulatory Information:NOT PROVIDED.

===== Other Information =====

=====

Disclaimer (provided with this information by the compiling agencies):  
This information is formulated for use by elements of the Department of Defense. The United States of America in no manner whatsoever, expressly or implied, warrants this information to be accurate and disclaims all liability for its use. Any person utilizing this document should seek competent professional advice to verify and assume responsibility for the suitability of this information to their particular

situation.