

MAGNAFLUX DIV OF ILLINOIS TOOL WKS INC -- ZYGLO PENETRANT ZL-2C -- 6850-01-268-6703

=====
Product Identification
=====

Product ID:ZYGLO PENETRANT ZL-2C

MSDS Date:02/19/1999

FSC:6850

NIIN:01-268-6703

Status Code:A

MSDS Number: CLRLV

=== Responsible Party ===

Company Name:MAGNAFLUX DIV OF ILLINOIS TOOL WKS INC

Address:3624 WEST LAKE AVENUE

City:GLENVIEW

State:IL

ZIP:60025

Country:US

Info Phone Num:

847-657-5300 / 5338 (FAX)

Emergency Phone Num:847-657-5300 OFF HRS: 800-424-9300

Preparer's Name:CHERI A. STOCKHAUSEN

Chemtrec Ind/Phone:(800)424-9300

CAGE:KO362

=== Contractor Identification ===

Company Name:MAGNAFLUX DIV OF ILLINOIS TOOL WKS INC

Address:3624 WEST LAKE AVENUE

City:GLENVIEW

State:IL

ZIP:60025

Country:US

Phone:847-657-5300 / 5338 (FAX)

CAGE:KO362

=====
Composition/Information on Ingredients
=====

Ingred Name:ISODECYL DIPHENYL PHOSPHATE

CAS:29761-21-5

Minumum

% Wt:15.

Maxumum % Wt:40.

Ingred Name:WHITE MINERAL OIL (PETROLEUM)

CAS:8042-47-5

RTECS #:PY8047000

Minumum % Wt:30.

Maxumum % Wt:60.

OSHA PEL:5 MG/M3

ACGIH TLV:5 MG/M3

=====
Hazards Identification
=====

Reports of Carcinogenicity:NTP:NO IARC:NO OSHA:NO

Health Hazards Acute and Chronic:POTENTIAL HEALTH EFFECTS: SKIN

CONTACT:CAN IRRITATE BY REMOVING NATURAL SKIN OILS ON LONG OR REPEATED EXPOSURES. EYES:MAY CAUSE IRRITATION. INHALATION:NOT SIGNIF

ICANT AT ROOM TEMPERATURES. WHEN HEATED OR SPRAYED, ZL-2C VAPORS MAY CAUSE DIZZINESS AND NAUSEA. INGESTION:NOT SIGNIFICANT IN SMALL (MOUTHFUL) AMOUNTS.

Explanation of Carcinogenicity:CONTAINS NO KNOWN OR SUSPECT CARCINOGENS LISTED WITH OSHA, IARC, NTP OR ACGIH.

Medical Cond Aggravated by Exposure:NONE.

=====
===== First Aid Measures =====

First Aid:SKIN CONTACT:WASH OFF WITH SOAP AND WATER. USE SOOTHING LOTION. EYES:RINSE CAREFULLY UNDER UPPER AND LOWER EYELIDS USING PLENTY OF WATER. INHALATION:REMOVE TO FRESH AIR IF DIZZY OR NAUSEATED. INGESTION:DO NOT INDUCE VOMITING. ACCIDENTAL INGESTION OF A SMALL MOUTHFUL IS NOT EXPECTED TO CAUSE SIGNIFICANT HARM. NOTE:IN ALL SEVERE CASES, CONTACT PHYSICIAN IMMEDIATELY. LOCAL TELEPHONE OPERATORS CAN FURNISH NUMBER OF REGIONAL POISON CONTROL CENTER.

=====
===== Fire Fighting Measures =====

Flash Point Method:PMCC

Flash Point:=-93.3C, 200.F

MINI

MUM

Lower Limits:1%

Upper Limits:6%

Extinguishing Media:CARBON DIOXIDE, FOAM.

Fire Fighting Procedures:KEEP CONTAINERS COOL WITH WATER SPRAY.

Unusual Fire/Explosion Hazard:NONE. CONDITIONS OF FLAMMABILITY:HEATING ABOVE 200°F (93°C) IN PRESENCE OF IGNITION SOURCES.

=====
===== Accidental Release Measures =====

Spill Release Procedures:MOP UP OR SWEEP UP WITH ABSORBENT.

=====
===== Handling and Storage =====

Handling and Storage Precautions:

AVOID BREATHING SPRAY MIST. AVOID

REPEATED OR PROLONGED SKIN CONTACT. AVOID EYE CONTACT.

Other Precautions:EMERGENCY OVERVIEW: BLAND OILY LIQUID WHICH MAY IRRITATE THE SKIN AND EYES.DIFFICULT TO IGNITE, BUT WILL BURN VIGOROUSLY IF ENGULFED IN FIRE.

=====
===== Exposure Controls/Personal Protection =====

Respiratory Protection:RESPIRATOR WITH FILTER IF SPRAYED IN ENCLOSED UNVENTILATED SPACE.

Protective Gloves:WEAR NITRILE RUBBER GLOVES IF HAND EXPOSURE IS UNAVOIDABLE

IDABLE.

Eye Protection:WEAR SAFETY GLASSES TO PROTECT EYES.

Supplemental Safety and Health

PRODUCT USE:FLUORESCENT INSPECTION PENETRANT. PACKAGES:1 GALLON CANS, 5 GALLON PAILS, 20 AND 55 GALLON DRUMS. NFPA RATING:HEALTH 1, FLAMMABILITY 1, REACTIVITY 0. PIN (CANADA):NONE.

===== Physical/Chemical Properties =====

HCC:N1

Boiling Pt:=235.C, 455.F

B.P. Text:ASTM D-86

Vapor Pres:1

Spec Gravity:0.87

pH:NEUTRAL

Evaporation Rate & Reference:NEGLIGIBLE

Solubility

in Water:O, EMULSIFIES INTO WATER

Appearance and Odor:GREEN, OILY LIQUID. MILD ODOR.

Percent Volatiles by Volume:NONE

===== Stability and Reactivity Data =====

Stability Indicator/Materials to Avoid:YES

NONE

Hazardous Decomposition Products:SOOT, OXIDES OF CARBON AND NITROGEN IF HEATED TO COMBUSTION TEMPERATURE.

===== Toxicological Information =====

Toxicological Information:CARCINOGENICITY:CONTAINS NO KNOWN OR SUSPECTED CARCINOGENS LISTED WITH OSHA, IARC, NTP, OR ACGIH.

THRESHOLD LIMIT VALUE:5 MG/M FOR OILY MIST WHMIS INFORMATION

(CANADA):ACCORDING TO AVAILABLE INFORMATION, THE INGREDIENTS HAVE NOT BEEN FOUND TO SHOW REPRODUCTIVE TOXICITY, TERATOGENICITY, MUTAGENICITY, SKIN SENSITIZATION, OR SYNERGISTIC TOXIC EFFECTS WITH OTHER MATERIALS.

===== Ecological Information =====

Ecological:NO DATA IS AVAILABLE ON ZL-2C. IT EMULSIFIES INTO WATER AND IS BIODEGRADABLE

. ITS LOW BULK VAPOR PRESSURE MAY EXEMPT IT FROM
VOC RESTRICTIONS.

===== Disposal Considerations =====

Waste Disposal Methods:AS NON-HAZARDOUS OILY WASTE, INCINERATE OR SEND
TO WASTE HANDLER WHO CAN BLEND IT INTO SECONDARY FUELS. RCRA: NOT
A HAZARDOUS WASTE. U.S. EPA WASTE NUMBER: NONE.

===== MSDS Transport Information =====

Transport Information:U.S.DOT:49 CFR 172.101 HAZARDOUS MATERIALS TABLE.
BULK. PROPER SHIPP
ING NAME:NONE, NOT RESTRICTED. HAZARD CLASS OR
DIVISION:NONE. IDENTIFICATION NO.:NONE. PACKING GROUP:NONE.

===== Regulatory Information =====

SARA Title III Information:CERCLA:NOT REPORTABLE. SARA TITLE
III,SECTION 313:NO REPORTABLE INGREDIENTS.

Federal Regulatory Information:TSCA:ALL INGREDIENTS ARE LISTED IN TSCA
INVENTORY. WHMIS CLASS (CANADA):BULK: D-2B. NOTE:THIS MSDS HAS BEEN
PREPARED TO MEET WHMIS (CANADA) REQUIREMENTS WITH THE EXCEPTION
OF
USING 16 HEADINGS.

State Regulatory Information:CALIFORNIA PROPOSITION 65:CONTAINS NOTHING
ON THIS LIST.

Disclaimer (provided with this information by the compiling agencies):
This information is formulated for use by elements of the Department
of Defense. The United States of America in no manner whatsoever,
expressly or implied, warrants this information to be accurate and
disclaims all liability for its use. Any person utilizing this
document should seek competent profess
ional advice to verify and
assume responsibility for the suitability of this information to their
particular situation.